



| | Los A | ngeles (| County: | L.A. Co | /Martin | Luther I | King Ch | arles R. | Drew M | led Ctr | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 99 | 8 | 9.2 | 2.8 | 8.1 | 9.2 | 11.1 | 3.6 | 18.6 | 0.421 |
| | 1994 | Excluded | l | | | | | | | | | |
| | 1995 | 12.8 | 99 | 8 | 9.2 | 2.8 | 8.1 | 9.2 | 11.2 | 3.6 | 18.7 | 0.421 |
| | 1996 | Excluded | I | | | | | | | | | |
| Model B | All Years | 12.7 | 99 | 8 | 7.1 | 2.3 | 8.1 | 7.2 | 14.2 | 6.1 | 22.3 | 0.421 |
| | 1994 | Excluded | | | | | | | | | | |
| | 1995 | 12.8 | 99 | 8 | 7.1 | 2.3 | 8.1 | 7.2 | 14.4 | 6.2 | 22.5 | 0.421 |
| | 1996 | Excluded | 1 | | | | | | | | | |






| | | Los Ang | jeles Co | unty: L | .A. Co/0 | Olive Vie | w-UCLA | A Medic | al Cente | r | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 194 | 12 | 16.1 | 3.7 | 6.2 | 8.3 | 9.5 | 3.8 | 15.1 | 0.161 |
| | 1994 | 13.0 | 71 | 4 | 6.4 | 2.3 | 5.6 | 9.0 | 8.1 | 0.0 | 17.3 | 0.212 |
| | 1995 | 12.8 | 77 | 4 | 6.2 | 2.3 | 5.2 | 8.0 | 8.3 | 0.0 | 17.4 | 0.234 |
| | 1996 | 12.3 | 46 | 4 | 3.6 | 1.7 | 8.7 | 7.8 | 13.9 | 2.1 | 25.6 | 0.487 |
| Model B | All Years | 12.7 | 194 | 12 | 14.5 | 3.2 | 6.2 | 7.5 | 10.5 | 5.0 | 16.0 | 0.270 |
| | 1994 | 12.9 | 71 | 4 | 5.7 | 2.0 | 5.6 | 8.0 | 9.1 | 0.2 | 18.0 | 0.286 |
| | 1995 | 12.8 | 77 | 4 | 6.0 | 2.0 | 5.2 | 7.8 | 8.5 | 0.1 | 16.9 | 0.230 |
| | 1996 | 12.4 | 46 | 4 | 2.8 | 1.5 | 8.7 | 6.1 | 17.5 | 4.4 | 30.6 | 0.307 |







[‡] Hospital sent comment letter


| | | Los An | igeles C | ounty: | L.A. Co | /Rancho | Los An | nigos H | ospital‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 6 | 0 | 0.8 | 0.8 | 0.0 | 13.0 | 0.0 | 0.0 | 25.1 | 0.415 |
| | 1994 | 13.0 | 3 | 0 | 0.2 | 0.4 | 0.0 | 7.0 | 0.0 | 0.0 | 53.3 | 0.804 |
| | 1995 | 12.8 | 3 | 0 | 0.6 | 0.6 | 0.0 | 19.0 | 0.0 | 0.0 | 28.6 | 0.517 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 6 | 0 | 0.4 | 0.6 | 0.0 | 7.0 | 0.0 | 0.0 | 35.9 | 0.639 |
| | 1994 | 12.9 | 3 | 0 | 0.1 | 0.3 | 0.0 | 2.9 | 0.0 | 0.0 | 85.0 | 0.916 |
| | 1995 | 12.8 | 3 | 0 | 0.3 | 0.5 | 0.0 | 11.0 | 0.0 | 0.0 | 40.0 | 0.697 |
| | 1996 | 12.4 | 0 | | | | | | | | | |






| | | L | os Ange | les Cou | ınty: L. | A. Co/US | C Medi | cal Cen | ter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 473 | 51 | 43.1 | 5.9 | 10.8 | 9.1 | 15.0 | 11.6 | 18.4 | 0.108 |
| | 1994 | 13.0 | 135 | 10 | 13.2 | 3.3 | 7.4 | 9.8 | 9.8 | 3.6 | 16.0 | 0.203 |
| | 1995 | 12.8 | 177 | 24 | 16.8 | 3.6 | 13.6 | 9.5 | 18.3 | 12.9 | 23.8 | 0.037 |
| | 1996 | 12.3 | 161 | 17 | 13.1 | 3.3 | 10.6 | 8.2 | 16.0 | 9.9 | 22.1 | 0.154 |
| Model B | All Years | 12.7 | 471 | 51 | 47.3 | 5.5 | 10.8 | 10.0 | 13.7 | 10.8 | 16.6 | 0.277 |
| | 1994 | 12.9 | 135 | 10 | 11.5 | 2.9 | 7.4 | 8.5 | 11.3 | 4.8 | 17.7 | 0.383 |
| | 1995 | 12.8 | 176 | 24 | 20.5 | 3.5 | 13.6 | 11.6 | 15.0 | 10.8 | 19.3 | 0.189 |
| | 1996 | 12.4 | 160 | 17 | 15.4 | 3.0 | 10.6 | 9.6 | 13.6 | 8.9 | 18.4 | 0.351 |







‡ Hospital sent comment letter


| | | Los A | ngeles | County | : Lakew | ood Reg | gional M | ledical (| Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 394 | 58 | 60.4 | 6.7 | 14.7 | 15.3 | 12.2 | 9.4 | 15.0 | 0.395 |
| | 1994 | 13.0 | 138 | 20 | 21.4 | 4.0 | 14.5 | 15.5 | 12.1 | 7.4 | 16.8 | 0.420 |
| | 1995 | 12.8 | 141 | 24 | 22.7 | 4.1 | 17.0 | 16.1 | 13.5 | 9.0 | 18.1 | 0.413 |
| | 1996 | 12.3 | 115 | 14 | 16.3 | 3.5 | 12.2 | 14.2 | 10.6 | 5.4 | 15.9 | 0.313 |
| Model B | All Years | 12.7 | 394 | 58 | 57.9 | 6.1 | 14.7 | 14.7 | 12.7 | 10.1 | 15.4 | 0.519 |
| | 1994 | 12.9 | 138 | 20 | 20.6 | 3.6 | 14.5 | 14.9 | 12.5 | 8.1 | 17.0 | 0.495 |
| | 1995 | 12.8 | 141 | 24 | 22.6 | 3.8 | 17.0 | 16.0 | 13.6 | 9.4 | 17.8 | 0.395 |
| | 1996 | 12.4 | 115 | 14 | 14.7 | 3.2 | 12.2 | 12.8 | 11.8 | 6.5 | 17.1 | 0.489 |






| | | Los | Angele | es Coun | ity: Lan | caster C | ommun | ity Hos _l | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 342 | 30 | 40.0 | 5.6 | 8.8 | 11.7 | 9.5 | 6.1 | 13.0 | 0.040 |
| | 1994 | 13.0 | 103 | 11 | 13.8 | 3.2 | 10.7 | 13.4 | 10.3 | 4.4 | 16.2 | 0.238 |
| | 1995 | 12.8 | 106 | 9 | 10.9 | 2.9 | 8.5 | 10.3 | 10.5 | 3.8 | 17.3 | 0.322 |
| | 1996 | 12.3 | 133 | 10 | 15.3 | 3.5 | 7.5 | 11.5 | 8.1 | 2.5 | 13.6 | 0.081 |
| Model B | All Years | 12.7 | 342 | 30 | 33.9 | 4.8 | 8.8 | 9.9 | 11.2 | 7.7 | 14.8 | 0.241 |
| | 1994 | 12.9 | 103 | 11 | 11.7 | 2.7 | 10.7 | 11.4 | 12.1 | 6.2 | 18.0 | 0.477 |
| | 1995 | 12.8 | 106 | 9 | 9.3 | 2.6 | 8.5 | 8.7 | 12.5 | 5.4 | 19.5 | 0.553 |
| | 1996 | 12.4 | 133 | 10 | 12.9 | 3.0 | 7.5 | 9.7 | 9.6 | 3.9 | 15.2 | 0.211 |







[‡] Hospital sent comment letter


| | | Los | Angele | s Coun | ty: Little | Compa | ny of M | ary Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 614 | 75 | 85.3 | 8.0 | 12.2 | 13.9 | 11.2 | 8.8 | 13.5 | 0.110 |
| | 1994 | 13.0 | 211 | 23 | 31.8 | 4.9 | 10.9 | 15.1 | 9.4 | 5.5 | 13.3 | 0.041 |
| | 1995 | 12.8 | 229 | 30 | 33.3 | 5.0 | 13.1 | 14.5 | 11.5 | 7.8 | 15.3 | 0.292 |
| | 1996 | 12.3 | 174 | 22 | 20.2 | 4.0 | 12.6 | 11.6 | 13.5 | 8.7 | 18.2 | 0.362 |
| Model B | All Years | 12.7 | 612 | 74 | 89.0 | 7.4 | 12.1 | 14.5 | 10.6 | 8.5 | 12.6 | 0.023 |
| | 1994 | 12.9 | 209 | 22 | 33.4 | 4.5 | 10.5 | 16.0 | 8.5 | 5.1 | 11.9 | 0.006 |
| | 1995 | 12.8 | 229 | 30 | 35.8 | 4.6 | 13.1 | 15.6 | 10.7 | 7.5 | 14.0 | 0.124 |
| | 1996 | 12.4 | 174 | 22 | 19.8 | 3.6 | 12.6 | 11.4 | 13.7 | 9.3 | 18.2 | 0.312 |






| | | Los Ang | geles Co | ounty: L | ong Be | ach Con | nmunity | Medica | al Center | r | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 472 | 67 | 62.3 | 6.9 | 14.2 | 13.2 | 13.7 | 10.9 | 16.4 | 0.270 |
| | 1994 | 13.0 | 160 | 17 | 21.0 | 4.0 | 10.6 | 13.1 | 10.5 | 5.6 | 15.4 | 0.193 |
| | 1995 | 12.8 | 166 | 26 | 21.3 | 4.0 | 15.7 | 12.8 | 15.6 | 10.9 | 20.4 | 0.149 |
| | 1996 | 12.3 | 146 | 24 | 20.0 | 3.9 | 16.4 | 13.7 | 14.8 | 10.1 | 19.5 | 0.182 |
| Model B | All Years | 12.7 | 472 | 67 | 65.9 | 6.6 | 14.2 | 14.0 | 12.9 | 10.4 | 15.4 | 0.458 |
| | 1994 | 12.9 | 160 | 17 | 21.4 | 3.8 | 10.6 | 13.4 | 10.3 | 5.7 | 14.8 | 0.153 |
| | 1995 | 12.8 | 166 | 26 | 24.3 | 3.9 | 15.7 | 14.7 | 13.7 | 9.7 | 17.7 | 0.375 |
| | 1996 | 12.4 | 146 | 24 | 20.1 | 3.7 | 16.4 | 13.8 | 14.7 | 10.3 | 19.1 | 0.177 |







[‡] Hospital sent comment letter


| | | Lo | s Angel | es Coui | nty: Lon | ng Beach | Docto | r's Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 18 | 3 | 2.2 | 1.3 | 16.7 | 12.1 | 17.5 | 3.0 | 32.0 | 0.372 |
| | 1994 | 13.0 | 9 | 1 | 0.6 | 0.7 | 11.1 | 6.2 | 23.2 | 0.0 | 55.1 | 0.449 |
| | 1995 | 12.8 | 5 | 1 | 0.8 | 0.8 | 20.0 | 15.7 | 16.3 | 0.0 | 41.6 | 0.585 |
| | 1996 | 12.3 | 4 | 1 | 0.8 | 0.7 | 25.0 | 20.9 | 14.8 | 0.0 | 35.2 | 0.668 |
| Model B | All Years | 12.7 | 17 | 3 | 3.6 | 1.3 | 17.6 | 21.2 | 10.6 | 1.9 | 19.2 | 0.472 |
| | 1994 | 12.9 | 9 | 1 | 1.2 | 0.6 | 11.1 | 12.9 | 11.1 | 0.0 | 24.8 | 0.761 |
| | 1995 | 12.8 | 4 | 1 | 1.2 | 0.8 | 25.0 | 30.6 | 10.5 | 0.0 | 27.0 | 0.645 |
| | 1996 | 12.4 | 4 | 1 | 1.2 | 0.7 | 25.0 | 30.7 | 10.1 | 0.0 | 24.3 | 0.650 |







| | | Los Ar | ngeles C | County: | Long B | each Me | morial | Medical | Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 776 | 89 | 110.6 | 9.1 | 11.5 | 14.3 | 10.2 | 8.2 | 12.3 | 0.009 |
| | 1994 | 13.0 | 277 | 37 | 38.6 | 5.4 | 13.4 | 13.9 | 12.4 | 8.9 | 16.0 | 0.423 |
| | 1995 | 12.8 | 274 | 31 | 38.5 | 5.4 | 11.3 | 14.0 | 10.3 | 6.8 | 13.8 | 0.096 |
| | 1996 | 12.3 | 225 | 21 | 33.5 | 5.0 | 9.3 | 14.9 | 7.7 | 4.1 | 11.4 | 0.006 |
| Model B | All Years | 12.7 | 774 | 88 | 107.7 | 8.4 | 11.4 | 13.9 | 10.4 | 8.4 | 12.3 | 0.010 |
| | 1994 | 12.9 | 277 | 37 | 36.3 | 4.9 | 13.4 | 13.1 | 13.2 | 9.7 | 16.6 | 0.477 |
| | 1995 | 12.8 | 272 | 30 | 38.7 | 5.0 | 11.0 | 14.2 | 9.9 | 6.7 | 13.2 | 0.049 |
| | 1996 | 12.4 | 225 | 21 | 32.7 | 4.7 | 9.3 | 14.6 | 7.9 | 4.5 | 11.4 | 0.006 |







| | | Los | Angeles | Count | y: Los A | Angeles | Commu | nity Ho | spital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 33 | 3 | 2.6 | 1.5 | 9.1 | 7.8 | 14.8 | 0.3 | 29.3 | 0.486 |
| | 1994 | 13.0 | 12 | 0 | 0.8 | 0.8 | 0.0 | 6.3 | 0.0 | 0.0 | 27.9 | 0.453 |
| | 1995 | 12.8 | 8 | 1 | 0.7 | 0.8 | 12.5 | 9.4 | 17.1 | 0.0 | 43.7 | 0.558 |
| | 1996 | 12.3 | 13 | 2 | 1.1 | 1.0 | 15.4 | 8.3 | 22.9 | 1.1 | 44.7 | 0.294 |
| Model B | All Years | 12.7 | 33 | 3 | 3.3 | 1.4 | 9.1 | 10.1 | 11.4 | 0.8 | 22.1 | 0.565 |
| | 1994 | 12.9 | 12 | 0 | 0.7 | 0.7 | 0.0 | 5.9 | 0.0 | 0.0 | 26.6 | 0.444 |
| | 1995 | 12.8 | 8 | 1 | 1.0 | 0.8 | 12.5 | 12.6 | 12.7 | 0.0 | 32.3 | 0.766 |
| | 1996 | 12.4 | 13 | 2 | 1.6 | 0.9 | 15.4 | 12.5 | 15.3 | 1.4 | 29.1 | 0.537 |






| | Lo | s Angel | es Coui | nty: Los | Angele | es Comn | nunity H | ospital | of Norw | alk | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 30 | 4 | 3.0 | 1.6 | 13.3 | 9.8 | 17.2 | 4.1 | 30.4 | 0.340 |
| | 1994 | Excluded | I | | | | | | | | | |
| | 1995 | 12.8 | 19 | 4 | 1.8 | 1.2 | 21.1 | 9.5 | 28.4 | 11.5 | 45.2 | 0.088 |
| | 1996 | 12.3 | 11 | 0 | 1.1 | 1.0 | 0.0 | 10.5 | 0.0 | 0.0 | 20.6 | 0.283 |
| Model B | All Years | 12.7 | 30 | 4 | 2.5 | 1.3 | 13.3 | 8.4 | 20.2 | 7.4 | 33.1 | 0.209 |
| | 1994 | Excluded | I | | | | | | | | | |
| | 1995 | 12.8 | 19 | 4 | 1.8 | 1.0 | 21.1 | 9.4 | 28.6 | 14.3 | 42.9 | 0.057 |
| | 1996 | 12.4 | 11 | 0 | 0.7 | 0.8 | 0.0 | 6.5 | 0.0 | 0.0 | 26.9 | 0.465 |







[‡] Hospital sent comment letter


| | I | _os Ang | eles Co | unty: L | os Ange | eles Meti | ropolita | n Medic | al Cente | er | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 3 | 0 | 0.1 | 0.4 | 0.0 | 4.8 | 0.0 | 0.0 | 63.7 | 0.862 |
| | 1994 | 13.0 | 3 | 0 | 0.1 | 0.4 | 0.0 | 4.8 | 0.0 | 0.0 | 65.0 | 0.862 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 3 | 0 | 0.1 | 0.2 | 0.0 | 1.8 | 0.0 | 0.0 | 100.0 | 0.946 |
| | 1994 | 12.9 | 3 | 0 | 0.1 | 0.2 | 0.0 | 1.8 | 0.0 | 0.0 | 100.0 | 0.946 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.4 | 0 | | | | | | | | | |






| | | Lo | s Angel | es Coui | nty: Mei | morial H | ospital | of Gard | ena | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 168 | 30 | 17.7 | 3.8 | 17.9 | 10.5 | 21.6 | 16.3 | 26.9 | 0.002 |
| | 1994 | 13.0 | 51 | 9 | 5.8 | 2.1 | 17.6 | 11.5 | 20.0 | 10.7 | 29.3 | 0.110 |
| | 1995 | 12.8 | 61 | 12 | 6.6 | 2.3 | 19.7 | 10.9 | 23.1 | 14.5 | 31.7 | 0.022 |
| | 1996 | 12.3 | 56 | 9 | 5.2 | 2.1 | 16.1 | 9.3 | 21.5 | 11.7 | 31.2 | 0.063 |
| Model B | All Years | 12.7 | 168 | 30 | 20.8 | 3.7 | 17.9 | 12.4 | 18.3 | 13.9 | 22.7 | 0.011 |
| | 1994 | 12.9 | 51 | 9 | 6.1 | 2.0 | 17.6 | 12.0 | 19.1 | 10.6 | 27.6 | 0.121 |
| | 1995 | 12.8 | 61 | 12 | 8.2 | 2.2 | 19.7 | 13.4 | 18.8 | 12.0 | 25.7 | 0.069 |
| | 1996 | 12.4 | 56 | 9 | 6.6 | 2.1 | 16.1 | 11.7 | 16.9 | 9.2 | 24.7 | 0.177 |







[‡] Hospital sent comment letter


| | I | os Ang | eles Co | unty: M | ethodis | t Hospit | al of So | uthern (| Californi | a | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 511 | 71 | 74.3 | 7.4 | 13.9 | 14.5 | 12.1 | 9.7 | 14.6 | 0.358 |
| | 1994 | 13.0 | 166 | 20 | 23.3 | 4.2 | 12.0 | 14.1 | 11.1 | 6.5 | 15.7 | 0.254 |
| | 1995 | 12.8 | 175 | 27 | 24.9 | 4.3 | 15.4 | 14.2 | 13.9 | 9.6 | 18.2 | 0.349 |
| | 1996 | 12.3 | 170 | 24 | 26.0 | 4.3 | 14.1 | 15.3 | 11.4 | 7.4 | 15.4 | 0.370 |
| Model B | All Years | 12.7 | 510 | 71 | 73.5 | 6.8 | 13.9 | 14.4 | 12.3 | 10.0 | 14.6 | 0.386 |
| | 1994 | 12.9 | 165 | 20 | 22.9 | 3.8 | 12.1 | 13.9 | 11.3 | 7.1 | 15.5 | 0.270 |
| | 1995 | 12.8 | 175 | 27 | 25.4 | 4.0 | 15.4 | 14.5 | 13.6 | 9.7 | 17.5 | 0.385 |
| | 1996 | 12.4 | 170 | 24 | 25.3 | 4.0 | 14.1 | 14.9 | 11.7 | 7.9 | 15.6 | 0.432 |






| | | Los | Angele | s Coun | ty: Midv | vay Hos _l | pital Me | dical Ce | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 273 | 39 | 43.1 | 5.6 | 14.3 | 15.8 | 11.5 | 8.2 | 14.8 | 0.267 |
| | 1994 | 13.0 | 107 | 18 | 18.0 | 3.6 | 16.8 | 16.8 | 13.0 | 7.9 | 18.1 | 0.544 |
| | 1995 | 12.8 | 83 | 9 | 12.4 | 3.0 | 10.8 | 15.0 | 9.3 | 3.2 | 15.4 | 0.168 |
| | 1996 | 12.3 | 83 | 12 | 12.7 | 3.1 | 14.5 | 15.3 | 11.7 | 5.8 | 17.6 | 0.491 |
| Model B | All Years | 12.7 | 273 | 39 | 42.4 | 5.1 | 14.3 | 15.5 | 11.7 | 8.7 | 14.7 | 0.288 |
| | 1994 | 12.9 | 107 | 18 | 17.2 | 3.3 | 16.8 | 16.1 | 13.5 | 8.6 | 18.4 | 0.461 |
| | 1995 | 12.8 | 83 | 9 | 12.5 | 2.7 | 10.8 | 15.1 | 9.2 | 3.8 | 14.7 | 0.131 |
| | 1996 | 12.4 | 83 | 12 | 12.7 | 2.8 | 14.5 | 15.3 | 11.7 | 6.3 | 17.1 | 0.488 |







[‡] Hospital sent comment letter


| | | Los Ang | geles Co | ounty: N | lission | Commu | nity Hos | spital-Pa | anorama | 1 | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 68 | 9 | 7.1 | 2.3 | 13.2 | 10.4 | 16.2 | 7.9 | 24.5 | 0.261 |
| | 1994 | 13.0 | 23 | 1 | 3.6 | 1.6 | 4.3 | 15.8 | 3.6 | 0.0 | 14.9 | 0.083 |
| | 1995 | 12.8 | 22 | 4 | 2.0 | 1.3 | 18.2 | 9.3 | 25.0 | 8.8 | 41.2 | 0.136 |
| | 1996 | 12.3 | 23 | 4 | 1.4 | 1.1 | 17.4 | 6.0 | 35.5 | 16.7 | 54.3 | 0.037 |
| Model B | All Years | 12.7 | 68 | 9 | 7.4 | 2.2 | 13.2 | 10.9 | 15.4 | 7.9 | 22.9 | 0.306 |
| | 1994 | 12.9 | 23 | 1 | 2.8 | 1.4 | 4.3 | 12.2 | 4.6 | 0.0 | 17.2 | 0.174 |
| | 1995 | 12.8 | 22 | 4 | 2.6 | 1.3 | 18.2 | 11.8 | 19.7 | 7.2 | 32.2 | 0.233 |
| | 1996 | 12.4 | 23 | 4 | 2.0 | 1.2 | 17.4 | 8.8 | 24.5 | 10.3 | 38.6 | 0.106 |






| | | | Los | Angele | s Coun | ty: Miss | ion Hos | pital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 37 | 1 | 4.6 | 1.9 | 2.7 | 12.5 | 2.8 | 0.0 | 13.0 | 0.037 |
| | 1994 | 13.0 | 8 | 1 | 0.8 | 0.8 | 12.5 | 10.0 | 16.3 | 0.0 | 42.0 | 0.587 |
| | 1995 | 12.8 | 19 | 0 | 2.0 | 1.3 | 0.0 | 10.5 | 0.0 | 0.0 | 16.2 | 0.111 |
| | 1996 | 12.3 | 10 | 0 | 1.8 | 1.1 | 0.0 | 18.1 | 0.0 | 0.0 | 15.2 | 0.114 |
| Model B | All Years | 12.7 | 37 | 1 | 3.6 | 1.5 | 2.7 | 9.6 | 3.6 | 0.0 | 14.3 | 0.076 |
| | 1994 | 12.9 | 8 | 1 | 0.8 | 0.7 | 12.5 | 9.7 | 16.6 | 0.0 | 39.3 | 0.634 |
| | 1995 | 12.8 | 19 | 0 | 1.0 | 0.9 | 0.0 | 5.2 | 0.0 | 0.0 | 24.2 | 0.356 |
| | 1996 | 12.4 | 10 | 0 | 1.8 | 1.0 | 0.0 | 18.0 | 0.0 | 0.0 | 13.4 | 0.073 |







[‡] Hospital sent comment letter


| | | Los | s Angel | es Cour | nty: Mor | nrovia C | ommun | ity Hosp | oital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 39 | 8 | 5.8 | 2.0 | 20.5 | 14.9 | 17.5 | 8.7 | 26.3 | 0.200 |
| | 1994 | 13.0 | 16 | 4 | 2.2 | 1.3 | 25.0 | 13.9 | 23.3 | 8.6 | 37.9 | 0.158 |
| | 1995 | 12.8 | 9 | 2 | 1.5 | 1.1 | 22.2 | 17.1 | 16.6 | 0.0 | 33.7 | 0.483 |
| | 1996 | 12.3 | 14 | 2 | 2.0 | 1.2 | 14.3 | 14.6 | 12.1 | 0.0 | 26.4 | 0.673 |
| Model B | All Years | 12.7 | 39 | 8 | 6.1 | 1.9 | 20.5 | 15.7 | 16.7 | 9.0 | 24.3 | 0.222 |
| | 1994 | 12.9 | 16 | 4 | 2.6 | 1.2 | 25.0 | 16.4 | 19.6 | 8.2 | 31.1 | 0.220 |
| | 1995 | 12.8 | 9 | 2 | 1.8 | 1.0 | 22.2 | 19.6 | 14.5 | 0.2 | 28.8 | 0.591 |
| | 1996 | 12.4 | 14 | 2 | 1.7 | 1.0 | 14.3 | 12.2 | 14.5 | 0.0 | 29.2 | 0.544 |






| | | | Los An | geles C | ounty: | Montere | y Park I | Hospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 110 | 19 | 15.4 | 3.5 | 17.3 | 14.0 | 15.7 | 10.1 | 21.4 | 0.181 |
| | 1994 | 13.0 | 47 | 8 | 6.4 | 2.2 | 17.0 | 13.7 | 16.1 | 7.2 | 25.0 | 0.305 |
| | 1995 | 12.8 | 43 | 6 | 5.8 | 2.1 | 14.0 | 13.5 | 13.2 | 4.0 | 22.5 | 0.539 |
| | 1996 | 12.3 | 20 | 5 | 3.1 | 1.6 | 25.0 | 15.5 | 19.9 | 7.7 | 32.1 | 0.182 |
| Model B | All Years | 12.7 | 110 | 19 | 18.2 | 3.3 | 17.3 | 16.5 | 13.3 | 8.8 | 17.8 | 0.454 |
| | 1994 | 12.9 | 47 | 8 | 6.5 | 2.1 | 17.0 | 13.9 | 15.8 | 7.8 | 23.9 | 0.308 |
| | 1995 | 12.8 | 43 | 6 | 8.2 | 2.1 | 14.0 | 19.1 | 9.4 | 3.1 | 15.7 | 0.205 |
| | 1996 | 12.4 | 20 | 5 | 3.5 | 1.5 | 25.0 | 17.4 | 17.8 | 7.3 | 28.3 | 0.237 |







[‡] Hospital sent comment letter


| | Lo | s Angel | es Cou | nty: Mo | tion Pic | ture and | Televis | ion Fur | nd Hospi | ital | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 19 | 2 | 3.6 | 1.5 | 10.5 | 19.1 | 7.0 | 0.0 | 17.6 | 0.238 |
| | 1994 | 13.0 | 6 | 0 | 0.6 | 0.7 | 0.0 | 10.5 | 0.0 | 0.0 | 29.0 | 0.499 |
| | 1995 | 12.8 | 9 | 1 | 2.1 | 1.1 | 11.1 | 23.0 | 6.2 | 0.0 | 19.7 | 0.320 |
| | 1996 | 12.3 | 4 | 1 | 0.9 | 0.8 | 25.0 | 23.2 | 13.3 | 0.0 | 33.6 | 0.683 |
| Model B | All Years | 12.7 | 19 | 2 | 3.1 | 1.3 | 10.5 | 16.1 | 8.3 | 0.0 | 18.6 | 0.344 |
| | 1994 | 12.9 | 6 | 0 | 0.3 | 0.5 | 0.0 | 5.5 | 0.0 | 0.0 | 41.8 | 0.707 |
| | 1995 | 12.8 | 9 | 1 | 1.7 | 0.9 | 11.1 | 18.8 | 7.6 | 0.0 | 21.3 | 0.455 |
| | 1996 | 12.4 | 4 | 1 | 1.0 | 0.7 | 25.0 | 25.9 | 11.9 | 0.0 | 27.3 | 0.788 |






| | | Lo | s Ange | les Cou | nty: Ne | whall Co | mmuni | ty Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 1 | 0 | 0.0 | 0.2 | 0.0 | 3.4 | 0.0 | 0.0 | 100.0 | 0.966 |
| | 1994 | 13.0 | 0 | | | | | | | | | |
| | 1995 | 12.8 | 1 | 0 | 0.0 | 0.2 | 0.0 | 3.4 | 0.0 | 0.0 | 100.0 | 0.966 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 1 | 0 | 0.0 | 0.1 | 0.0 | 1.5 | 0.0 | 0.0 | 100.0 | 0.985 |
| | 1994 | 12.9 | 0 | | | | | | | | | |
| | 1995 | 12.8 | 1 | 0 | 0.0 | 0.1 | 0.0 | 1.5 | 0.0 | 0.0 | 100.0 | 0.985 |
| | 1996 | 12.4 | 0 | | | | | | | | | |







[‡] Hospital sent comment letter


| | | Los | Angele | s Count | ty: Nortl | h Hollyw | ood Me | dical Ce | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 297 | 45 | 39.3 | 5.4 | 15.2 | 13.2 | 14.6 | 11.1 | 18.0 | 0.167 |
| | 1994 | 13.0 | 117 | 14 | 15.0 | 3.4 | 12.0 | 12.8 | 12.1 | 6.3 | 17.9 | 0.455 |
| | 1995 | 12.8 | 93 | 14 | 14.7 | 3.2 | 15.1 | 15.8 | 12.2 | 6.7 | 17.7 | 0.488 |
| | 1996 | 12.3 | 87 | 17 | 9.6 | 2.7 | 19.5 | 11.0 | 21.9 | 15.1 | 28.7 | 0.008 |
| Model B | All Years | 12.7 | 296 | 45 | 42.2 | 5.2 | 15.2 | 14.3 | 13.6 | 10.5 | 16.6 | 0.324 |
| | 1994 | 12.9 | 117 | 14 | 15.6 | 3.2 | 12.0 | 13.3 | 11.6 | 6.4 | 16.8 | 0.375 |
| | 1995 | 12.8 | 93 | 14 | 15.0 | 3.0 | 15.1 | 16.1 | 12.0 | 6.9 | 17.1 | 0.445 |
| | 1996 | 12.4 | 86 | 17 | 11.6 | 2.7 | 19.8 | 13.5 | 18.1 | 12.5 | 23.7 | 0.037 |







| | Los Ang | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste | ed Death Rate | Probability This Rate Occurred by Chance |
|---------|-----------|--------------------------|--------------------------|---------------------------------|---------------------------|---------------------------------------|-------------------------|-------------------------|--|--------------|---------------|--|
| | | . , , | | | | | , , | . , | | Lower | Upper | |
| Model A | All Years | 12.7 | 649 | 85 | 79.3 | 7.8 | 13.1 | 12.2 | 13.6 | 11.2 | 16.1 | 0.250 |
| | 1994 | 13.0 | 251 | 30 | 30.9 | 4.9 | 12.0 | 12.3 | 12.6 | 8.6 | 16.6 | 0.473 |
| | 1995 | 12.8 | 224 | 35 | 28.2 | 4.6 | 15.6 | 12.6 | 15.9 | 11.8 | 20.0 | 0.088 |
| | 1996 | 12.3 | 174 | 20 | 20.2 | 4.0 | 11.5 | 11.6 | 12.2 | 7.5 | 17.0 | 0.543 |
| Model B | All Years | 12.7 | 641 | 84 | 86.3 | 7.3 | 13.1 | 13.5 | 12.4 | 10.3 | 14.5 | 0.408 |
| | 1994 | 12.9 | 251 | 30 | 33.9 | 4.6 | 12.0 | 13.5 | 11.4 | 8.0 | 14.9 | 0.229 |
| | 1995 | 12.8 | 219 | 34 | 28.4 | 4.2 | 15.5 | 13.0 | 15.3 | 11.7 | 19.0 | 0.112 |
| | 1996 | 12.4 | 171 | 20 | 23.9 | 3.8 | 11.7 | 14.0 | 10.3 | 6.5 | 14.2 | 0.182 |







| | Los A | ngeles (| County: | Northri | dge Ho | spital Me | ed Ctr, S | Shermar | n Way C | ampus | | |
|---------|-----------|-------------------|-------------------|--------------------|-----------------|--------------------|-------------------|-------------------|-------------------|---------------|-------|-----------------------|
| | | | | | | Standard | | | Risk- | | | Probability |
| | | Statewide | Number of | Number of | Number of | Deviation of | Observed | Expected | Adjusted | Risk-Adjusted | | This Rate |
| | | Death Rate (%) | Cases Included | Observed Deaths | Expected Deaths | Observed Deaths | Death Rate (%) | Death Rate (%) | Death Rate (%) | 95% Confide | | Occurred by Chance |
| | | (70) | moladea | Deaths | Deaths | Dodins | (70) | (70) | (70) | Lower | Upper | Onlance |
| Model A | All Years | 12.7 | 176 | 19 | 22.4 | 4.2 | 10.8 | 12.7 | 10.8 | 6.2 | 15.4 | 0.244 |
| | 1994 | 13.0 | 60 | 6 | 8.6 | 2.6 | 10.0 | 14.3 | 9.0 | 1.5 | 16.6 | 0.209 |
| | 1995 | 12.8 | 64 | 10 | 7.7 | 2.4 | 15.6 | 12.1 | 16.6 | 8.7 | 24.5 | 0.226 |
| | 1996 | 12.3 | 52 | 3 | 6.1 | 2.2 | 5.8 | 11.7 | 6.1 | 0.0 | 14.8 | 0.112 |
| Model B | All Years | 12.7 | 172 | 19 | 23.0 | 3.9 | 11.0 | 13.4 | 10.5 | 6.3 | 14.7 | 0.183 |
| | 1994 | 12.9 | 58 | 6 | 7.5 | 2.3 | 10.3 | 13.0 | 10.3 | 2.6 | 18.0 | 0.338 |
| | 1995 | 12.8 | 64 | 10 | 9.0 | 2.3 | 15.6 | 14.0 | 14.3 | 7.8 | 20.9 | 0.397 |
| | 1996 | 12.4 | 50 | 3 | 6.5 | 2.1 | 6.0 | 13.0 | 5.7 | 0.0 | 13.5 | 0.065 |







| | | | Los A | ngeles | County | Orthop | aedic H | ospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 1 | 1 | 0.1 | 0.3 | 100.0 | 10.1 | 100.0 | 51.3 | 100.0 | 0.101 |
| | 1994 | 13.0 | 1 | 1 | 0.1 | 0.3 | 100.0 | 10.1 | 100.0 | 52.3 | 100.0 | 0.101 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 1 | 1 | 0.1 | 0.3 | 100.0 | 7.1 | 100.0 | 89.4 | 100.0 | 0.071 |
| | 1994 | 12.9 | 1 | 1 | 0.1 | 0.3 | 100.0 | 7.1 | 100.0 | 90.9 | 100.0 | 0.071 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.4 | 0 | | | | | | | | | |







| | | Los | Angele | es Coun | ty: Pac | ific Allia | nce Med | dical Ce | nter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 89 | 14 | 15.3 | 3.3 | 15.7 | 17.2 | 11.6 | 6.2 | 17.0 | 0.413 |
| | 1994 | 13.0 | 33 | 5 | 6.2 | 2.1 | 15.2 | 18.6 | 10.5 | 1.8 | 19.3 | 0.393 |
| | 1995 | 12.8 | 27 | 3 | 3.8 | 1.7 | 11.1 | 14.1 | 10.1 | 0.0 | 21.3 | 0.452 |
| | 1996 | 12.3 | 29 | 6 | 5.4 | 1.9 | 20.7 | 18.5 | 13.8 | 5.2 | 22.5 | 0.454 |
| Model B | All Years | 12.7 | 89 | 14 | 18.6 | 3.1 | 15.7 | 20.9 | 9.5 | 5.4 | 13.7 | 0.089 |
| | 1994 | 12.9 | 33 | 5 | 6.9 | 1.9 | 15.2 | 20.8 | 9.4 | 2.3 | 16.6 | 0.244 |
| | 1995 | 12.8 | 27 | 3 | 4.0 | 1.6 | 11.1 | 14.9 | 9.6 | 0.0 | 19.8 | 0.394 |
| | 1996 | 12.4 | 29 | 6 | 7.8 | 1.8 | 20.7 | 26.8 | 9.6 | 3.9 | 15.2 | 0.243 |







| | | Los | s Angele | es Coun | ıty: Pac | ific Hosp | oital of L | ong Be | ach | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 39 | 7 | 5.9 | 2.1 | 17.9 | 15.1 | 15.1 | 6.2 | 23.9 | 0.374 |
| | 1994 | 13.0 | 18 | 3 | 2.5 | 1.4 | 16.7 | 14.1 | 15.3 | 1.6 | 29.0 | 0.486 |
| | 1995 | 12.8 | 10 | 2 | 1.9 | 1.2 | 20.0 | 19.4 | 13.2 | 0.0 | 28.3 | 0.623 |
| | 1996 | 12.3 | 11 | 2 | 1.4 | 1.1 | 18.2 | 13.0 | 17.3 | 0.0 | 35.5 | 0.433 |
| Model B | All Years | 12.7 | 39 | 7 | 7.2 | 1.9 | 17.9 | 18.4 | 12.4 | 5.7 | 19.1 | 0.579 |
| | 1994 | 12.9 | 18 | 3 | 3.4 | 1.3 | 16.7 | 18.7 | 11.5 | 1.5 | 21.5 | 0.554 |
| | 1995 | 12.8 | 10 | 2 | 1.8 | 1.0 | 20.0 | 17.8 | 14.4 | 0.8 | 28.0 | 0.580 |
| | 1996 | 12.4 | 11 | 2 | 2.0 | 1.0 | 18.2 | 18.4 | 12.2 | 0.0 | 24.5 | 0.701 |







| | | Lo | s Angel | es Coui | nty: Pac | ifica Ho | spital o | f the Va | lley | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 260 | 38 | 31.8 | 5.0 | 14.6 | 12.2 | 15.2 | 11.3 | 19.1 | 0.126 |
| | 1994 | 13.0 | 75 | 6 | 9.1 | 2.7 | 8.0 | 12.1 | 8.6 | 1.1 | 16.0 | 0.165 |
| | 1995 | 12.8 | 89 | 17 | 11.9 | 3.0 | 19.1 | 13.4 | 18.3 | 11.9 | 24.7 | 0.069 |
| | 1996 | 12.3 | 96 | 15 | 10.8 | 2.9 | 15.6 | 11.2 | 17.2 | 10.6 | 23.7 | 0.105 |
| Model B | All Years | 12.7 | 256 | 37 | 34.6 | 4.6 | 14.5 | 13.5 | 13.6 | 10.3 | 16.9 | 0.339 |
| | 1994 | 12.9 | 74 | 6 | 8.4 | 2.5 | 8.1 | 11.4 | 9.2 | 1.8 | 16.7 | 0.224 |
| | 1995 | 12.8 | 87 | 17 | 14.6 | 2.8 | 19.5 | 16.8 | 14.9 | 10.1 | 19.7 | 0.248 |
| | 1996 | 12.4 | 95 | 14 | 11.6 | 2.7 | 14.7 | 12.2 | 14.9 | 9.3 | 20.6 | 0.237 |






| | | | Los | Angele | es Coun | ty: Pion | eer Hos | pital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 295 | 36 | 32.2 | 5.0 | 12.2 | 10.9 | 14.2 | 10.3 | 18.1 | 0.254 |
| | 1994 | 13.0 | 101 | 11 | 8.8 | 2.7 | 10.9 | 8.7 | 16.2 | 8.4 | 24.0 | 0.255 |
| | 1995 | 12.8 | 105 | 8 | 11.2 | 3.0 | 7.6 | 10.7 | 9.1 | 2.4 | 15.8 | 0.184 |
| | 1996 | 12.3 | 89 | 17 | 12.2 | 3.0 | 19.1 | 13.8 | 17.2 | 11.2 | 23.1 | 0.082 |
| Model B | All Years | 12.7 | 294 | 36 | 29.3 | 4.5 | 12.2 | 10.0 | 15.6 | 11.8 | 19.5 | 0.089 |
| | 1994 | 12.9 | 100 | 11 | 8.7 | 2.5 | 11.0 | 8.7 | 16.4 | 9.1 | 23.7 | 0.225 |
| | 1995 | 12.8 | 105 | 8 | 9.6 | 2.6 | 7.6 | 9.2 | 10.6 | 3.9 | 17.4 | 0.341 |
| | 1996 | 12.4 | 89 | 17 | 11.0 | 2.8 | 19.1 | 12.4 | 19.1 | 13.0 | 25.2 | 0.028 |







[‡] Hospital sent comment letter


| | | | | | | Standard | | | Risk- | | | Probability |
|---------|-----------|-------------------------|-----------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|------------------------------|-------------|--------------------------|
| | | Statewide Death Rate | Number of Cases | Number of Observed | Number of Expected | Deviation of Observed | Observed Death Rate | Expected Death Rate | Adjusted Death Rate | Risk-Adjusted 95% Confide | ence Bounds | This Rate Occurred by |
| | | (%) | Included | Deaths | Deaths | Deaths | (%) | (%) | (%) | Lower | Upper | Chance |
| Model A | All Years | 12.7 | 947 | 113 | 120.3 | 9.6 | 11.9 | 12.7 | 11.9 | 9.9 | 13.9 | 0.242 |
| | 1994 | 13.0 | 326 | 50 | 43.4 | 5.7 | 15.3 | 13.3 | 15.0 | 11.6 | 18.3 | 0.141 |
| | 1995 | 12.8 | 309 | 26 | 37.4 | 5.4 | 8.4 | 12.1 | 8.9 | 5.3 | 12.5 | 0.019 |
| | 1996 | 12.3 | 312 | 37 | 39.5 | 5.5 | 11.9 | 12.7 | 11.6 | 8.2 | 15.0 | 0.364 |
| Model B | All Years | 12.7 | 946 | 113 | 130.3 | 9.1 | 11.9 | 13.8 | 11.0 | 9.3 | 12.8 | 0.030 |
| | 1994 | 12.9 | 326 | 50 | 47.4 | 5.4 | 15.3 | 14.5 | 13.6 | 10.8 | 16.5 | 0.343 |
| | 1995 | 12.8 | 309 | 26 | 40.4 | 5.1 | 8.4 | 13.1 | 8.3 | 5.1 | 11.4 | 0.002 |
| | 1996 | 12.4 | 311 | 37 | 42.5 | 5.3 | 11.9 | 13.7 | 10.8 | 7.7 | 13.8 | 0.170 |






| | | Los An | geles C | ounty: F | Presbyte | erian Int | ercomm | unity H | ospital‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 479 | 63 | 54.9 | 6.6 | 13.2 | 11.5 | 14.6 | 11.6 | 17.6 | 0.124 |
| | 1994 | 13.0 | 155 | 21 | 20.3 | 3.9 | 13.5 | 13.1 | 13.4 | 8.5 | 18.4 | 0.466 |
| | 1995 | 12.8 | 160 | 21 | 18.3 | 3.8 | 13.1 | 11.5 | 14.7 | 9.5 | 19.8 | 0.277 |
| | 1996 | 12.3 | 164 | 21 | 16.3 | 3.7 | 12.8 | 9.9 | 15.9 | 10.5 | 21.4 | 0.125 |
| Model B | All Years | 12.7 | 476 | 62 | 58.6 | 6.0 | 13.0 | 12.3 | 13.4 | 10.9 | 16.0 | 0.312 |
| | 1994 | 12.9 | 155 | 21 | 22.5 | 3.7 | 13.5 | 14.5 | 12.1 | 7.9 | 16.2 | 0.398 |
| | 1995 | 12.8 | 159 | 21 | 20.0 | 3.4 | 13.2 | 12.6 | 13.5 | 9.2 | 17.7 | 0.432 |
| | 1996 | 12.4 | 162 | 20 | 16.1 | 3.3 | 12.3 | 10.0 | 15.3 | 10.4 | 20.3 | 0.152 |







[‡] Hospital sent comment letter


| | | Los An | geles C | ounty: | Provide | nce Holy | / Cross | Medica | l Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 319 | 24 | 38.1 | 5.5 | 7.5 | 12.0 | 8.0 | 4.4 | 11.6 | 0.005 |
| | 1994 | 13.0 | 100 | 7 | 13.2 | 3.2 | 7.0 | 13.2 | 6.9 | 0.7 | 13.1 | 0.031 |
| | 1995 | 12.8 | 114 | 8 | 12.3 | 3.2 | 7.0 | 10.8 | 8.3 | 1.9 | 14.8 | 0.110 |
| | 1996 | 12.3 | 105 | 9 | 12.6 | 3.1 | 8.6 | 12.0 | 8.8 | 2.8 | 14.8 | 0.161 |
| Model B | All Years | 12.7 | 319 | 24 | 38.9 | 5.0 | 7.5 | 12.2 | 7.8 | 4.6 | 11.1 | 0.001 |
| | 1994 | 12.9 | 100 | 7 | 13.9 | 3.0 | 7.0 | 13.9 | 6.5 | 1.1 | 11.9 | 0.012 |
| | 1995 | 12.8 | 114 | 8 | 13.3 | 2.9 | 7.0 | 11.7 | 7.7 | 2.2 | 13.1 | 0.042 |
| | 1996 | 12.4 | 105 | 9 | 11.6 | 2.8 | 8.6 | 11.1 | 9.6 | 3.6 | 15.5 | 0.230 |






| | | Los Ang | jeles Co | unty: P | rovider | ice Saint | t Joseph | n Medic | al Cente | r | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 1008 | 98 | 129.0 | 10.0 | 9.7 | 12.8 | 9.7 | 7.7 | 11.6 | 0.001 |
| | 1994 | 13.0 | 343 | 39 | 43.5 | 5.8 | 11.4 | 12.7 | 11.6 | 8.2 | 15.0 | 0.251 |
| | 1995 | 12.8 | 349 | 34 | 44.4 | 5.9 | 9.7 | 12.7 | 9.8 | 6.5 | 13.1 | 0.043 |
| | 1996 | 12.3 | 316 | 25 | 41.2 | 5.6 | 7.9 | 13.0 | 7.5 | 4.2 | 10.8 | 0.002 |
| Model B | All Years | 12.7 | 1007 | 98 | 131.7 | 9.3 | 9.7 | 13.1 | 9.5 | 7.7 | 11.2 | 0.000 |
| | 1994 | 12.9 | 343 | 39 | 44.7 | 5.5 | 11.4 | 13.0 | 11.3 | 8.1 | 14.4 | 0.173 |
| | 1995 | 12.8 | 349 | 34 | 45.6 | 5.3 | 9.7 | 13.1 | 9.5 | 6.6 | 12.5 | 0.016 |
| | 1996 | 12.4 | 315 | 25 | 41.4 | 5.2 | 7.9 | 13.1 | 7.5 | 4.4 | 10.5 | 0.001 |







[‡] Hospital sent comment letter


| | Los | Angeles | County | : Queer | of Ang | jels-Holl | ywood l | Presbyt | erian Me | ed Ctr | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 542 | 96 | 81.7 | 7.8 | 17.7 | 15.1 | 14.9 | 12.6 | 17.3 | 0.040 |
| | 1994 | 13.0 | 200 | 38 | 31.7 | 4.9 | 19.0 | 15.9 | 15.5 | 11.6 | 19.4 | 0.119 |
| | 1995 | 12.8 | 148 | 26 | 22.0 | 4.1 | 17.6 | 14.9 | 15.1 | 10.4 | 19.8 | 0.195 |
| | 1996 | 12.3 | 194 | 32 | 28.0 | 4.5 | 16.5 | 14.4 | 14.1 | 10.2 | 18.0 | 0.214 |
| Model B | All Years | 12.7 | 528 | 95 | 97.9 | 7.6 | 18.0 | 18.5 | 12.3 | 10.4 | 14.3 | 0.380 |
| | 1994 | 12.9 | 200 | 38 | 41.0 | 4.8 | 19.0 | 20.5 | 12.0 | 9.0 | 14.9 | 0.303 |
| | 1995 | 12.8 | 139 | 26 | 24.9 | 3.9 | 18.7 | 17.9 | 13.4 | 9.5 | 17.3 | 0.427 |
| | 1996 | 12.4 | 189 | 31 | 32.0 | 4.4 | 16.4 | 16.9 | 12.0 | 8.7 | 15.3 | 0.460 |






| | | Lo | s Ange | es Cou | nty: Rio | Hondo | Memori | al Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 21 | 0 | 3.2 | 1.5 | 0.0 | 15.3 | 0.0 | 0.0 | 11.6 | 0.021 |
| | 1994 | 13.0 | 19 | 0 | 2.6 | 1.4 | 0.0 | 13.9 | 0.0 | 0.0 | 13.1 | 0.041 |
| | 1995 | 12.8 | 2 | 0 | 0.6 | 0.6 | 0.0 | 28.6 | 0.0 | 0.0 | 27.6 | 0.504 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 21 | 0 | 2.5 | 1.4 | 0.0 | 11.7 | 0.0 | 0.0 | 13.8 | 0.057 |
| | 1994 | 12.9 | 19 | 0 | 2.1 | 1.2 | 0.0 | 10.9 | 0.0 | 0.0 | 15.1 | 0.088 |
| | 1995 | 12.8 | 2 | 0 | 0.4 | 0.6 | 0.0 | 19.3 | 0.0 | 0.0 | 36.1 | 0.650 |
| | 1996 | 12.4 | 0 | | | | | | | | | |







[‡] Hospital sent comment letter


| | | Los A | Angeles | County | /: Robei | rt F. Ken | nedy M | edical C | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 226 | 30 | 23.7 | 4.4 | 13.3 | 10.5 | 16.1 | 11.5 | 20.6 | 0.095 |
| | 1994 | 13.0 | 93 | 17 | 10.9 | 3.0 | 18.3 | 11.7 | 20.3 | 13.4 | 27.2 | 0.033 |
| | 1995 | 12.8 | 63 | 7 | 6.0 | 2.2 | 11.1 | 9.6 | 14.8 | 5.8 | 23.9 | 0.397 |
| | 1996 | 12.3 | 70 | 6 | 6.8 | 2.3 | 8.6 | 9.8 | 10.8 | 2.6 | 19.1 | 0.462 |
| Model B | All Years | 12.7 | 219 | 30 | 24.3 | 4.0 | 13.7 | 11.1 | 15.7 | 11.6 | 19.7 | 0.098 |
| | 1994 | 12.9 | 93 | 17 | 10.9 | 2.7 | 18.3 | 11.7 | 20.2 | 13.9 | 26.4 | 0.023 |
| | 1995 | 12.8 | 62 | 7 | 7.4 | 2.1 | 11.3 | 11.9 | 12.2 | 4.9 | 19.5 | 0.539 |
| | 1996 | 12.4 | 64 | 6 | 6.1 | 2.0 | 9.4 | 9.5 | 12.2 | 4.3 | 20.1 | 0.604 |






| | | Los A | ngeles (| County: | Salik H | lealth Ca | re Spec | ciality H | ospital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 115 | 12 | 15.4 | 3.4 | 10.4 | 13.4 | 9.9 | 4.4 | 15.4 | 0.195 |
| | 1994 | 13.0 | 54 | 7 | 7.5 | 2.3 | 13.0 | 13.8 | 12.2 | 4.2 | 20.2 | 0.521 |
| | 1995 | 12.8 | 43 | 5 | 5.9 | 2.1 | 11.6 | 13.8 | 10.8 | 1.8 | 19.7 | 0.433 |
| | 1996 | 12.3 | 18 | 0 | 2.0 | 1.3 | 0.0 | 11.3 | 0.0 | 0.0 | 15.2 | 0.102 |
| Model B | All Years | 12.7 | 112 | 12 | 14.4 | 3.1 | 10.7 | 12.9 | 10.6 | 5.3 | 15.9 | 0.274 |
| | 1994 | 12.9 | 54 | 7 | 6.1 | 2.1 | 13.0 | 11.2 | 14.9 | 6.2 | 23.6 | 0.400 |
| | 1995 | 12.8 | 42 | 5 | 7.0 | 2.0 | 11.9 | 16.8 | 9.1 | 2.0 | 16.2 | 0.223 |
| | 1996 | 12.4 | 16 | 0 | 1.3 | 1.1 | 0.0 | 8.1 | 0.0 | 0.0 | 19.8 | 0.248 |







[‡] Hospital sent comment letter


| | | Los | Angele | s Coun | ty: San | Dimas C | ommur | nity Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 171 | 25 | 22.7 | 4.1 | 14.6 | 13.3 | 14.0 | 9.5 | 18.5 | 0.327 |
| | 1994 | 13.0 | 57 | 9 | 6.9 | 2.3 | 15.8 | 12.1 | 17.0 | 8.5 | 25.5 | 0.233 |
| | 1995 | 12.8 | 65 | 9 | 8.8 | 2.5 | 13.8 | 13.5 | 13.1 | 5.9 | 20.4 | 0.527 |
| | 1996 | 12.3 | 49 | 7 | 7.1 | 2.3 | 14.3 | 14.5 | 12.2 | 4.3 | 20.0 | 0.586 |
| Model B | All Years | 12.7 | 170 | 25 | 22.6 | 3.8 | 14.7 | 13.3 | 14.1 | 9.9 | 18.3 | 0.301 |
| | 1994 | 12.9 | 57 | 9 | 6.2 | 2.1 | 15.8 | 10.9 | 18.7 | 10.0 | 27.4 | 0.144 |
| | 1995 | 12.8 | 65 | 9 | 8.0 | 2.3 | 13.8 | 12.4 | 14.3 | 7.2 | 21.4 | 0.407 |
| | 1996 | 12.4 | 48 | 7 | 8.3 | 2.2 | 14.6 | 17.3 | 10.4 | 4.1 | 16.7 | 0.362 |






| | | Los A | Angeles | County | y: San G | Sabriel V | alley Mo | edical C | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 378 | 71 | 58.6 | 6.7 | 18.8 | 15.5 | 15.4 | 12.6 | 18.2 | 0.039 |
| | 1994 | 13.0 | 144 | 22 | 22.5 | 4.1 | 15.3 | 15.6 | 12.7 | 8.0 | 17.3 | 0.509 |
| | 1995 | 12.8 | 130 | 28 | 20.4 | 3.9 | 21.5 | 15.7 | 17.5 | 12.7 | 22.3 | 0.039 |
| | 1996 | 12.3 | 104 | 21 | 15.6 | 3.5 | 20.2 | 15.0 | 16.6 | 11.2 | 22.0 | 0.083 |
| Model B | All Years | 12.7 | 377 | 71 | 69.4 | 6.3 | 18.8 | 18.4 | 13.0 | 10.8 | 15.3 | 0.425 |
| | 1994 | 12.9 | 144 | 22 | 25.7 | 3.8 | 15.3 | 17.9 | 11.0 | 7.3 | 14.8 | 0.199 |
| | 1995 | 12.8 | 129 | 28 | 22.1 | 3.6 | 21.7 | 17.1 | 16.2 | 12.1 | 20.4 | 0.070 |
| | 1996 | 12.4 | 104 | 21 | 21.5 | 3.4 | 20.2 | 20.7 | 12.1 | 8.2 | 15.9 | 0.502 |







[‡] Hospital sent comment letter


| | | Lo | s Angel | es Cou | nty: Sar | Pedro I | Peninsu | ıla Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 180 | 16 | 22.5 | 4.2 | 8.9 | 12.5 | 9.0 | 4.4 | 13.6 | 0.069 |
| | 1994 | 13.0 | 72 | 5 | 9.5 | 2.7 | 6.9 | 13.2 | 6.8 | 0.0 | 14.0 | 0.060 |
| | 1995 | 12.8 | 38 | 4 | 5.0 | 1.9 | 10.5 | 13.2 | 10.2 | 0.5 | 19.9 | 0.412 |
| | 1996 | 12.3 | 70 | 7 | 8.0 | 2.5 | 10.0 | 11.4 | 10.8 | 3.2 | 18.4 | 0.439 |
| Model B | All Years | 12.7 | 176 | 16 | 20.2 | 3.7 | 9.1 | 11.5 | 10.1 | 5.5 | 14.6 | 0.158 |
| | 1994 | 12.9 | 72 | 5 | 7.5 | 2.3 | 6.9 | 10.5 | 8.6 | 0.7 | 16.4 | 0.192 |
| | 1995 | 12.8 | 34 | 4 | 4.0 | 1.6 | 11.8 | 11.9 | 12.7 | 2.8 | 22.5 | 0.630 |
| | 1996 | 12.4 | 70 | 7 | 8.6 | 2.4 | 10.0 | 12.3 | 10.1 | 3.4 | 16.8 | 0.332 |







| | | | Los A | ngeles | County | : Santa I | Marta Ho | ospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 184 | 32 | 29.0 | 4.6 | 17.4 | 15.7 | 14.0 | 10.1 | 18.0 | 0.287 |
| | 1994 | 13.0 | 64 | 14 | 10.5 | 2.8 | 21.9 | 16.4 | 17.3 | 10.6 | 24.0 | 0.139 |
| | 1995 | 12.8 | 57 | 10 | 8.6 | 2.5 | 17.5 | 15.1 | 14.9 | 7.7 | 22.2 | 0.345 |
| | 1996 | 12.3 | 63 | 8 | 9.9 | 2.7 | 12.7 | 15.7 | 10.0 | 3.3 | 16.7 | 0.316 |
| Model B | All Years | 12.7 | 181 | 32 | 31.1 | 4.4 | 17.7 | 17.2 | 13.1 | 9.6 | 16.6 | 0.460 |
| | 1994 | 12.9 | 64 | 14 | 12.1 | 2.6 | 21.9 | 18.9 | 15.0 | 9.4 | 20.6 | 0.288 |
| | 1995 | 12.8 | 57 | 10 | 10.5 | 2.5 | 17.5 | 18.5 | 12.2 | 6.2 | 18.1 | 0.507 |
| | 1996 | 12.4 | 60 | 8 | 8.5 | 2.4 | 13.3 | 14.2 | 11.6 | 4.6 | 18.5 | 0.506 |







| | | Los A | ngeles | County | : Santa | Monica | UCLA N | ledical (| Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 540 | 72 | 66.7 | 7.3 | 13.3 | 12.3 | 13.7 | 11.0 | 16.4 | 0.250 |
| | 1994 | 13.0 | 229 | 40 | 29.0 | 4.7 | 17.5 | 12.7 | 17.9 | 13.7 | 22.0 | 0.016 |
| | 1995 | 12.8 | 160 | 12 | 20.0 | 4.0 | 7.5 | 12.5 | 7.7 | 2.7 | 12.7 | 0.025 |
| | 1996 | 12.3 | 151 | 20 | 17.7 | 3.7 | 13.2 | 11.7 | 14.0 | 8.8 | 19.1 | 0.308 |
| Model B | All Years | 12.7 | 482 | 54 | 61.5 | 6.4 | 11.2 | 12.8 | 11.2 | 8.6 | 13.8 | 0.137 |
| | 1994 | 12.9 | 171 | 22 | 18.1 | 3.6 | 12.9 | 10.6 | 15.7 | 10.7 | 20.7 | 0.171 |
| | 1995 | 12.8 | 160 | 12 | 21.6 | 3.8 | 7.5 | 13.5 | 7.1 | 2.6 | 11.6 | 0.006 |
| | 1996 | 12.4 | 151 | 20 | 21.7 | 3.7 | 13.2 | 14.4 | 11.4 | 7.3 | 15.5 | 0.374 |






| | | | Los An | geles C | ounty: | Santa Te | eresita H | Hospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 152 | 28 | 22.2 | 4.1 | 18.4 | 14.6 | 16.0 | 11.4 | 20.6 | 0.100 |
| | 1994 | 13.0 | 58 | 12 | 8.5 | 2.6 | 20.7 | 14.7 | 18.3 | 10.7 | 25.9 | 0.122 |
| | 1995 | 12.8 | 64 | 9 | 9.4 | 2.6 | 14.1 | 14.7 | 12.3 | 5.3 | 19.3 | 0.533 |
| | 1996 | 12.3 | 30 | 7 | 4.3 | 1.8 | 23.3 | 14.5 | 19.9 | 9.8 | 30.0 | 0.119 |
| Model B | All Years | 12.7 | 152 | 28 | 21.5 | 3.6 | 18.4 | 14.2 | 16.5 | 12.3 | 20.7 | 0.053 |
| | 1994 | 12.9 | 58 | 12 | 8.2 | 2.3 | 20.7 | 14.1 | 19.0 | 12.0 | 26.0 | 0.073 |
| | 1995 | 12.8 | 64 | 9 | 9.4 | 2.3 | 14.1 | 14.6 | 12.3 | 6.1 | 18.5 | 0.539 |
| | 1996 | 12.4 | 30 | 7 | 4.0 | 1.6 | 23.3 | 13.4 | 21.5 | 11.6 | 31.3 | 0.071 |







[‡] Hospital sent comment letter


| | | Los Anç | geles Co | ounty: S | hermar | o Oaks H | ospital | & Healt | h Cente | r | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 124 | 22 | 19.4 | 3.8 | 17.7 | 15.6 | 14.4 | 9.5 | 19.3 | 0.285 |
| | 1994 | 13.0 | 49 | 4 | 6.3 | 2.2 | 8.2 | 12.9 | 8.2 | 0.0 | 17.1 | 0.211 |
| | 1995 | 12.8 | 33 | 8 | 6.3 | 2.1 | 24.2 | 19.2 | 16.2 | 7.8 | 24.5 | 0.280 |
| | 1996 | 12.3 | 42 | 10 | 6.8 | 2.2 | 23.8 | 16.1 | 18.2 | 10.2 | 26.2 | 0.113 |
| Model B | All Years | 12.7 | 122 | 22 | 16.5 | 3.3 | 18.0 | 13.5 | 16.9 | 11.9 | 22.0 | 0.071 |
| | 1994 | 12.9 | 48 | 4 | 4.9 | 1.8 | 8.3 | 10.1 | 10.6 | 1.0 | 20.3 | 0.444 |
| | 1995 | 12.8 | 32 | 8 | 5.0 | 1.8 | 25.0 | 15.5 | 20.7 | 11.4 | 30.0 | 0.086 |
| | 1996 | 12.4 | 42 | 10 | 6.7 | 2.1 | 23.8 | 16.0 | 18.4 | 10.8 | 26.0 | 0.095 |






| | | | Los / | Angeles | County | y: South | Bay Ho | spital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 140 | 11 | 18.3 | 3.7 | 7.9 | 13.0 | 7.7 | 2.6 | 12.7 | 0.028 |
| | 1994 | 13.0 | 45 | 5 | 6.5 | 2.2 | 11.1 | 14.4 | 10.0 | 1.5 | 18.5 | 0.339 |
| | 1995 | 12.8 | 47 | 4 | 5.4 | 2.1 | 8.5 | 11.5 | 9.5 | 0.0 | 19.0 | 0.347 |
| | 1996 | 12.3 | 48 | 2 | 6.4 | 2.2 | 4.2 | 13.3 | 3.9 | 0.0 | 12.0 | 0.025 |
| Model B | All Years | 12.7 | 139 | 10 | 18.0 | 3.4 | 7.2 | 13.0 | 7.1 | 2.4 | 11.7 | 0.009 |
| | 1994 | 12.9 | 45 | 5 | 6.3 | 1.9 | 11.1 | 14.1 | 10.2 | 2.5 | 17.9 | 0.344 |
| | 1995 | 12.8 | 46 | 3 | 6.1 | 1.9 | 6.5 | 13.2 | 6.3 | 0.0 | 14.0 | 0.074 |
| | 1996 | 12.4 | 48 | 2 | 5.6 | 2.0 | 4.2 | 11.6 | 4.4 | 0.0 | 13.2 | 0.053 |







[‡] Hospital sent comment letter


| | | Los Ang | eles Co | unty: S | pecialty | / Hospita | al of So | uthern C | Californi | а | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 3 | 1 | 0.7 | 0.7 | 33.3 | 24.4 | 17.4 | 0.0 | 41.8 | 0.582 |
| | 1994 | 13.0 | 1 | 0 | 0.1 | 0.3 | 0.0 | 9.0 | 0.0 | 0.0 | 81.0 | 0.910 |
| | 1995 | 12.8 | 1 | 0 | 0.3 | 0.4 | 0.0 | 28.0 | 0.0 | 0.0 | 40.3 | 0.720 |
| | 1996 | 12.3 | 1 | 1 | 0.4 | 0.5 | 100.0 | 36.2 | 34.1 | 2.0 | 66.2 | 0.362 |
| Model B | All Years | 12.7 | 3 | 1 | 0.5 | 0.6 | 33.3 | 15.0 | 28.2 | 0.0 | 61.9 | 0.391 |
| | 1994 | 12.9 | 1 | 0 | 0.1 | 0.2 | 0.0 | 5.9 | 0.0 | 0.0 | 100.0 | 0.941 |
| | 1995 | 12.8 | 1 | 0 | 0.2 | 0.4 | 0.0 | 19.7 | 0.0 | 0.0 | 50.7 | 0.803 |
| | 1996 | 12.4 | 1 | 1 | 0.2 | 0.4 | 100.0 | 19.4 | 63.7 | 14.3 | 100.0 | 0.194 |






| | | Los A | ngeles | County: | St. Fra | ncis Me | dical Ce | nter-Ly | nwood | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 563 | 81 | 72.9 | 7.5 | 14.4 | 12.9 | 14.1 | 11.6 | 16.7 | 0.155 |
| | 1994 | 13.0 | 188 | 29 | 21.7 | 4.1 | 15.4 | 11.5 | 17.4 | 12.5 | 22.2 | 0.053 |
| | 1995 | 12.8 | 184 | 24 | 25.9 | 4.4 | 13.0 | 14.1 | 11.9 | 7.6 | 16.1 | 0.382 |
| | 1996 | 12.3 | 191 | 28 | 25.3 | 4.4 | 14.7 | 13.3 | 13.6 | 9.4 | 17.8 | 0.307 |
| Model B | All Years | 12.7 | 543 | 80 | 71.1 | 6.7 | 14.7 | 13.1 | 14.3 | 11.9 | 16.7 | 0.107 |
| | 1994 | 12.9 | 183 | 29 | 20.6 | 3.7 | 15.8 | 11.3 | 18.2 | 13.6 | 22.8 | 0.020 |
| | 1995 | 12.8 | 174 | 23 | 25.5 | 3.9 | 13.2 | 14.7 | 11.5 | 7.7 | 15.3 | 0.303 |
| | 1996 | 12.4 | 186 | 28 | 25.0 | 4.1 | 15.1 | 13.4 | 13.9 | 9.9 | 17.8 | 0.263 |







[‡] Hospital sent comment letter


| | | | Los An | geles C | ounty: \$ | St. John' | 's Healtl | h Cente | r | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 399 | 31 | 52.6 | 6.4 | 7.8 | 13.2 | 7.5 | 4.5 | 10.5 | 0.000 |
| | 1994 | 13.0 | 76 | 7 | 11.1 | 2.9 | 9.2 | 14.6 | 8.2 | 1.6 | 14.8 | 0.104 |
| | 1995 | 12.8 | 173 | 12 | 22.7 | 4.2 | 6.9 | 13.1 | 6.8 | 2.1 | 11.4 | 0.005 |
| | 1996 | 12.3 | 150 | 12 | 18.8 | 3.8 | 8.0 | 12.5 | 7.9 | 2.9 | 12.8 | 0.044 |
| Model B | All Years | 12.7 | 395 | 31 | 50.3 | 5.9 | 7.8 | 12.7 | 7.8 | 4.9 | 10.7 | 0.000 |
| | 1994 | 12.9 | 74 | 7 | 8.7 | 2.6 | 9.5 | 11.8 | 10.4 | 2.9 | 17.8 | 0.327 |
| | 1995 | 12.8 | 171 | 12 | 21.6 | 3.9 | 7.0 | 12.6 | 7.1 | 2.6 | 11.7 | 0.007 |
| | 1996 | 12.4 | 150 | 12 | 20.0 | 3.6 | 8.0 | 13.3 | 7.4 | 3.1 | 11.7 | 0.014 |







| | | | Los An | geles C | ounty: \$ | St. Luke | Medica | I Cente | • | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 200 | 27 | 31.0 | 4.8 | 13.5 | 15.5 | 11.1 | 7.2 | 14.9 | 0.234 |
| | 1994 | 13.0 | 81 | 13 | 12.8 | 3.1 | 16.0 | 15.8 | 13.2 | 7.1 | 19.3 | 0.522 |
| | 1995 | 12.8 | 50 | 7 | 8.2 | 2.5 | 14.0 | 16.5 | 10.9 | 3.3 | 18.4 | 0.394 |
| | 1996 | 12.3 | 69 | 7 | 10.0 | 2.7 | 10.1 | 14.5 | 8.6 | 2.0 | 15.2 | 0.181 |
| Model B | All Years | 12.7 | 199 | 27 | 30.9 | 4.5 | 13.6 | 15.5 | 11.1 | 7.5 | 14.7 | 0.226 |
| | 1994 | 12.9 | 81 | 13 | 12.2 | 2.8 | 16.0 | 15.1 | 13.8 | 7.9 | 19.6 | 0.446 |
| | 1995 | 12.8 | 50 | 7 | 7.7 | 2.3 | 14.0 | 15.4 | 11.7 | 4.1 | 19.3 | 0.482 |
| | 1996 | 12.4 | 68 | 7 | 11.0 | 2.6 | 10.3 | 16.2 | 7.9 | 2.2 | 13.5 | 0.082 |







| | | | Los An | geles C | ounty: | St. Mary | Medica | l Centei | ŗ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 408 | 51 | 55.8 | 6.5 | 12.5 | 13.7 | 11.6 | 8.7 | 14.5 | 0.258 |
| | 1994 | 13.0 | 145 | 17 | 19.0 | 3.8 | 11.7 | 13.1 | 11.6 | 6.5 | 16.7 | 0.354 |
| | 1995 | 12.8 | 142 | 22 | 20.8 | 3.9 | 15.5 | 14.6 | 13.6 | 8.8 | 18.3 | 0.417 |
| | 1996 | 12.3 | 121 | 12 | 16.0 | 3.5 | 9.9 | 13.2 | 9.3 | 3.9 | 14.6 | 0.160 |
| Model B | All Years | 12.7 | 390 | 47 | 55.3 | 6.0 | 12.1 | 14.2 | 10.8 | 8.1 | 13.5 | 0.095 |
| | 1994 | 12.9 | 128 | 13 | 14.8 | 3.2 | 10.2 | 11.6 | 11.3 | 5.9 | 16.8 | 0.349 |
| | 1995 | 12.8 | 141 | 22 | 21.8 | 3.7 | 15.6 | 15.4 | 13.0 | 8.7 | 17.3 | 0.519 |
| | 1996 | 12.4 | 121 | 12 | 18.7 | 3.5 | 9.9 | 15.5 | 7.9 | 3.5 | 12.4 | 0.031 |







| | | L | os Ange | eles Cou | unty: St | . Vincen | t Medica | al Cente | r‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 287 | 28 | 40.3 | 5.5 | 9.8 | 14.0 | 8.8 | 5.4 | 12.2 | 0.013 |
| | 1994 | 13.0 | 81 | 7 | 10.6 | 2.9 | 8.6 | 13.1 | 8.6 | 1.7 | 15.5 | 0.138 |
| | 1995 | 12.8 | 121 | 12 | 18.5 | 3.6 | 9.9 | 15.3 | 8.3 | 3.4 | 13.3 | 0.045 |
| | 1996 | 12.3 | 85 | 9 | 11.2 | 2.9 | 10.6 | 13.2 | 9.9 | 3.6 | 16.3 | 0.290 |
| Model B | All Years | 12.7 | 285 | 28 | 33.7 | 4.8 | 9.8 | 11.8 | 10.6 | 7.0 | 14.1 | 0.137 |
| | 1994 | 12.9 | 81 | 7 | 9.1 | 2.5 | 8.6 | 11.3 | 9.9 | 2.9 | 16.9 | 0.263 |
| | 1995 | 12.8 | 120 | 12 | 15.4 | 3.1 | 10.0 | 12.9 | 10.0 | 4.8 | 15.1 | 0.175 |
| | 1996 | 12.4 | 84 | 9 | 9.1 | 2.5 | 10.7 | 10.8 | 12.2 | 5.5 | 19.0 | 0.578 |







| | | L | os Ang | eles Co | unty: S | uburban | Medica | I Cente | r‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 145 | 25 | 18.8 | 3.8 | 17.2 | 12.9 | 16.9 | 11.9 | 22.0 | 0.069 |
| | 1994 | 13.0 | 47 | 11 | 6.1 | 2.2 | 23.4 | 13.0 | 23.4 | 14.4 | 32.4 | 0.027 |
| | 1995 | 12.8 | 48 | 9 | 5.5 | 2.1 | 18.8 | 11.6 | 20.8 | 11.4 | 30.1 | 0.081 |
| | 1996 | 12.3 | 50 | 5 | 7.1 | 2.4 | 10.0 | 14.2 | 8.7 | 0.7 | 16.7 | 0.255 |
| Model B | All Years | 12.7 | 145 | 25 | 15.9 | 3.4 | 17.2 | 11.0 | 20.0 | 14.7 | 25.3 | 0.007 |
| | 1994 | 12.9 | 47 | 11 | 4.9 | 1.9 | 23.4 | 10.5 | 28.8 | 19.2 | 38.4 | 0.003 |
| | 1995 | 12.8 | 48 | 9 | 4.4 | 1.8 | 18.8 | 9.2 | 26.0 | 15.8 | 36.2 | 0.017 |
| | 1996 | 12.4 | 50 | 5 | 6.5 | 2.1 | 10.0 | 13.0 | 9.5 | 1.6 | 17.4 | 0.326 |






| | | Lo | os Ange | les Cou | ınty: Te | mple Co | mmunit | y Hospi | tal | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 81 | 6 | 14.5 | 3.3 | 7.4 | 17.9 | 5.2 | 0.0 | 10.8 | 0.004 |
| | 1994 | 13.0 | 41 | 2 | 7.4 | 2.3 | 4.9 | 18.0 | 3.5 | 0.0 | 11.5 | 0.011 |
| | 1995 | 12.8 | 16 | 1 | 3.2 | 1.5 | 6.3 | 20.1 | 4.0 | 0.0 | 15.9 | 0.126 |
| | 1996 | 12.3 | 24 | 3 | 3.9 | 1.7 | 12.5 | 16.4 | 9.4 | 0.0 | 19.8 | 0.416 |
| Model B | All Years | 12.7 | 80 | 6 | 10.1 | 2.8 | 7.5 | 12.6 | 7.5 | 0.7 | 14.3 | 0.089 |
| | 1994 | 12.9 | 41 | 2 | 4.9 | 2.0 | 4.9 | 11.9 | 5.3 | 0.0 | 15.5 | 0.105 |
| | 1995 | 12.8 | 15 | 1 | 2.1 | 1.2 | 6.7 | 13.9 | 6.2 | 0.0 | 20.5 | 0.337 |
| | 1996 | 12.4 | 24 | 3 | 3.1 | 1.5 | 12.5 | 13.1 | 11.8 | 0.1 | 23.6 | 0.615 |







[‡] Hospital sent comment letter


| | | Lo | s Ange | les Cou | nty: Teı | race Pla | za Med | ical Cer | iter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 3 | 0 | 0.4 | 0.6 | 0.0 | 12.8 | 0.0 | 0.0 | 36.6 | 0.656 |
| | 1994 | 13.0 | 3 | 0 | 0.4 | 0.6 | 0.0 | 12.8 | 0.0 | 0.0 | 37.3 | 0.656 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 2 | 0 | 0.2 | 0.4 | 0.0 | 9.2 | 0.0 | 0.0 | 54.5 | 0.822 |
| | 1994 | 12.9 | 2 | 0 | 0.2 | 0.4 | 0.0 | 9.2 | 0.0 | 0.0 | 55.4 | 0.822 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.4 | 0 | | | | | | | | | |






| | | Los A | ngeles | County: | Thomp | son Me | morial N | /ledical | Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 101 | 18 | 12.4 | 3.1 | 17.8 | 12.2 | 18.5 | 12.3 | 24.7 | 0.052 |
| | 1994 | 13.0 | 45 | 7 | 5.7 | 2.0 | 15.6 | 12.6 | 16.0 | 6.9 | 25.2 | 0.328 |
| | 1995 | 12.8 | 36 | 7 | 4.2 | 1.9 | 19.4 | 11.8 | 21.2 | 10.1 | 32.2 | 0.115 |
| | 1996 | 12.3 | 20 | 4 | 2.5 | 1.4 | 20.0 | 12.3 | 20.1 | 6.5 | 33.8 | 0.215 |
| Model B | All Years | 12.7 | 101 | 18 | 15.9 | 3.0 | 17.8 | 15.7 | 14.4 | 9.7 | 19.1 | 0.289 |
| | 1994 | 12.9 | 45 | 7 | 6.5 | 2.0 | 15.6 | 14.5 | 13.8 | 6.0 | 21.6 | 0.496 |
| | 1995 | 12.8 | 36 | 7 | 5.1 | 1.8 | 19.4 | 14.2 | 17.5 | 8.7 | 26.4 | 0.214 |
| | 1996 | 12.4 | 20 | 4 | 4.2 | 1.3 | 20.0 | 21.1 | 11.7 | 4.4 | 19.1 | 0.602 |







[‡] Hospital sent comment letter


| | | Los A | Angeles | County | : Torra | nce Men | norial M | edical C | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 877 | 76 | 98.4 | 8.8 | 8.7 | 11.2 | 9.8 | 7.6 | 12.0 | 0.005 |
| | 1994 | 13.0 | 278 | 36 | 32.3 | 5.0 | 12.9 | 11.6 | 14.4 | 10.5 | 18.4 | 0.259 |
| | 1995 | 12.8 | 288 | 16 | 34.1 | 5.2 | 5.6 | 11.8 | 6.0 | 2.2 | 9.8 | 0.000 |
| | 1996 | 12.3 | 311 | 24 | 32.0 | 5.1 | 7.7 | 10.3 | 9.3 | 5.4 | 13.1 | 0.064 |
| Model B | All Years | 12.7 | 876 | 75 | 92.9 | 7.9 | 8.6 | 10.6 | 10.3 | 8.1 | 12.4 | 0.012 |
| | 1994 | 12.9 | 278 | 36 | 30.3 | 4.6 | 12.9 | 10.9 | 15.4 | 11.5 | 19.2 | 0.127 |
| | 1995 | 12.8 | 287 | 15 | 32.2 | 4.6 | 5.2 | 11.2 | 6.0 | 2.4 | 9.6 | 0.000 |
| | 1996 | 12.4 | 311 | 24 | 30.5 | 4.5 | 7.7 | 9.8 | 9.7 | 6.2 | 13.3 | 0.088 |






| | | Los | Angele | s Count | y: Tri C | ity Regi | onal Me | dical Ce | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 248 | 38 | 36.9 | 5.3 | 15.3 | 14.9 | 13.1 | 9.5 | 16.7 | 0.447 |
| | 1994 | 13.0 | 97 | 11 | 16.1 | 3.4 | 11.3 | 16.6 | 8.9 | 3.4 | 14.3 | 0.087 |
| | 1995 | 12.8 | 84 | 12 | 11.7 | 3.0 | 14.3 | 14.0 | 13.1 | 6.6 | 19.5 | 0.519 |
| | 1996 | 12.3 | 67 | 15 | 9.0 | 2.7 | 22.4 | 13.5 | 20.5 | 13.3 | 27.7 | 0.026 |
| Model B | All Years | 12.7 | 247 | 38 | 30.3 | 4.7 | 15.4 | 12.3 | 16.0 | 12.1 | 19.8 | 0.064 |
| | 1994 | 12.9 | 96 | 11 | 12.1 | 3.0 | 11.5 | 12.6 | 11.7 | 5.6 | 17.9 | 0.426 |
| | 1995 | 12.8 | 84 | 12 | 9.3 | 2.7 | 14.3 | 11.0 | 16.6 | 9.4 | 23.8 | 0.197 |
| | 1996 | 12.4 | 67 | 15 | 8.9 | 2.5 | 22.4 | 13.2 | 20.9 | 14.2 | 27.7 | 0.015 |







[‡] Hospital sent comment letter


| | | | Los A | ngeles | County | UCLA | Medical | Center | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 491 | 63 | 74.5 | 7.4 | 12.8 | 15.2 | 10.7 | 8.3 | 13.2 | 0.066 |
| | 1994 | 13.0 | 221 | 34 | 35.0 | 5.0 | 15.4 | 15.8 | 12.6 | 8.9 | 16.3 | 0.468 |
| | 1995 | 12.8 | 143 | 13 | 20.3 | 3.9 | 9.1 | 14.2 | 8.2 | 3.4 | 13.0 | 0.035 |
| | 1996 | 12.3 | 127 | 16 | 19.2 | 3.7 | 12.6 | 15.1 | 10.3 | 5.6 | 15.0 | 0.238 |
| Model B | All Years | 12.7 | 490 | 63 | 93.9 | 7.3 | 12.9 | 19.2 | 8.5 | 6.6 | 10.5 | 0.000 |
| | 1994 | 12.9 | 220 | 34 | 43.8 | 4.9 | 15.5 | 19.9 | 10.0 | 7.2 | 12.9 | 0.027 |
| | 1995 | 12.8 | 143 | 13 | 24.6 | 3.8 | 9.1 | 17.2 | 6.8 | 2.9 | 10.7 | 0.001 |
| | 1996 | 12.4 | 127 | 16 | 25.5 | 3.7 | 12.6 | 20.1 | 7.8 | 4.2 | 11.3 | 0.006 |






| | | | Los An | geles C | ounty: l | USC Uni | versity | Hospita | l | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 24 | 3 | 2.5 | 1.4 | 12.5 | 10.4 | 15.2 | 1.1 | 29.4 | 0.469 |
| | 1994 | 13.0 | 7 | 0 | 0.6 | 0.7 | 0.0 | 9.0 | 0.0 | 0.0 | 29.1 | 0.499 |
| | 1995 | 12.8 | 11 | 2 | 1.1 | 1.0 | 18.2 | 10.1 | 22.9 | 1.2 | 44.7 | 0.308 |
| | 1996 | 12.3 | 6 | 1 | 0.8 | 0.7 | 16.7 | 12.6 | 16.3 | 0.0 | 40.1 | 0.589 |
| Model B | All Years | 12.7 | 24 | 3 | 1.7 | 1.2 | 12.5 | 7.2 | 22.0 | 5.1 | 38.9 | 0.239 |
| | 1994 | 12.9 | 7 | 0 | 0.4 | 0.6 | 0.0 | 5.7 | 0.0 | 0.0 | 37.3 | 0.651 |
| | 1995 | 12.8 | 11 | 2 | 0.9 | 0.8 | 18.2 | 8.5 | 27.3 | 4.7 | 49.9 | 0.227 |
| | 1996 | 12.4 | 6 | 1 | 0.4 | 0.6 | 16.7 | 6.6 | 31.2 | 0.0 | 66.3 | 0.353 |







[‡] Hospital sent comment letter


| | | Lo | s Ange | les Cou | ınty: Va | lley Pres | byteria | n Hospi | tal | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 259 | 28 | 31.9 | 5.0 | 10.8 | 12.3 | 11.2 | 7.3 | 15.0 | 0.251 |
| | 1994 | 13.0 | 96 | 11 | 13.5 | 3.2 | 11.5 | 14.1 | 10.5 | 4.5 | 16.6 | 0.271 |
| | 1995 | 12.8 | 88 | 9 | 10.6 | 2.9 | 10.2 | 12.1 | 10.8 | 4.1 | 17.6 | 0.359 |
| | 1996 | 12.3 | 75 | 8 | 7.8 | 2.5 | 10.7 | 10.3 | 12.7 | 5.0 | 20.5 | 0.524 |
| Model B | All Years | 12.7 | 257 | 28 | 30.1 | 4.5 | 10.9 | 11.7 | 11.8 | 8.1 | 15.5 | 0.364 |
| | 1994 | 12.9 | 96 | 11 | 12.4 | 2.8 | 11.5 | 12.9 | 11.5 | 5.7 | 17.3 | 0.385 |
| | 1995 | 12.8 | 88 | 9 | 10.0 | 2.6 | 10.2 | 11.3 | 11.6 | 4.9 | 18.2 | 0.442 |
| | 1996 | 12.4 | 73 | 8 | 7.8 | 2.3 | 11.0 | 10.6 | 12.7 | 5.5 | 20.0 | 0.530 |






| | | | Los Ar | ngeles (| County: | Verduge | Hills H | lospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 264 | 30 | 33.7 | 5.1 | 11.4 | 12.8 | 11.3 | 7.5 | 15.1 | 0.268 |
| | 1994 | 13.0 | 99 | 14 | 12.8 | 3.2 | 14.1 | 12.9 | 14.2 | 7.9 | 20.5 | 0.400 |
| | 1995 | 12.8 | 94 | 5 | 11.8 | 3.0 | 5.3 | 12.5 | 5.4 | 0.0 | 11.8 | 0.013 |
| | 1996 | 12.3 | 71 | 11 | 9.2 | 2.6 | 15.5 | 12.9 | 14.8 | 7.9 | 21.8 | 0.295 |
| Model B | All Years | 12.7 | 264 | 30 | 29.4 | 4.6 | 11.4 | 11.1 | 13.0 | 9.1 | 16.9 | 0.480 |
| | 1994 | 12.9 | 99 | 14 | 12.4 | 2.8 | 14.1 | 12.5 | 14.6 | 8.8 | 20.4 | 0.336 |
| | 1995 | 12.8 | 94 | 5 | 9.3 | 2.7 | 5.3 | 9.9 | 6.9 | 0.0 | 14.1 | 0.069 |
| | 1996 | 12.4 | 71 | 11 | 7.7 | 2.4 | 15.5 | 10.8 | 17.8 | 10.2 | 25.3 | 0.119 |







[‡] Hospital sent comment letter


| | | L | os Ange | eles Cou | ınty: W | ashingto | n Medi | cal Cent | er | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 37 | 5 | 5.1 | 2.0 | 13.5 | 13.8 | 12.5 | 2.8 | 22.1 | 0.598 |
| | 1994 | 13.0 | 15 | 3 | 2.0 | 1.3 | 20.0 | 13.6 | 19.0 | 3.5 | 34.6 | 0.334 |
| | 1995 | 12.8 | 10 | 2 | 1.2 | 1.0 | 20.0 | 12.1 | 21.1 | 0.3 | 41.8 | 0.348 |
| | 1996 | 12.3 | 12 | 0 | 1.8 | 1.2 | 0.0 | 15.4 | 0.0 | 0.0 | 15.2 | 0.115 |
| Model B | All Years | 12.7 | 37 | 5 | 3.9 | 1.7 | 13.5 | 10.6 | 16.2 | 5.3 | 27.0 | 0.350 |
| | 1994 | 12.9 | 15 | 3 | 1.8 | 1.1 | 20.0 | 12.2 | 21.2 | 6.0 | 36.4 | 0.251 |
| | 1995 | 12.8 | 10 | 2 | 1.0 | 0.9 | 20.0 | 9.6 | 26.7 | 3.6 | 49.8 | 0.243 |
| | 1996 | 12.4 | 12 | 0 | 1.1 | 1.0 | 0.0 | 9.5 | 0.0 | 0.0 | 20.5 | 0.282 |






| | | Los An | geles C | ounty: \ | West Va | illey Hos | pital an | d Healtl | n Center | • | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 65 | 11 | 8.5 | 2.5 | 16.9 | 13.1 | 16.4 | 9.0 | 23.9 | 0.211 |
| | 1994 | 13.0 | 65 | 11 | 8.5 | 2.5 | 16.9 | 13.1 | 16.8 | 9.2 | 24.4 | 0.211 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 65 | 11 | 9.2 | 2.4 | 16.9 | 14.2 | 15.2 | 8.7 | 21.7 | 0.288 |
| | 1994 | 12.9 | 65 | 11 | 9.2 | 2.4 | 16.9 | 14.2 | 15.4 | 8.8 | 22.0 | 0.288 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.4 | 0 | | | | | | | | | |







[‡] Hospital sent comment letter


| | | | Los | Angele | s Count | y: Wests | side Ho | spital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 51 | 8 | 8.1 | 2.5 | 15.7 | 15.9 | 12.6 | 4.9 | 20.2 | 0.578 |
| | 1994 | 13.0 | 28 | 5 | 4.4 | 1.8 | 17.9 | 15.6 | 14.9 | 4.3 | 25.5 | 0.450 |
| | 1995 | 12.8 | 16 | 2 | 2.7 | 1.4 | 12.5 | 16.7 | 9.6 | 0.0 | 22.8 | 0.479 |
| | 1996 | 12.3 | 7 | 1 | 1.1 | 0.9 | 14.3 | 15.3 | 11.5 | 0.0 | 32.5 | 0.707 |
| Model B | All Years | 12.7 | 50 | 8 | 9.8 | 2.3 | 16.0 | 19.5 | 10.4 | 4.5 | 16.3 | 0.296 |
| | 1994 | 12.9 | 28 | 5 | 6.4 | 1.7 | 17.9 | 22.9 | 10.1 | 3.3 | 16.9 | 0.302 |
| | 1995 | 12.8 | 16 | 2 | 2.3 | 1.3 | 12.5 | 14.6 | 11.0 | 0.0 | 25.1 | 0.577 |
| | 1996 | 12.4 | 6 | 1 | 1.0 | 0.8 | 16.7 | 17.0 | 12.1 | 0.0 | 30.4 | 0.768 |






| | | Los | Angele | s Coun | ty: Whi | te Memo | rial Med | dical Ce | nter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 327 | 37 | 47.6 | 6.0 | 11.3 | 14.6 | 9.9 | 6.7 | 13.0 | 0.043 |
| | 1994 | 13.0 | 109 | 11 | 16.8 | 3.6 | 10.1 | 15.4 | 8.5 | 3.1 | 13.9 | 0.064 |
| | 1995 | 12.8 | 98 | 11 | 12.6 | 3.1 | 11.2 | 12.9 | 11.1 | 4.9 | 17.4 | 0.370 |
| | 1996 | 12.3 | 120 | 15 | 18.2 | 3.7 | 12.5 | 15.2 | 10.2 | 5.3 | 15.1 | 0.236 |
| Model B | All Years | 12.7 | 295 | 34 | 45.6 | 5.3 | 11.5 | 15.4 | 9.5 | 6.6 | 12.4 | 0.017 |
| | 1994 | 12.9 | 100 | 10 | 14.9 | 3.1 | 10.0 | 14.9 | 8.7 | 3.5 | 13.9 | 0.071 |
| | 1995 | 12.8 | 83 | 9 | 12.2 | 2.8 | 10.8 | 14.7 | 9.5 | 3.7 | 15.2 | 0.168 |
| | 1996 | 12.4 | 112 | 15 | 18.5 | 3.4 | 13.4 | 16.5 | 10.0 | 5.6 | 14.4 | 0.188 |







[‡] Hospital sent comment letter


| | | Los | Angele | s Count | y: Whit | tier Hos | pital Me | dical Ce | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 204 | 34 | 25.4 | 4.4 | 16.7 | 12.5 | 17.0 | 12.6 | 21.3 | 0.038 |
| | 1994 | 13.0 | 71 | 12 | 9.2 | 2.6 | 16.9 | 12.9 | 17.0 | 9.6 | 24.3 | 0.187 |
| | 1995 | 12.8 | 80 | 15 | 9.6 | 2.7 | 18.8 | 12.0 | 19.9 | 12.9 | 27.0 | 0.042 |
| | 1996 | 12.3 | 53 | 7 | 6.6 | 2.3 | 13.2 | 12.5 | 13.0 | 4.7 | 21.4 | 0.506 |
| Model B | All Years | 12.7 | 204 | 34 | 25.2 | 4.1 | 16.7 | 12.4 | 17.1 | 13.1 | 21.1 | 0.024 |
| | 1994 | 12.9 | 71 | 12 | 8.6 | 2.4 | 16.9 | 12.0 | 18.1 | 11.1 | 25.2 | 0.110 |
| | 1995 | 12.8 | 80 | 15 | 10.3 | 2.5 | 18.8 | 12.9 | 18.6 | 12.4 | 24.8 | 0.054 |
| | 1996 | 12.4 | 53 | 7 | 6.4 | 2.1 | 13.2 | 12.0 | 13.6 | 5.6 | 21.6 | 0.457 |






| | | Los | s Angel | es Cour | nty: Wo | odruff C | ommun | ity Hosp | oital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 26 | 4 | 4.0 | 1.7 | 15.4 | 15.5 | 12.6 | 1.8 | 23.4 | 0.625 |
| | 1994 | 13.0 | 9 | 2 | 1.7 | 1.1 | 22.2 | 18.4 | 15.6 | 0.0 | 32.7 | 0.523 |
| | 1995 | 12.8 | 8 | 1 | 1.5 | 1.1 | 12.5 | 19.3 | 8.3 | 0.0 | 25.5 | 0.518 |
| | 1996 | 12.3 | 9 | 1 | 0.8 | 0.8 | 11.1 | 9.2 | 15.0 | 0.0 | 39.4 | 0.594 |
| Model B | All Years | 12.7 | 26 | 4 | 3.6 | 1.5 | 15.4 | 13.9 | 14.0 | 3.4 | 24.6 | 0.512 |
| | 1994 | 12.9 | 9 | 2 | 2.0 | 1.1 | 22.2 | 22.0 | 13.1 | 0.0 | 26.7 | 0.661 |
| | 1995 | 12.8 | 8 | 1 | 1.2 | 0.9 | 12.5 | 15.1 | 10.6 | 0.0 | 30.0 | 0.655 |
| | 1996 | 12.4 | 9 | 1 | 0.4 | 0.6 | 11.1 | 4.9 | 28.0 | 0.0 | 62.4 | 0.374 |







[‡] Hospital sent comment letter


| | | | | M | ladera C | County | Summar | у | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 2 | 261 | 45 | 36.4 | 5.2 | 17.2 | 14.0 | 15.7 | 12.1 | 19.3 |
| | 1994 | 13.0 | 2 | 83 | 16 | 11.8 | 2.9 | 19.3 | 14.2 | 17.6 | 11.2 | 23.9 |
| | 1995 | 12.8 | 2 | 93 | 16 | 13.1 | 3.1 | 17.2 | 14.1 | 15.6 | 9.6 | 21.6 |
| | 1996 | 12.3 | 2 | 85 | 13 | 11.5 | 3.0 | 15.3 | 13.6 | 13.9 | 7.7 | 20.1 |
| Model B | All Years | 12.7 | 2 | 261 | 45 | 31.9 | 4.6 | 17.2 | 12.2 | 17.9 | 14.3 | 21.5 |
| | 1994 | 12.9 | 2 | 83 | 16 | 9.4 | 2.6 | 19.3 | 11.3 | 22.1 | 15.2 | 29.0 |
| | 1995 | 12.8 | 2 | 93 | 16 | 12.8 | 2.9 | 17.2 | 13.7 | 16.1 | 10.4 | 21.7 |
| | 1996 | 12.4 | 2 | 85 | 13 | 9.8 | 2.6 | 15.3 | 11.5 | 16.5 | 10.0 | 22.9 |






| | | Mad | era Cou | inty:Ch | owchilla | a Distric | t Memor | rial Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 13 | 3 | 2.6 | 1.4 | 23.1 | 20.2 | 14.5 | 1.6 | 27.4 | 0.516 |
| | 1994 | 13.0 | 2 | 0 | 0.7 | 0.6 | 0.0 | 33.1 | 0.0 | 0.0 | 24.7 | 0.433 |
| | 1995 | 12.8 | 4 | 2 | 1.1 | 0.8 | 50.0 | 27.1 | 23.6 | 4.1 | 43.1 | 0.297 |
| | 1996 | 12.3 | 7 | 1 | 0.9 | 0.9 | 14.3 | 12.7 | 13.9 | 0.0 | 37.3 | 0.623 |
| Model B | All Years | 12.7 | 13 | 3 | 2.8 | 1.2 | 23.1 | 21.8 | 13.4 | 2.8 | 24.0 | 0.595 |
| | 1994 | 12.9 | 2 | 0 | 0.4 | 0.6 | 0.0 | 21.7 | 0.0 | 0.0 | 32.2 | 0.596 |
| | 1995 | 12.8 | 4 | 2 | 1.7 | 0.8 | 50.0 | 42.9 | 14.9 | 3.9 | 26.0 | 0.637 |
| | 1996 | 12.4 | 7 | 1 | 0.7 | 0.8 | 14.3 | 9.9 | 17.9 | 0.0 | 44.9 | 0.526 |







[‡] Hospital sent comment letter


| | | | Madera | County | y: Made | ra Comr | nunity H | lospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 248 | 42 | 33.8 | 5.0 | 16.9 | 13.6 | 15.8 | 12.1 | 19.5 | 0.066 |
| | 1994 | 13.0 | 81 | 16 | 11.1 | 2.9 | 19.8 | 13.7 | 18.6 | 12.1 | 25.2 | 0.068 |
| | 1995 | 12.8 | 89 | 14 | 12.1 | 3.0 | 15.7 | 13.5 | 14.9 | 8.6 | 21.1 | 0.307 |
| | 1996 | 12.3 | 78 | 12 | 10.6 | 2.8 | 15.4 | 13.6 | 13.9 | 7.5 | 20.4 | 0.369 |
| Model B | All Years | 12.7 | 248 | 42 | 29.1 | 4.5 | 16.9 | 11.7 | 18.4 | 14.5 | 22.2 | 0.004 |
| | 1994 | 12.9 | 81 | 16 | 8.9 | 2.5 | 19.8 | 11.0 | 23.2 | 16.1 | 30.2 | 0.007 |
| | 1995 | 12.8 | 89 | 14 | 11.1 | 2.8 | 15.7 | 12.4 | 16.2 | 10.0 | 22.5 | 0.186 |
| | 1996 | 12.4 | 78 | 12 | 9.1 | 2.5 | 15.4 | 11.6 | 16.3 | 9.7 | 23.0 | 0.163 |






| | | | | ľ | Marin C | ounty S | ummary | 1 | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 3 | 956 | 91 | 110.5 | 9.3 | 9.5 | 11.6 | 10.5 | 8.4 | 12.6 |
| | 1994 | 13.0 | 3 | 317 | 36 | 37.8 | 5.4 | 11.4 | 11.9 | 12.3 | 8.7 | 16.0 |
| | 1995 | 12.8 | 3 | 353 | 33 | 40.0 | 5.7 | 9.3 | 11.3 | 10.6 | 7.0 | 14.1 |
| | 1996 | 12.3 | 3 | 286 | 22 | 32.6 | 5.0 | 7.7 | 11.4 | 8.3 | 4.6 | 12.1 |
| Model B | All Years | 12.7 | 3 | 951 | 91 | 102.7 | 8.4 | 9.6 | 10.8 | 11.3 | 9.2 | 13.3 |
| | 1994 | 12.9 | 3 | 317 | 36 | 37.3 | 5.0 | 11.4 | 11.8 | 12.5 | 9.0 | 15.9 |
| | 1995 | 12.8 | 3 | 348 | 33 | 39.1 | 5.1 | 9.5 | 11.2 | 10.8 | 7.5 | 14.1 |
| | 1996 | 12.4 | 3 | 286 | 22 | 26.3 | 4.4 | 7.7 | 9.2 | 10.4 | 6.3 | 14.4 |







Office of Statewide Health Planning and Development California Hospital Outcomes Project


| | | Mari | n Coun | ty: Kais | er Foun | dation F | lospital | -San Ra | fael‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 292 | 15 | 30.2 | 4.9 | 5.1 | 10.4 | 6.3 | 2.2 | 10.4 | 0.001 |
| | 1994 | 13.0 | 94 | 7 | 11.7 | 3.0 | 7.4 | 12.4 | 7.8 | 1.2 | 14.4 | 0.078 |
| | 1995 | 12.8 | 120 | 8 | 11.0 | 3.0 | 6.7 | 9.1 | 9.3 | 2.4 | 16.2 | 0.210 |
| | 1996 | 12.3 | 78 | 0 | 7.6 | 2.5 | 0.0 | 9.7 | 0.0 | 0.0 | 7.9 | 0.000 |
| Model B | All Years | 12.7 | 292 | 15 | 25.7 | 4.4 | 5.1 | 8.8 | 7.4 | 3.2 | 11.7 | 0.007 |
| | 1994 | 12.9 | 94 | 7 | 11.1 | 2.8 | 7.4 | 11.8 | 8.2 | 1.8 | 14.6 | 0.096 |
| | 1995 | 12.8 | 120 | 8 | 9.5 | 2.6 | 6.7 | 7.9 | 10.8 | 3.8 | 17.8 | 0.364 |
| | 1996 | 12.4 | 78 | 0 | 5.1 | 2.1 | 0.0 | 6.6 | 0.0 | 0.0 | 9.9 | 0.004 |







| | | | Mai | rin Coui | nty: Maı | in Gene | ral Hos _l | pital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 489 | 57 | 59.4 | 6.8 | 11.7 | 12.1 | 12.2 | 9.3 | 15.1 | 0.397 |
| | 1994 | 13.0 | 177 | 22 | 19.8 | 4.0 | 12.4 | 11.2 | 14.4 | 9.3 | 19.4 | 0.330 |
| | 1995 | 12.8 | 176 | 20 | 22.5 | 4.2 | 11.4 | 12.8 | 11.4 | 6.7 | 16.1 | 0.327 |
| | 1996 | 12.3 | 136 | 15 | 17.1 | 3.6 | 11.0 | 12.5 | 10.9 | 5.7 | 16.0 | 0.342 |
| Model B | All Years | 12.7 | 484 | 57 | 56.1 | 6.1 | 11.8 | 11.6 | 12.9 | 10.2 | 15.6 | 0.467 |
| | 1994 | 12.9 | 177 | 22 | 19.5 | 3.6 | 12.4 | 11.0 | 14.6 | 9.9 | 19.3 | 0.281 |
| | 1995 | 12.8 | 171 | 20 | 22.3 | 3.8 | 11.7 | 13.0 | 11.5 | 7.2 | 15.8 | 0.328 |
| | 1996 | 12.4 | 136 | 15 | 14.4 | 3.2 | 11.0 | 10.6 | 12.9 | 7.5 | 18.4 | 0.470 |







| | | | Marin | County | : Novat | o Comm | unity H | ospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 175 | 19 | 20.9 | 4.0 | 10.9 | 11.9 | 11.6 | 6.8 | 16.4 | 0.375 |
| | 1994 | 13.0 | 46 | 7 | 6.3 | 2.2 | 15.2 | 13.7 | 14.4 | 5.6 | 23.2 | 0.447 |
| | 1995 | 12.8 | 57 | 5 | 6.6 | 2.3 | 8.8 | 11.5 | 9.7 | 1.1 | 18.3 | 0.330 |
| | 1996 | 12.3 | 72 | 7 | 8.0 | 2.5 | 9.7 | 11.1 | 10.8 | 3.3 | 18.4 | 0.438 |
| Model B | All Years | 12.7 | 175 | 19 | 20.9 | 3.7 | 10.9 | 11.9 | 11.6 | 7.1 | 16.0 | 0.360 |
| | 1994 | 12.9 | 46 | 7 | 6.8 | 2.1 | 15.2 | 14.7 | 13.4 | 5.4 | 21.3 | 0.538 |
| | 1995 | 12.8 | 57 | 5 | 7.3 | 2.1 | 8.8 | 12.9 | 8.7 | 1.4 | 16.1 | 0.198 |
| | 1996 | 12.4 | 72 | 7 | 6.8 | 2.2 | 9.7 | 9.4 | 12.7 | 5.0 | 20.4 | 0.538 |







| | | | | Ma | ariposa | County | Summa | ry | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 1 | 23 | 3 | 4.4 | 1.8 | 13.0 | 19.2 | 8.6 | 0.0 | 18.6 |
| | 1994 | 13.0 | 1 | 4 | 1 | 0.7 | 0.8 | 25.0 | 18.7 | 17.4 | 0.0 | 43.3 |
| | 1995 | 12.8 | 1 | 12 | 2 | 2.0 | 1.2 | 16.7 | 16.7 | 12.7 | 0.0 | 27.8 |
| | 1996 | 12.3 | 1 | 7 | 0 | 1.7 | 1.0 | 0.0 | 23.7 | 0.0 | 0.0 | 15.3 |
| Model B | All Years | 12.7 | 1 | 23 | 3 | 3.6 | 1.6 | 13.0 | 15.7 | 10.5 | 0.0 | 21.3 |
| | 1994 | 12.9 | 1 | 4 | 1 | 0.4 | 0.6 | 25.0 | 10.7 | 30.1 | 0.0 | 66.1 |
| | 1995 | 12.8 | 1 | 12 | 2 | 2.0 | 1.1 | 16.7 | 17.0 | 12.6 | 0.0 | 26.3 |
| | 1996 | 12.4 | 1 | 7 | 0 | 1.2 | 0.9 | 0.0 | 16.5 | 0.0 | 0.0 | 19.3 |







| | | | Maripo | sa Cou | nty: Jol | hn C. Fre | emont H | lospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 23 | 3 | 4.4 | 1.8 | 13.0 | 19.2 | 8.6 | 0.0 | 18.6 | 0.315 |
| | 1994 | 13.0 | 4 | 1 | 0.7 | 0.8 | 25.0 | 18.7 | 17.4 | 0.0 | 43.3 | 0.571 |
| | 1995 | 12.8 | 12 | 2 | 2.0 | 1.2 | 16.7 | 16.7 | 12.7 | 0.0 | 27.8 | 0.679 |
| | 1996 | 12.3 | 7 | 0 | 1.7 | 1.0 | 0.0 | 23.7 | 0.0 | 0.0 | 15.3 | 0.128 |
| Model B | All Years | 12.7 | 23 | 3 | 3.6 | 1.6 | 13.0 | 15.7 | 10.5 | 0.0 | 21.3 | 0.492 |
| | 1994 | 12.9 | 4 | 1 | 0.4 | 0.6 | 25.0 | 10.7 | 30.1 | 0.0 | 66.1 | 0.369 |
| | 1995 | 12.8 | 12 | 2 | 2.0 | 1.1 | 16.7 | 17.0 | 12.6 | 0.0 | 26.3 | 0.684 |
| | 1996 | 12.4 | 7 | 0 | 1.2 | 0.9 | 0.0 | 16.5 | 0.0 | 0.0 | 19.3 | 0.258 |






| | | | | Me | ndocino | County | y Summ | ary | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 3 | 381 | 48 | 47.3 | 6.1 | 12.6 | 12.4 | 12.9 | 9.7 | 16.1 |
| | 1994 | 13.0 | 3 | 126 | 19 | 15.1 | 3.4 | 15.1 | 12.0 | 16.3 | 10.5 | 22.0 |
| | 1995 | 12.8 | 3 | 141 | 16 | 17.3 | 3.7 | 11.3 | 12.2 | 11.9 | 6.6 | 17.2 |
| | 1996 | 12.3 | 3 | 114 | 13 | 14.9 | 3.4 | 11.4 | 13.1 | 10.8 | 5.3 | 16.3 |
| Model B | All Years | 12.7 | 3 | 381 | 48 | 42.4 | 5.5 | 12.6 | 11.1 | 14.4 | 11.2 | 17.6 |
| | 1994 | 12.9 | 3 | 126 | 19 | 12.9 | 3.1 | 15.1 | 10.2 | 19.0 | 13.0 | 25.1 |
| | 1995 | 12.8 | 3 | 141 | 16 | 16.8 | 3.4 | 11.3 | 11.9 | 12.2 | 7.1 | 17.3 |
| | 1996 | 12.4 | 3 | 114 | 13 | 12.7 | 3.0 | 11.4 | 11.1 | 12.7 | 6.9 | 18.5 |







Office of Statewide Health Planning and Development California Hospital Outcomes Project


| | | Mend | docino (| County: | Frank F | R. Howa | rd Memo | orial Ho | spital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 98 | 14 | 12.2 | 3.1 | 14.3 | 12.5 | 14.6 | 8.3 | 20.8 | 0.327 |
| | 1994 | 13.0 | 34 | 5 | 3.9 | 1.7 | 14.7 | 11.6 | 16.5 | 5.2 | 27.8 | 0.353 |
| | 1995 | 12.8 | 32 | 6 | 3.4 | 1.6 | 18.8 | 10.6 | 22.7 | 10.5 | 34.9 | 0.103 |
| | 1996 | 12.3 | 32 | 3 | 4.9 | 1.9 | 9.4 | 15.3 | 7.6 | 0.0 | 17.0 | 0.240 |
| Model B | All Years | 12.7 | 98 | 14 | 11.6 | 2.9 | 14.3 | 11.9 | 15.3 | 9.2 | 21.4 | 0.251 |
| | 1994 | 12.9 | 34 | 5 | 3.5 | 1.6 | 14.7 | 10.2 | 18.7 | 7.2 | 30.2 | 0.240 |
| | 1995 | 12.8 | 32 | 6 | 4.3 | 1.7 | 18.8 | 13.4 | 18.0 | 8.1 | 27.9 | 0.227 |
| | 1996 | 12.4 | 32 | 3 | 3.9 | 1.7 | 9.4 | 12.2 | 9.5 | 0.0 | 20.1 | 0.428 |






| | | Men | docino | County | Mendo | cino Co | ast Dist | rict Hos | spital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 101 | 14 | 12.1 | 3.1 | 13.9 | 12.0 | 14.7 | 8.4 | 21.0 | 0.315 |
| | 1994 | 13.0 | 27 | 6 | 3.2 | 1.6 | 22.2 | 12.0 | 24.0 | 11.4 | 36.5 | 0.085 |
| | 1995 | 12.8 | 38 | 1 | 4.0 | 1.8 | 2.6 | 10.4 | 3.2 | 0.0 | 14.4 | 0.070 |
| | 1996 | 12.3 | 36 | 7 | 4.9 | 1.9 | 19.4 | 13.6 | 17.7 | 8.1 | 27.3 | 0.198 |
| Model B | All Years | 12.7 | 101 | 14 | 11.0 | 2.8 | 13.9 | 10.8 | 16.2 | 9.9 | 22.6 | 0.177 |
| | 1994 | 12.9 | 27 | 6 | 2.9 | 1.5 | 22.2 | 10.6 | 27.1 | 14.2 | 40.1 | 0.043 |
| | 1995 | 12.8 | 38 | 1 | 3.2 | 1.6 | 2.6 | 8.4 | 4.0 | 0.0 | 16.5 | 0.139 |
| | 1996 | 12.4 | 36 | 7 | 4.9 | 1.8 | 19.4 | 13.7 | 17.6 | 8.9 | 26.3 | 0.180 |







[‡] Hospital sent comment letter


| | М | endocin | o Coun | ty: Ukia | h Valley | / Medica | I Cente | r-Adven | tist Hea | lth | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 182 | 20 | 23.0 | 4.2 | 11.0 | 12.6 | 11.0 | 6.5 | 15.6 | 0.281 |
| | 1994 | 13.0 | 65 | 8 | 8.0 | 2.5 | 12.3 | 12.3 | 13.0 | 5.1 | 21.0 | 0.559 |
| | 1995 | 12.8 | 71 | 9 | 9.9 | 2.7 | 12.7 | 14.0 | 11.6 | 4.7 | 18.5 | 0.452 |
| | 1996 | 12.3 | 46 | 3 | 5.1 | 2.0 | 6.5 | 11.1 | 7.2 | 0.0 | 16.9 | 0.220 |
| Model B | All Years | 12.7 | 182 | 20 | 19.8 | 3.8 | 11.0 | 10.9 | 12.8 | 8.1 | 17.6 | 0.520 |
| | 1994 | 12.9 | 65 | 8 | 6.6 | 2.2 | 12.3 | 10.1 | 15.7 | 7.1 | 24.3 | 0.325 |
| | 1995 | 12.8 | 71 | 9 | 9.4 | 2.5 | 12.7 | 13.2 | 12.3 | 5.6 | 19.0 | 0.535 |
| | 1996 | 12.4 | 46 | 3 | 3.8 | 1.8 | 6.5 | 8.3 | 9.7 | 0.0 | 20.9 | 0.449 |







| | | | | M | lerced (| County 9 | Summar | у | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 5 | 606 | 103 | 85.2 | 8.0 | 17.0 | 14.1 | 15.4 | 13.0 | 17.7 |
| | 1994 | 13.0 | 5 | 205 | 33 | 27.3 | 4.6 | 16.1 | 13.3 | 15.7 | 11.4 | 19.9 |
| | 1995 | 12.8 | 5 | 203 | 34 | 29.8 | 4.7 | 16.7 | 14.7 | 14.6 | 10.6 | 18.5 |
| | 1996 | 12.3 | 5 | 198 | 36 | 28.1 | 4.6 | 18.2 | 14.2 | 15.8 | 11.8 | 19.8 |
| Model B | All Years | 12.7 | 5 | 602 | 102 | 81.4 | 7.4 | 16.9 | 13.5 | 15.9 | 13.7 | 18.2 |
| | 1994 | 12.9 | 5 | 204 | 32 | 25.0 | 4.2 | 15.7 | 12.2 | 16.6 | 12.3 | 20.8 |
| | 1995 | 12.8 | 5 | 203 | 34 | 27.3 | 4.3 | 16.7 | 13.4 | 16.0 | 12.0 | 19.9 |
| | 1996 | 12.4 | 5 | 195 | 36 | 29.1 | 4.4 | 18.5 | 14.9 | 15.3 | 11.6 | 18.9 |







| | | Ме | rced Co | ounty: E | Bloss M | emorial | Healthc | are Dist | rict | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 6 | 1 | 1.2 | 0.9 | 16.7 | 19.4 | 10.9 | 0.0 | 31.1 | 0.671 |
| | 1994 | 13.0 | 5 | 1 | 1.0 | 0.9 | 20.0 | 19.3 | 13.5 | 0.0 | 35.9 | 0.671 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.3 | 1 | 0 | 0.2 | 0.4 | 0.0 | 19.8 | 0.0 | 0.0 | 48.7 | 0.802 |
| Model B | All Years | 12.7 | 6 | 1 | 1.3 | 0.9 | 16.7 | 21.7 | 9.8 | 0.0 | 27.7 | 0.615 |
| | 1994 | 12.9 | 5 | 1 | 1.2 | 0.9 | 20.0 | 23.7 | 10.9 | 0.0 | 29.6 | 0.664 |
| | 1995 | 12.8 | 0 | | | | | | | | | |
| | 1996 | 12.4 | 1 | 0 | 0.1 | 0.3 | 0.0 | 11.4 | 0.0 | 0.0 | 67.7 | 0.886 |






| | | | Merced | County | : Dos F | Palos Me | morial I | Hospita | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 3 | 0 | 0.6 | 0.7 | 0.0 | 20.6 | 0.0 | 0.0 | 26.8 | 0.479 |
| | 1994 | 13.0 | 1 | 0 | 0.4 | 0.5 | 0.0 | 38.8 | 0.0 | 0.0 | 31.9 | 0.612 |
| | 1995 | 12.8 | 2 | 0 | 0.2 | 0.5 | 0.0 | 11.6 | 0.0 | 0.0 | 49.1 | 0.782 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 3 | 0 | 0.6 | 0.7 | 0.0 | 20.0 | 0.0 | 0.0 | 27.8 | 0.501 |
| | 1994 | 12.9 | 1 | 0 | 0.3 | 0.5 | 0.0 | 28.9 | 0.0 | 0.0 | 39.7 | 0.711 |
| | 1995 | 12.8 | 2 | 0 | 0.3 | 0.5 | 0.0 | 15.5 | 0.0 | 0.0 | 39.9 | 0.704 |
| | 1996 | 12.4 | 0 | | | | | | | | | |







[‡] Hospital sent comment letter


| | | | Merced | County | : Memo | rial Hos | pital Lo | s Banos | 6 | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 90 | 14 | 12.1 | 3.1 | 15.6 | 13.4 | 14.7 | 8.4 | 21.1 | 0.313 |
| | 1994 | 13.0 | 34 | 4 | 4.1 | 1.8 | 11.8 | 12.1 | 12.6 | 1.3 | 23.8 | 0.603 |
| | 1995 | 12.8 | 26 | 6 | 3.6 | 1.7 | 23.1 | 14.0 | 21.1 | 9.7 | 32.6 | 0.132 |
| | 1996 | 12.3 | 30 | 4 | 4.3 | 1.8 | 13.3 | 14.4 | 11.4 | 1.2 | 21.6 | 0.558 |
| Model B | All Years | 12.7 | 90 | 14 | 11.3 | 2.9 | 15.6 | 12.5 | 15.8 | 9.5 | 22.1 | 0.214 |
| | 1994 | 12.9 | 34 | 4 | 3.7 | 1.7 | 11.8 | 10.9 | 13.9 | 2.2 | 25.7 | 0.525 |
| | 1995 | 12.8 | 26 | 6 | 3.9 | 1.6 | 23.1 | 15.1 | 19.6 | 9.5 | 29.6 | 0.156 |
| | 1996 | 12.4 | 30 | 4 | 3.6 | 1.6 | 13.3 | 12.1 | 13.6 | 2.7 | 24.5 | 0.511 |






| | | M | erced C | ounty: | Mercy H | lospital | & Health | n Servic | es | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 257 | 43 | 39.9 | 5.4 | 16.7 | 15.5 | 13.7 | 10.3 | 17.1 | 0.311 |
| | 1994 | 13.0 | 99 | 15 | 13.7 | 3.2 | 15.2 | 13.8 | 14.2 | 8.3 | 20.1 | 0.392 |
| | 1995 | 12.8 | 85 | 11 | 14.6 | 3.2 | 12.9 | 17.2 | 9.6 | 4.1 | 15.2 | 0.170 |
| | 1996 | 12.3 | 73 | 17 | 11.6 | 2.9 | 23.3 | 15.9 | 18.1 | 12.0 | 24.2 | 0.052 |
| Model B | All Years | 12.7 | 256 | 42 | 37.3 | 5.0 | 16.4 | 14.6 | 14.3 | 11.0 | 17.7 | 0.196 |
| | 1994 | 12.9 | 98 | 14 | 12.4 | 2.9 | 14.3 | 12.7 | 14.6 | 8.7 | 20.4 | 0.345 |
| | 1995 | 12.8 | 85 | 11 | 12.1 | 2.9 | 12.9 | 14.2 | 11.6 | 5.7 | 17.6 | 0.426 |
| | 1996 | 12.4 | 73 | 17 | 12.7 | 2.9 | 23.3 | 17.4 | 16.5 | 11.1 | 22.0 | 0.096 |







[‡] Hospital sent comment letter


| | | | Merced | County | : Sutter | Merced | Medica | l Cente | r | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 250 | 45 | 31.4 | 4.9 | 18.0 | 12.6 | 18.2 | 14.3 | 22.1 | 0.005 |
| | 1994 | 13.0 | 66 | 13 | 8.1 | 2.5 | 19.7 | 12.3 | 20.8 | 13.0 | 28.6 | 0.045 |
| | 1995 | 12.8 | 90 | 17 | 11.4 | 2.9 | 18.9 | 12.6 | 19.1 | 12.7 | 25.6 | 0.045 |
| | 1996 | 12.3 | 94 | 15 | 12.0 | 3.0 | 16.0 | 12.7 | 15.5 | 9.3 | 21.6 | 0.199 |
| Model B | All Years | 12.7 | 247 | 45 | 31.0 | 4.5 | 18.2 | 12.5 | 18.5 | 14.8 | 22.1 | 0.002 |
| | 1994 | 12.9 | 66 | 13 | 7.3 | 2.3 | 19.7 | 11.1 | 22.9 | 15.0 | 30.8 | 0.016 |
| | 1995 | 12.8 | 90 | 17 | 11.0 | 2.7 | 18.9 | 12.2 | 19.9 | 13.7 | 26.1 | 0.024 |
| | 1996 | 12.4 | 91 | 15 | 12.7 | 2.8 | 16.5 | 13.9 | 14.6 | 9.2 | 20.1 | 0.254 |






| | | | | N | lodoc C | ounty S | Summary | y | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|-------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 1 | 9 | 0 | 1.1 | 1.0 | 0.0 | 12.7 | 0.0 | 0.0 | 21.5 |
| | 1994 | 13.0 | 1 | 7 | 0 | 1.0 | 0.9 | 0.0 | 14.6 | 0.0 | 0.0 | 23.1 |
| | 1995 | 12.8 | 1 | 2 | 0 | 0.1 | 0.3 | 0.0 | 6.0 | 0.0 | 0.0 | 68.6 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 1 | 9 | 0 | 0.6 | 0.7 | 0.0 | 6.3 | 0.0 | 0.0 | 31.7 |
| | 1994 | 12.9 | 1 | 7 | 0 | 0.5 | 0.7 | 0.0 | 7.5 | 0.0 | 0.0 | 33.5 |
| | 1995 | 12.8 | 1 | 2 | 0 | 0.0 | 0.2 | 0.0 | 2.3 | 0.0 | 0.0 | 100.0 |
| | 1996 | 12.4 | 0 | | | | | | | | | |







Office of Statewide Health Planning and Development California Hospital Outcomes Project


| | | | Мос | doc Cou | ınty: Mo | odoc Me | dical Ce | enter | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 9 | 0 | 1.1 | 1.0 | 0.0 | 12.7 | 0.0 | 0.0 | 21.5 | 0.290 |
| | 1994 | 13.0 | 7 | 0 | 1.0 | 0.9 | 0.0 | 14.6 | 0.0 | 0.0 | 23.1 | 0.329 |
| | 1995 | 12.8 | 2 | 0 | 0.1 | 0.3 | 0.0 | 6.0 | 0.0 | 0.0 | 68.6 | 0.882 |
| | 1996 | 12.3 | 0 | | | | | | | | | |
| Model B | All Years | 12.7 | 9 | 0 | 0.6 | 0.7 | 0.0 | 6.3 | 0.0 | 0.0 | 31.7 | 0.553 |
| | 1994 | 12.9 | 7 | 0 | 0.5 | 0.7 | 0.0 | 7.5 | 0.0 | 0.0 | 33.5 | 0.579 |
| | 1995 | 12.8 | 2 | 0 | 0.0 | 0.2 | 0.0 | 2.3 | 0.0 | 0.0 | 100.0 | 0.955 |
| | 1996 | 12.4 | 0 | | | | | | | | | |







| | | | | ľ | Mono C | ounty S | ummary | 1 | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|-------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 1 | 36 | 3 | 2.5 | 1.5 | 8.3 | 7.0 | 15.2 | 0.5 | 30.0 |
| | 1994 | 13.0 | 1 | 17 | 0 | 1.2 | 1.0 | 0.0 | 6.9 | 0.0 | 0.0 | 22.1 |
| | 1995 | 12.8 | 1 | 11 | 0 | 0.6 | 0.7 | 0.0 | 5.0 | 0.0 | 0.0 | 32.5 |
| | 1996 | 12.3 | 1 | 8 | 3 | 0.8 | 0.8 | 37.5 | 9.8 | 47.5 | 22.6 | 72.4 |
| Model B | All Years | 12.7 | 1 | 35 | 3 | 1.3 | 1.1 | 8.6 | 3.6 | 29.8 | 8.6 | 51.1 |
| | 1994 | 12.9 | 1 | 16 | 0 | 0.6 | 0.7 | 0.0 | 3.6 | 0.0 | 0.0 | 32.4 |
| | 1995 | 12.8 | 1 | 11 | 0 | 0.3 | 0.5 | 0.0 | 2.4 | 0.0 | 0.0 | 48.3 |
| | 1996 | 12.4 | 1 | 8 | 3 | 0.4 | 0.6 | 37.5 | 5.5 | 83.9 | 49.3 | 100.0 |







| | | | N | lono Co | unty: M | lammoth | 1 Hospit | al | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 36 | 3 | 2.5 | 1.5 | 8.3 | 7.0 | 15.2 | 0.5 | 30.0 | 0.465 |
| | 1994 | 13.0 | 17 | 0 | 1.2 | 1.0 | 0.0 | 6.9 | 0.0 | 0.0 | 22.1 | 0.288 |
| | 1995 | 12.8 | 11 | 0 | 0.6 | 0.7 | 0.0 | 5.0 | 0.0 | 0.0 | 32.5 | 0.563 |
| | 1996 | 12.3 | 8 | 3 | 0.8 | 0.8 | 37.5 | 9.8 | 47.5 | 22.6 | 72.4 | 0.028 |
| Model B | All Years | 12.7 | 35 | 3 | 1.3 | 1.1 | 8.6 | 3.6 | 29.8 | 8.6 | 51.1 | 0.132 |
| | 1994 | 12.9 | 16 | 0 | 0.6 | 0.7 | 0.0 | 3.6 | 0.0 | 0.0 | 32.4 | 0.553 |
| | 1995 | 12.8 | 11 | 0 | 0.3 | 0.5 | 0.0 | 2.4 | 0.0 | 0.0 | 48.3 | 0.767 |
| | 1996 | 12.4 | 8 | 3 | 0.4 | 0.6 | 37.5 | 5.5 | 83.9 | 49.3 | 100.0 | 0.006 |







| | | | | Мс | onterey | County | Summa | ry | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 4 | 1,252 | 122 | 155.4 | 11.0 | 9.7 | 12.4 | 10.0 | 8.2 | 11.7 |
| | 1994 | 13.0 | 4 | 425 | 46 | 55.9 | 6.6 | 10.8 | 13.2 | 10.7 | 7.7 | 13.6 |
| | 1995 | 12.8 | 4 | 435 | 40 | 53.7 | 6.4 | 9.2 | 12.3 | 9.5 | 6.5 | 12.5 |
| | 1996 | 12.3 | 4 | 392 | 36 | 45.9 | 6.0 | 9.2 | 11.7 | 9.7 | 6.5 | 12.9 |
| Model B | All Years | 12.7 | 4 | 1,240 | 122 | 161.7 | 10.2 | 9.8 | 13.0 | 9.6 | 8.0 | 11.2 |
| | 1994 | 12.9 | 4 | 425 | 46 | 57.2 | 6.1 | 10.8 | 13.5 | 10.4 | 7.7 | 13.1 |
| | 1995 | 12.8 | 4 | 426 | 40 | 55.0 | 6.0 | 9.4 | 12.9 | 9.3 | 6.6 | 12.0 |
| | 1996 | 12.4 | 4 | 389 | 36 | 49.5 | 5.6 | 9.3 | 12.7 | 9.0 | 6.3 | 11.7 |







| | М | onterey | County | : Comm | unity H | ospital c | of the M | onterey | Penins | ıla | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 584 | 55 | 73.6 | 7.5 | 9.4 | 12.6 | 9.5 | 6.9 | 12.1 | 0.007 |
| | 1994 | 13.0 | 218 | 20 | 27.5 | 4.6 | 9.2 | 12.6 | 9.4 | 5.1 | 13.7 | 0.060 |
| | 1995 | 12.8 | 194 | 18 | 26.0 | 4.4 | 9.3 | 13.4 | 8.9 | 4.6 | 13.2 | 0.042 |
| | 1996 | 12.3 | 172 | 17 | 20.1 | 4.0 | 9.9 | 11.7 | 10.5 | 5.7 | 15.3 | 0.264 |
| Model B | All Years | 12.7 | 576 | 55 | 69.0 | 6.9 | 9.5 | 12.0 | 10.1 | 7.7 | 12.6 | 0.022 |
| | 1994 | 12.9 | 218 | 20 | 25.1 | 4.2 | 9.2 | 11.5 | 10.3 | 6.0 | 14.6 | 0.136 |
| | 1995 | 12.8 | 188 | 18 | 22.9 | 4.0 | 9.6 | 12.2 | 10.1 | 5.7 | 14.5 | 0.134 |
| | 1996 | 12.4 | 170 | 17 | 21.0 | 3.7 | 10.0 | 12.4 | 10.0 | 5.7 | 14.2 | 0.169 |







| | | Мо | nterey (| County: | George | L. Mee | Memori | ial Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 25 | 4 | 5.4 | 1.9 | 16.0 | 21.8 | 9.3 | 0.5 | 18.2 | 0.323 |
| | 1994 | 13.0 | 17 | 3 | 4.5 | 1.7 | 17.6 | 26.5 | 8.6 | 0.0 | 18.3 | 0.288 |
| | 1995 | Excluded | | | | | | | | | | |
| | 1996 | 12.3 | 8 | 1 | 0.9 | 0.9 | 12.5 | 11.7 | 13.2 | 0.0 | 35.6 | 0.649 |
| Model B | All Years | 12.7 | 25 | 4 | 5.4 | 1.8 | 16.0 | 21.7 | 9.4 | 1.3 | 17.4 | 0.304 |
| | 1994 | 12.9 | 17 | 3 | 4.4 | 1.6 | 17.6 | 25.6 | 8.9 | 0.0 | 18.1 | 0.303 |
| | 1995 | Excluded | | | | | | | | | | |
| | 1996 | 12.4 | 8 | 1 | 1.1 | 0.7 | 12.5 | 13.5 | 11.5 | 0.0 | 28.3 | 0.752 |







| | | | Monte | rey Cou | ınty: Na | tividad I | Medical | Center | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 127 | 10 | 12.1 | 3.2 | 7.9 | 9.5 | 10.5 | 4.0 | 17.0 | 0.314 |
| | 1994 | 13.0 | 44 | 4 | 4.5 | 1.9 | 9.1 | 10.3 | 11.5 | 0.6 | 22.4 | 0.522 |
| | 1995 | 12.8 | 41 | 3 | 3.5 | 1.7 | 7.3 | 8.6 | 10.9 | 0.0 | 23.0 | 0.520 |
| | 1996 | 12.3 | 42 | 3 | 4.1 | 1.8 | 7.1 | 9.7 | 9.1 | 0.0 | 19.9 | 0.399 |
| Model B | All Years | 12.7 | 125 | 10 | 14.9 | 3.1 | 8.0 | 11.9 | 8.5 | 3.4 | 13.6 | 0.070 |
| | 1994 | 12.9 | 44 | 4 | 5.9 | 1.9 | 9.1 | 13.4 | 8.8 | 0.5 | 17.1 | 0.242 |
| | 1995 | 12.8 | 39 | 3 | 4.0 | 1.6 | 7.7 | 10.2 | 9.6 | 0.0 | 19.7 | 0.398 |
| | 1996 | 12.4 | 42 | 3 | 5.0 | 1.7 | 7.1 | 11.9 | 7.4 | 0.0 | 15.8 | 0.193 |







| | | Мс | nterey | County | Salina | s Valley | Memori | al Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 516 | 53 | 64.3 | 7.1 | 10.3 | 12.5 | 10.5 | 7.7 | 13.2 | 0.061 |
| | 1994 | 13.0 | 146 | 19 | 19.4 | 3.9 | 13.0 | 13.3 | 12.7 | 7.7 | 17.8 | 0.525 |
| | 1995 | 12.8 | 200 | 19 | 24.2 | 4.3 | 9.5 | 12.1 | 10.1 | 5.5 | 14.6 | 0.140 |
| | 1996 | 12.3 | 170 | 15 | 20.8 | 4.1 | 8.8 | 12.2 | 8.9 | 4.2 | 13.6 | 0.092 |
| Model B | All Years | 12.7 | 514 | 53 | 72.4 | 6.7 | 10.3 | 14.1 | 9.3 | 7.0 | 11.6 | 0.002 |
| | 1994 | 12.9 | 146 | 19 | 21.8 | 3.7 | 13.0 | 15.0 | 11.2 | 7.0 | 15.5 | 0.264 |
| | 1995 | 12.8 | 199 | 19 | 28.2 | 4.2 | 9.5 | 14.2 | 8.6 | 4.9 | 12.4 | 0.016 |
| | 1996 | 12.4 | 169 | 15 | 22.4 | 3.7 | 8.9 | 13.2 | 8.3 | 4.3 | 12.3 | 0.028 |






| | | | | 1 | Napa Co | ounty S | ummary | | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 3 | 585 | 80 | 74.2 | 7.5 | 13.7 | 12.7 | 13.7 | 11.2 | 16.2 |
| | 1994 | 13.0 | 3 | 173 | 23 | 22.4 | 4.1 | 13.3 | 12.9 | 13.3 | 8.6 | 18.0 |
| | 1995 | 12.8 | 3 | 228 | 38 | 30.6 | 4.8 | 16.7 | 13.4 | 15.9 | 11.9 | 19.9 |
| | 1996 | 12.3 | 3 | 184 | 19 | 21.2 | 4.1 | 10.3 | 11.5 | 11.1 | 6.4 | 15.7 |
| Model B | All Years | 12.7 | 3 | 580 | 80 | 75.7 | 7.0 | 13.8 | 13.0 | 13.4 | 11.1 | 15.7 |
| | 1994 | 12.9 | 3 | 173 | 23 | 21.4 | 3.7 | 13.3 | 12.4 | 13.9 | 9.5 | 18.3 |
| | 1995 | 12.8 | 3 | 226 | 38 | 33.4 | 4.5 | 16.8 | 14.8 | 14.6 | 11.2 | 18.0 |
| | 1996 | 12.4 | 3 | 181 | 19 | 20.9 | 3.8 | 10.5 | 11.5 | 11.3 | 6.9 | 15.7 |






Office of Statewide Health Planning and Development California Hospital Outcomes Project


| | Napa C | Statewide Death Rate | Number of Cases | Number of Observed | Number of Expected | Standard Deviation of Observed | Observed Death Rate | Expected Death Rate | Risk- Adjusted Death Rate | Risk-Adjuste 95% Confid | d Death Rate ence Bounds | Probability This Rate Occurred by |
|---------|-----------|-------------------------|-----------------|--------------------|--------------------|--------------------------------|---------------------|---------------------|---------------------------------|----------------------------|--------------------------|-----------------------------------|
| | | (%) | Included | Deaths | Deaths | Deaths | (%) | (%) | (%) | Lower | Upper | Chance |
| Model A | All Years | 12.7 | 29 | 4 | 3.9 | 1.7 | 13.8 | 13.5 | 13.0 | 2.0 | 24.1 | 0.571 |
| | 1994 | 13.0 | 13 | 1 | 1.3 | 1.0 | 7.7 | 10.2 | 9.8 | 0.0 | 29.8 | 0.611 |
| | 1995 | 12.8 | 11 | 2 | 1.9 | 1.2 | 18.2 | 17.4 | 13.4 | 0.0 | 28.9 | 0.610 |
| | 1996 | 12.3 | 5 | 1 | 0.7 | 0.7 | 20.0 | 13.4 | 18.5 | 0.0 | 44.4 | 0.537 |
| Model B | All Years | 12.7 | 29 | 4 | 2.5 | 1.4 | 13.8 | 8.7 | 20.0 | 5.9 | 34.2 | 0.237 |
| | 1994 | 12.9 | 13 | 1 | 0.9 | 0.9 | 7.7 | 7.1 | 13.9 | 0.0 | 38.0 | 0.638 |
| | 1995 | 12.8 | 11 | 2 | 1.3 | 1.0 | 18.2 | 11.4 | 20.4 | 0.6 | 40.3 | 0.363 |
| | 1996 | 12.4 | 5 | 1 | 0.4 | 0.6 | 20.0 | 7.1 | 34.9 | 0.0 | 72.8 | 0.317 |







[‡] Hospital sent comment letter


| | N | ара Соц | ınty: Qu | een of | the Vall | ey Hosp | ital Nap | a Valley | Med Ct | r‡ | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 405 | 56 | 48.7 | 6.1 | 13.8 | 12.0 | 14.6 | 11.5 | 17.8 | 0.133 |
| | 1994 | 13.0 | 126 | 20 | 16.5 | 3.5 | 15.9 | 13.1 | 15.7 | 10.3 | 21.1 | 0.195 |
| | 1995 | 12.8 | 156 | 25 | 19.4 | 3.9 | 16.0 | 12.4 | 16.5 | 11.5 | 21.6 | 0.097 |
| | 1996 | 12.3 | 123 | 11 | 12.8 | 3.2 | 8.9 | 10.4 | 10.6 | 4.6 | 16.7 | 0.356 |
| Model B | All Years | 12.7 | 401 | 56 | 47.4 | 5.6 | 14.0 | 11.8 | 15.0 | 12.1 | 17.9 | 0.076 |
| | 1994 | 12.9 | 126 | 20 | 15.3 | 3.1 | 15.9 | 12.1 | 16.9 | 11.7 | 22.1 | 0.093 |
| | 1995 | 12.8 | 155 | 25 | 20.1 | 3.6 | 16.1 | 13.0 | 16.0 | 11.5 | 20.4 | 0.111 |
| | 1996 | 12.4 | 120 | 11 | 12.0 | 2.9 | 9.2 | 10.0 | 11.3 | 5.4 | 17.2 | 0.438 |






| | | | N | lapa Co | unty: S | t. Helena | Hospit | al | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 151 | 20 | 21.6 | 4.0 | 13.2 | 14.3 | 11.7 | 7.1 | 16.4 | 0.397 |
| | 1994 | 13.0 | 34 | 2 | 4.6 | 1.9 | 5.9 | 13.5 | 5.7 | 0.0 | 16.1 | 0.130 |
| | 1995 | 12.8 | 61 | 11 | 9.3 | 2.6 | 18.0 | 15.2 | 15.2 | 8.0 | 22.3 | 0.313 |
| | 1996 | 12.3 | 56 | 7 | 7.8 | 2.4 | 12.5 | 13.9 | 11.1 | 3.7 | 18.6 | 0.470 |
| Model B | All Years | 12.7 | 150 | 20 | 25.7 | 3.9 | 13.3 | 17.1 | 9.9 | 6.1 | 13.7 | 0.089 |
| | 1994 | 12.9 | 34 | 2 | 5.2 | 1.7 | 5.9 | 15.2 | 5.0 | 0.0 | 13.5 | 0.054 |
| | 1995 | 12.8 | 60 | 11 | 12.1 | 2.6 | 18.3 | 20.1 | 11.7 | 6.3 | 17.0 | 0.419 |
| | 1996 | 12.4 | 56 | 7 | 8.5 | 2.4 | 12.5 | 15.1 | 10.2 | 3.5 | 17.0 | 0.353 |







[‡] Hospital sent comment letter


| | | | | N | evada (| County | Summar | У | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 2 | 464 | 54 | 58.6 | 6.8 | 11.6 | 12.6 | 11.7 | 8.8 | 14.6 |
| | 1994 | 13.0 | 2 | 173 | 22 | 22.3 | 4.2 | 12.7 | 12.9 | 12.8 | 8.0 | 17.5 |
| | 1995 | 12.8 | 2 | 150 | 18 | 20.5 | 4.0 | 12.0 | 13.6 | 11.3 | 6.4 | 16.1 |
| | 1996 | 12.3 | 2 | 141 | 14 | 15.9 | 3.5 | 9.9 | 11.2 | 10.9 | 5.5 | 16.3 |
| Model B | All Years | 12.7 | 2 | 464 | 54 | 61.3 | 6.3 | 11.6 | 13.2 | 11.2 | 8.6 | 13.8 |
| | 1994 | 12.9 | 2 | 173 | 22 | 25.5 | 4.0 | 12.7 | 14.8 | 11.1 | 7.2 | 15.1 |
| | 1995 | 12.8 | 2 | 150 | 18 | 20.4 | 3.7 | 12.0 | 13.6 | 11.3 | 6.8 | 15.9 |
| | 1996 | 12.4 | 2 | 141 | 14 | 15.4 | 3.2 | 9.9 | 10.9 | 11.2 | 6.2 | 16.3 |







| | | N | evada C | ounty: | Sierra N | Nevada N | /lemoria | ıl Hospi | tal | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 348 | 51 | 48.2 | 6.1 | 14.7 | 13.8 | 13.5 | 10.3 | 16.6 | 0.345 |
| | 1994 | 13.0 | 131 | 21 | 18.4 | 3.8 | 16.0 | 14.1 | 14.8 | 9.6 | 20.0 | 0.287 |
| | 1995 | 12.8 | 121 | 18 | 18.0 | 3.7 | 14.9 | 14.9 | 12.8 | 7.6 | 18.0 | 0.541 |
| | 1996 | 12.3 | 96 | 12 | 11.7 | 3.0 | 12.5 | 12.2 | 12.6 | 6.4 | 18.9 | 0.516 |
| Model B | All Years | 12.7 | 348 | 51 | 53.8 | 5.8 | 14.7 | 15.4 | 12.1 | 9.4 | 14.8 | 0.353 |
| | 1994 | 12.9 | 131 | 21 | 22.4 | 3.7 | 16.0 | 17.1 | 12.1 | 7.9 | 16.3 | 0.411 |
| | 1995 | 12.8 | 121 | 18 | 18.8 | 3.5 | 14.9 | 15.5 | 12.3 | 7.6 | 17.0 | 0.477 |
| | 1996 | 12.4 | 96 | 12 | 12.6 | 2.8 | 12.5 | 13.1 | 11.8 | 6.4 | 17.2 | 0.500 |







| | | l | Nevada | County | : Tahoe | Forest | Hospita | l Distric | :t | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 116 | 3 | 10.5 | 2.9 | 2.6 | 9.0 | 3.6 | 0.0 | 10.6 | 0.004 |
| | 1994 | 13.0 | 42 | 1 | 3.9 | 1.8 | 2.4 | 9.2 | 3.4 | 0.0 | 15.0 | 0.079 |
| | 1995 | 12.8 | 29 | 0 | 2.5 | 1.5 | 0.0 | 8.6 | 0.0 | 0.0 | 14.7 | 0.067 |
| | 1996 | 12.3 | 45 | 2 | 4.1 | 1.8 | 4.4 | 9.2 | 6.0 | 0.0 | 16.8 | 0.191 |
| Model B | All Years | 12.7 | 116 | 3 | 7.6 | 2.5 | 2.6 | 6.5 | 5.0 | 0.0 | 13.2 | 0.039 |
| | 1994 | 12.9 | 42 | 1 | 3.1 | 1.5 | 2.4 | 7.5 | 4.1 | 0.0 | 16.4 | 0.134 |
| | 1995 | 12.8 | 29 | 0 | 1.6 | 1.2 | 0.0 | 5.4 | 0.0 | 0.0 | 18.9 | 0.187 |
| | 1996 | 12.4 | 45 | 2 | 2.9 | 1.6 | 4.4 | 6.3 | 8.7 | 0.0 | 21.8 | 0.440 |







| | | | | 0 | range C | County | Summar | у | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 31 | 10,087 | 1,372 | 1,295.6 | 31.5 | 13.6 | 12.8 | 13.5 | 12.9 | 14.1 |
| | 1994 | 13.0 | 31 | 3,383 | 472 | 428.7 | 18.1 | 14.0 | 12.7 | 14.3 | 13.2 | 15.4 |
| | 1995 | 12.8 | 31 | 3,406 | 493 | 443.2 | 18.5 | 14.5 | 13.0 | 14.2 | 13.2 | 15.3 |
| | 1996 | 12.3 | 31 | 3,298 | 407 | 423.8 | 18.0 | 12.3 | 12.8 | 11.9 | 10.8 | 12.9 |
| Model B | All Years | 12.7 | 31 | 9,992 | 1,363 | 1,311.2 | 29.0 | 13.6 | 13.1 | 13.2 | 12.7 | 13.8 |
| | 1994 | 12.9 | 31 | 3,343 | 466 | 441.2 | 16.8 | 13.9 | 13.2 | 13.7 | 12.7 | 14.6 |
| | 1995 | 12.8 | 31 | 3,370 | 491 | 452.9 | 16.9 | 14.6 | 13.4 | 13.9 | 13.0 | 14.8 |
| | 1996 | 12.4 | 31 | 3,279 | 406 | 417.1 | 16.5 | 12.4 | 12.7 | 12.0 | 11.1 | 13.0 |







| | | | Orang | je Coun | ty: Ana | heim Ge | neral H | ospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 107 | 20 | 16.5 | 3.5 | 18.7 | 15.4 | 15.4 | 10.2 | 20.7 | 0.189 |
| | 1994 | 13.0 | 48 | 9 | 7.7 | 2.4 | 18.8 | 16.0 | 15.2 | 7.4 | 23.0 | 0.351 |
| | 1995 | 12.8 | 35 | 6 | 4.5 | 1.9 | 17.1 | 12.7 | 17.2 | 6.6 | 27.9 | 0.277 |
| | 1996 | 12.3 | 24 | 5 | 4.3 | 1.7 | 20.8 | 18.0 | 14.3 | 4.6 | 24.0 | 0.442 |
| Model B | All Years | 12.7 | 101 | 20 | 16.0 | 3.1 | 19.8 | 15.9 | 15.8 | 11.0 | 20.7 | 0.136 |
| | 1994 | 12.9 | 45 | 9 | 5.9 | 2.0 | 20.0 | 13.1 | 19.8 | 11.0 | 28.5 | 0.102 |
| | 1995 | 12.8 | 32 | 6 | 5.9 | 1.8 | 18.8 | 18.5 | 13.0 | 5.4 | 20.6 | 0.584 |
| | 1996 | 12.4 | 24 | 5 | 4.2 | 1.6 | 20.8 | 17.6 | 14.6 | 5.5 | 23.8 | 0.418 |






| | | Or | ange Co | ounty: A | Anahein | n Memor | ial Medi | ical Cen | iter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 417 | 56 | 53.2 | 6.4 | 13.4 | 12.7 | 13.4 | 10.4 | 16.4 | 0.352 |
| | 1994 | 13.0 | 131 | 22 | 16.2 | 3.5 | 16.8 | 12.4 | 17.6 | 12.1 | 23.1 | 0.071 |
| | 1995 | 12.8 | 150 | 26 | 21.1 | 4.0 | 17.3 | 14.0 | 15.8 | 11.1 | 20.5 | 0.132 |
| | 1996 | 12.3 | 136 | 8 | 15.9 | 3.5 | 5.9 | 11.7 | 6.2 | 0.8 | 11.6 | 0.013 |
| Model B | All Years | 12.7 | 414 | 55 | 51.7 | 5.8 | 13.3 | 12.5 | 13.5 | 10.7 | 16.3 | 0.311 |
| | 1994 | 12.9 | 131 | 22 | 16.4 | 3.2 | 16.8 | 12.5 | 17.3 | 12.3 | 22.3 | 0.062 |
| | 1995 | 12.8 | 149 | 26 | 22.0 | 3.7 | 17.4 | 14.8 | 15.1 | 10.9 | 19.3 | 0.174 |
| | 1996 | 12.4 | 134 | 7 | 13.2 | 3.1 | 5.2 | 9.9 | 6.5 | 0.9 | 12.2 | 0.025 |







[‡] Hospital sent comment letter


| | | | Orang | ge Coun | ty: Brea | Comm | unity Ho | ospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 228 | 34 | 26.9 | 4.5 | 14.9 | 11.8 | 16.1 | 11.9 | 20.2 | 0.075 |
| | 1994 | 13.0 | 73 | 10 | 8.4 | 2.5 | 13.7 | 11.5 | 15.4 | 7.8 | 23.1 | 0.319 |
| | 1995 | 12.8 | 78 | 10 | 8.2 | 2.5 | 12.8 | 10.6 | 15.5 | 7.8 | 23.2 | 0.300 |
| | 1996 | 12.3 | 77 | 14 | 10.3 | 2.8 | 18.2 | 13.3 | 16.8 | 10.3 | 23.4 | 0.122 |
| Model B | All Years | 12.7 | 228 | 34 | 33.1 | 4.3 | 14.9 | 14.5 | 13.1 | 9.9 | 16.3 | 0.454 |
| | 1994 | 12.9 | 73 | 10 | 12.0 | 2.4 | 13.7 | 16.5 | 10.8 | 5.7 | 15.8 | 0.268 |
| | 1995 | 12.8 | 78 | 10 | 9.4 | 2.4 | 12.8 | 12.0 | 13.7 | 7.1 | 20.3 | 0.464 |
| | 1996 | 12.4 | 77 | 14 | 11.7 | 2.5 | 18.2 | 15.2 | 14.8 | 9.6 | 20.0 | 0.232 |






| | | | Orang | je Coun | ty: Cha | pman M | edical C | enter‡ | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 93 | 12 | 9.5 | 2.7 | 12.9 | 10.2 | 16.0 | 8.9 | 23.1 | 0.227 |
| | 1994 | 13.0 | 34 | 2 | 2.9 | 1.6 | 5.9 | 8.5 | 9.0 | 0.0 | 22.6 | 0.431 |
| | 1995 | 12.8 | 29 | 5 | 2.8 | 1.5 | 17.2 | 9.6 | 22.9 | 9.3 | 36.5 | 0.132 |
| | 1996 | 12.3 | 30 | 5 | 3.8 | 1.6 | 16.7 | 12.8 | 16.1 | 5.9 | 26.3 | 0.326 |
| Model B | All Years | 12.7 | 93 | 12 | 7.9 | 2.4 | 12.9 | 8.4 | 19.4 | 11.9 | 27.0 | 0.068 |
| | 1994 | 12.9 | 34 | 2 | 2.6 | 1.4 | 5.9 | 7.8 | 9.8 | 0.0 | 23.3 | 0.490 |
| | 1995 | 12.8 | 29 | 5 | 2.1 | 1.3 | 17.2 | 7.4 | 30.0 | 14.6 | 45.5 | 0.045 |
| | 1996 | 12.4 | 30 | 5 | 3.1 | 1.4 | 16.7 | 10.2 | 20.1 | 9.1 | 31.2 | 0.151 |







[‡] Hospital sent comment letter


| | | (| Orange | County | : Coasta | al Comm | nunities | Hospita | al | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 89 | 11 | 9.4 | 2.7 | 12.4 | 10.5 | 14.9 | 7.7 | 22.2 | 0.327 |
| | 1994 | 13.0 | 25 | 3 | 2.6 | 1.4 | 12.0 | 10.5 | 14.8 | 0.8 | 28.8 | 0.504 |
| | 1995 | 12.8 | 28 | 4 | 2.9 | 1.6 | 14.3 | 10.5 | 17.4 | 4.2 | 30.7 | 0.336 |
| | 1996 | 12.3 | 36 | 4 | 3.8 | 1.7 | 11.1 | 10.6 | 13.0 | 2.0 | 24.0 | 0.544 |
| Model B | All Years | 12.7 | 89 | 11 | 12.4 | 2.6 | 12.4 | 13.9 | 11.3 | 6.0 | 16.6 | 0.381 |
| | 1994 | 12.9 | 25 | 3 | 3.5 | 1.4 | 12.0 | 13.9 | 11.2 | 0.9 | 21.4 | 0.524 |
| | 1995 | 12.8 | 28 | 4 | 4.5 | 1.6 | 14.3 | 16.1 | 11.4 | 2.7 | 20.1 | 0.517 |
| | 1996 | 12.4 | 36 | 4 | 4.4 | 1.6 | 11.1 | 12.2 | 11.3 | 2.5 | 20.0 | 0.548 |






| | | | Orange | County | y: Colle | ge Hosp | ital Cos | ta Mesa | 1 | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 6 | 1 | 1.3 | 1.0 | 16.7 | 21.7 | 9.7 | 0.0 | 28.2 | 0.610 |
| | 1994 | 13.0 | 0 | | | | | | | | | |
| | 1995 | 12.8 | 1 | 1 | 0.3 | 0.5 | 100.0 | 32.0 | 40.0 | 3.4 | 76.6 | 0.320 |
| | 1996 | 12.3 | 5 | 0 | 1.0 | 0.8 | 0.0 | 19.7 | 0.0 | 0.0 | 20.9 | 0.315 |
| Model B | All Years | 12.7 | 6 | 1 | 0.9 | 0.8 | 16.7 | 14.9 | 14.2 | 0.0 | 37.5 | 0.637 |
| | 1994 | 12.9 | 0 | | | | | | | | | |
| | 1995 | 12.8 | 1 | 1 | 0.2 | 0.4 | 100.0 | 24.7 | 51.9 | 8.0 | 95.7 | 0.247 |
| | 1996 | 12.4 | 5 | 0 | 0.6 | 0.7 | 0.0 | 12.9 | 0.0 | 0.0 | 26.7 | 0.482 |







[‡] Hospital sent comment letter


| | Or | ange Co | unty: C | olumbi | a Huntii | ngton Be | each Ho | spital a | nd Med | Ctr | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 183 | 29 | 23.9 | 4.3 | 15.8 | 13.1 | 15.4 | 10.9 | 19.9 | 0.145 |
| | 1994 | 13.0 | 97 | 14 | 12.0 | 3.1 | 14.4 | 12.4 | 15.1 | 8.6 | 21.7 | 0.304 |
| | 1995 | Excluded | I | | | | | | | | | |
| | 1996 | 12.3 | 86 | 15 | 11.9 | 3.0 | 17.4 | 13.9 | 15.5 | 9.4 | 21.6 | 0.196 |
| Model B | All Years | 12.7 | 183 | 29 | 25.3 | 4.1 | 15.8 | 13.9 | 14.5 | 10.5 | 18.6 | 0.219 |
| | 1994 | 12.9 | 97 | 14 | 12.4 | 2.9 | 14.4 | 12.8 | 14.5 | 8.6 | 20.4 | 0.349 |
| | 1995 | Excluded | I | | | | | | | | | |
| | 1996 | 12.4 | 86 | 15 | 12.9 | 2.9 | 17.4 | 15.0 | 14.4 | 8.9 | 19.9 | 0.286 |







| | | Orange | e Count | y: Colu | mbia Sa | ın Cleme | ente Hos | spital M | ed Ctr‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 238 | 32 | 38.0 | 5.3 | 13.4 | 16.0 | 10.7 | 7.3 | 14.2 | 0.148 |
| | 1994 | 13.0 | 96 | 15 | 16.0 | 3.4 | 15.6 | 16.7 | 12.1 | 6.7 | 17.5 | 0.449 |
| | 1995 | 12.8 | 76 | 10 | 11.5 | 2.9 | 13.2 | 15.1 | 11.1 | 4.8 | 17.5 | 0.378 |
| | 1996 | 12.3 | 66 | 7 | 10.5 | 2.8 | 10.6 | 15.9 | 8.2 | 1.9 | 14.6 | 0.138 |
| Model B | All Years | 12.7 | 236 | 32 | 38.9 | 4.8 | 13.6 | 16.5 | 10.4 | 7.3 | 13.5 | 0.089 |
| | 1994 | 12.9 | 95 | 15 | 15.9 | 3.1 | 15.8 | 16.7 | 12.2 | 7.2 | 17.2 | 0.464 |
| | 1995 | 12.8 | 76 | 10 | 13.8 | 2.7 | 13.2 | 18.1 | 9.3 | 4.3 | 14.3 | 0.114 |
| | 1996 | 12.4 | 65 | 7 | 9.3 | 2.5 | 10.8 | 14.4 | 9.3 | 2.9 | 15.7 | 0.232 |







| | | Orang | ge Cour | ıty: Colı | umbia V | Vest Ana | heim M | ledical (| Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 393 | 59 | 44.2 | 5.9 | 15.0 | 11.3 | 17.0 | 13.6 | 20.3 | 0.010 |
| | 1994 | 13.0 | 121 | 15 | 12.9 | 3.2 | 12.4 | 10.7 | 15.1 | 8.7 | 21.4 | 0.301 |
| | 1995 | 12.8 | 137 | 23 | 16.5 | 3.6 | 16.8 | 12.0 | 17.9 | 12.4 | 23.4 | 0.052 |
| | 1996 | 12.3 | 135 | 21 | 14.9 | 3.4 | 15.6 | 11.0 | 17.5 | 11.9 | 23.1 | 0.055 |
| Model B | All Years | 12.7 | 393 | 59 | 51.0 | 5.6 | 15.0 | 13.0 | 14.7 | 12.0 | 17.5 | 0.093 |
| | 1994 | 12.9 | 121 | 15 | 15.9 | 3.1 | 12.4 | 13.1 | 12.2 | 7.2 | 17.2 | 0.463 |
| | 1995 | 12.8 | 137 | 23 | 19.1 | 3.4 | 16.8 | 14.0 | 15.4 | 11.0 | 19.8 | 0.157 |
| | 1996 | 12.4 | 135 | 21 | 16.0 | 3.3 | 15.6 | 11.9 | 16.2 | 11.3 | 21.1 | 0.086 |






| O | range C | ounty: F | ountair | า Valley | Region | al Hosp | ital and | Med Ct | r-Founta | in Valle | y ‡ | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|----------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 516 | 73 | 56.2 | 6.7 | 14.1 | 10.9 | 16.5 | 13.5 | 19.5 | 0.009 |
| | 1994 | 13.0 | 169 | 24 | 16.7 | 3.7 | 14.2 | 9.9 | 18.6 | 13.1 | 24.2 | 0.036 |
| | 1995 | 12.8 | 171 | 22 | 19.6 | 3.9 | 12.9 | 11.5 | 14.4 | 9.3 | 19.4 | 0.308 |
| | 1996 | 12.3 | 176 | 27 | 20.0 | 4.0 | 15.3 | 11.3 | 16.7 | 11.8 | 21.6 | 0.056 |
| Model B | All Years | 12.7 | 507 | 73 | 65.9 | 6.3 | 14.4 | 13.0 | 14.1 | 11.7 | 16.5 | 0.146 |
| | 1994 | 12.9 | 160 | 24 | 20.1 | 3.4 | 15.0 | 12.6 | 15.4 | 11.2 | 19.7 | 0.158 |
| | 1995 | 12.8 | 171 | 22 | 22.6 | 3.7 | 12.9 | 13.2 | 12.5 | 8.4 | 16.6 | 0.498 |
| | 1996 | 12.4 | 176 | 27 | 23.2 | 3.8 | 15.3 | 13.2 | 14.4 | 10.4 | 18.4 | 0.192 |







[‡] Hospital sent comment letter


| | | Orar | nge Cou | nty: Fri | endly H | ills Regi | onal Me | dical C | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 622 | 100 | 79.3 | 7.8 | 16.1 | 12.7 | 16.0 | 13.6 | 18.5 | 0.006 |
| | 1994 | 13.0 | 221 | 35 | 27.9 | 4.6 | 15.8 | 12.6 | 16.3 | 12.1 | 20.5 | 0.078 |
| | 1995 | 12.8 | 203 | 39 | 25.7 | 4.5 | 19.2 | 12.7 | 19.4 | 15.0 | 23.8 | 0.003 |
| | 1996 | 12.3 | 198 | 26 | 25.7 | 4.5 | 13.1 | 13.0 | 12.5 | 8.3 | 16.7 | 0.508 |
| Model B | All Years | 12.7 | 620 | 100 | 82.0 | 7.3 | 16.1 | 13.2 | 15.5 | 13.3 | 17.7 | 0.009 |
| | 1994 | 12.9 | 219 | 35 | 25.4 | 4.1 | 16.0 | 11.6 | 17.8 | 13.8 | 21.9 | 0.015 |
| | 1995 | 12.8 | 203 | 39 | 26.5 | 4.2 | 19.2 | 13.1 | 18.9 | 14.9 | 22.8 | 0.003 |
| | 1996 | 12.4 | 198 | 26 | 30.2 | 4.3 | 13.1 | 15.2 | 10.7 | 7.2 | 14.1 | 0.199 |






| | 0 | range C | ounty: (| Garden | Grove H | Hospital | and Me | d Ctr, T | enet Cor | р. | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 310 | 41 | 37.7 | 5.4 | 13.2 | 12.2 | 13.8 | 10.2 | 17.4 | 0.299 |
| | 1994 | 13.0 | 117 | 20 | 14.8 | 3.4 | 17.1 | 12.7 | 17.5 | 11.7 | 23.3 | 0.085 |
| | 1995 | 12.8 | 100 | 13 | 11.9 | 3.1 | 13.0 | 11.9 | 14.0 | 7.5 | 20.5 | 0.409 |
| | 1996 | 12.3 | 93 | 8 | 11.0 | 2.9 | 8.6 | 11.8 | 9.0 | 2.6 | 15.4 | 0.196 |
| Model B | All Years | 12.7 | 310 | 41 | 41.3 | 4.9 | 13.2 | 13.3 | 12.6 | 9.6 | 15.6 | 0.519 |
| | 1994 | 12.9 | 117 | 20 | 17.5 | 3.1 | 17.1 | 15.0 | 14.7 | 10.3 | 19.2 | 0.258 |
| | 1995 | 12.8 | 100 | 13 | 13.1 | 2.8 | 13.0 | 13.1 | 12.7 | 7.4 | 18.0 | 0.566 |
| | 1996 | 12.4 | 93 | 8 | 10.7 | 2.7 | 8.6 | 11.5 | 9.2 | 3.2 | 15.3 | 0.206 |







‡ Hospital sent comment letter


| | | Ora | nge Cou | ınty: Ho | ag Men | norial Ho | ospital F | Presbyte | erian | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 803 | 96 | 96.9 | 8.7 | 12.0 | 12.1 | 12.6 | 10.4 | 14.8 | 0.485 |
| | 1994 | 13.0 | 236 | 24 | 28.1 | 4.7 | 10.2 | 11.9 | 11.1 | 6.8 | 15.3 | 0.221 |
| | 1995 | 12.8 | 299 | 43 | 38.4 | 5.4 | 14.4 | 12.8 | 14.3 | 10.8 | 17.9 | 0.223 |
| | 1996 | 12.3 | 268 | 29 | 30.4 | 4.9 | 10.8 | 11.3 | 11.8 | 7.9 | 15.7 | 0.437 |
| Model B | All Years | 12.7 | 783 | 95 | 102.5 | 8.0 | 12.1 | 13.1 | 11.8 | 9.8 | 13.7 | 0.191 |
| | 1994 | 12.9 | 226 | 24 | 30.3 | 4.3 | 10.6 | 13.4 | 10.3 | 6.6 | 13.9 | 0.089 |
| | 1995 | 12.8 | 292 | 42 | 42.4 | 5.1 | 14.4 | 14.5 | 12.7 | 9.7 | 15.7 | 0.516 |
| | 1996 | 12.4 | 265 | 29 | 29.9 | 4.5 | 10.9 | 11.3 | 12.0 | 8.4 | 15.6 | 0.474 |






| | | | Ora | nge Co | unty: lr | vine Med | dical Ce | nter | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 225 | 35 | 24.2 | 4.4 | 15.6 | 10.7 | 18.4 | 13.9 | 22.9 | 0.011 |
| | 1994 | 13.0 | 71 | 14 | 8.4 | 2.5 | 19.7 | 11.9 | 21.5 | 13.9 | 29.2 | 0.028 |
| | 1995 | 12.8 | 77 | 11 | 9.3 | 2.7 | 14.3 | 12.1 | 15.1 | 7.9 | 22.3 | 0.321 |
| | 1996 | 12.3 | 77 | 10 | 6.4 | 2.3 | 13.0 | 8.3 | 19.3 | 10.5 | 28.0 | 0.095 |
| Model B | All Years | 12.7 | 221 | 35 | 24.2 | 3.9 | 15.8 | 10.9 | 18.4 | 14.4 | 22.4 | 0.006 |
| | 1994 | 12.9 | 71 | 14 | 9.4 | 2.4 | 19.7 | 13.2 | 19.3 | 12.9 | 25.7 | 0.044 |
| | 1995 | 12.8 | 76 | 11 | 8.8 | 2.3 | 14.5 | 11.6 | 16.0 | 9.4 | 22.7 | 0.224 |
| | 1996 | 12.4 | 74 | 10 | 6.0 | 2.1 | 13.5 | 8.1 | 20.5 | 12.1 | 29.0 | 0.055 |







[‡] Hospital sent comment letter


| | | Orar | nge Cou | nty: Ka | iser Fo | undation | Hospit | al-Anah | eim‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 480 | 34 | 44.1 | 6.0 | 7.1 | 9.2 | 9.8 | 6.4 | 13.2 | 0.049 |
| | 1994 | 13.0 | 165 | 9 | 14.4 | 3.4 | 5.5 | 8.7 | 8.1 | 2.1 | 14.1 | 0.070 |
| | 1995 | 12.8 | 182 | 15 | 18.1 | 3.8 | 8.2 | 10.0 | 10.6 | 5.3 | 15.8 | 0.249 |
| | 1996 | 12.3 | 133 | 10 | 11.6 | 3.1 | 7.5 | 8.8 | 10.6 | 4.2 | 17.0 | 0.368 |
| Model B | All Years | 12.7 | 480 | 34 | 46.0 | 5.5 | 7.1 | 9.6 | 9.4 | 6.4 | 12.4 | 0.016 |
| | 1994 | 12.9 | 165 | 9 | 15.6 | 3.2 | 5.5 | 9.5 | 7.4 | 2.3 | 12.6 | 0.022 |
| | 1995 | 12.8 | 182 | 15 | 19.8 | 3.6 | 8.2 | 10.9 | 9.7 | 5.2 | 14.3 | 0.113 |
| | 1996 | 12.4 | 133 | 10 | 10.6 | 2.8 | 7.5 | 8.0 | 11.6 | 5.4 | 17.9 | 0.496 |






| | | Or | ange Co | ounty: L | .a Palma | a Interco | mmuni | ty Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 204 | 31 | 23.7 | 4.3 | 15.2 | 11.6 | 16.6 | 12.1 | 21.1 | 0.061 |
| | 1994 | 13.0 | 77 | 13 | 8.6 | 2.6 | 16.9 | 11.2 | 19.6 | 11.8 | 27.3 | 0.075 |
| | 1995 | 12.8 | 58 | 9 | 6.7 | 2.2 | 15.5 | 11.5 | 17.2 | 8.9 | 25.6 | 0.202 |
| | 1996 | 12.3 | 69 | 9 | 8.4 | 2.6 | 13.0 | 12.2 | 13.2 | 5.8 | 20.6 | 0.472 |
| Model B | All Years | 12.7 | 204 | 31 | 21.1 | 3.8 | 15.2 | 10.3 | 18.7 | 14.3 | 23.2 | 0.008 |
| | 1994 | 12.9 | 77 | 13 | 8.8 | 2.3 | 16.9 | 11.4 | 19.2 | 12.6 | 25.8 | 0.055 |
| | 1995 | 12.8 | 58 | 9 | 5.2 | 2.0 | 15.5 | 9.0 | 22.2 | 12.7 | 31.8 | 0.053 |
| | 1996 | 12.4 | 69 | 9 | 7.1 | 2.2 | 13.0 | 10.3 | 15.7 | 8.0 | 23.3 | 0.257 |







[‡] Hospital sent comment letter


| | | | Orange | County | /: Los A | lamitos | Medica | l Center | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 450 | 94 | 75.2 | 7.4 | 20.9 | 16.7 | 15.9 | 13.4 | 18.3 | 0.008 |
| | 1994 | 13.0 | 151 | 29 | 26.5 | 4.4 | 19.2 | 17.6 | 14.2 | 10.0 | 18.4 | 0.321 |
| | 1995 | 12.8 | 161 | 35 | 26.7 | 4.4 | 21.7 | 16.6 | 16.8 | 12.6 | 20.9 | 0.042 |
| | 1996 | 12.3 | 138 | 30 | 22.0 | 4.0 | 21.7 | 15.9 | 16.9 | 12.4 | 21.3 | 0.034 |
| Model B | All Years | 12.7 | 450 | 94 | 82.4 | 7.1 | 20.9 | 18.3 | 14.5 | 12.4 | 16.6 | 0.059 |
| | 1994 | 12.9 | 151 | 29 | 28.4 | 4.2 | 19.2 | 18.8 | 13.2 | 9.4 | 16.9 | 0.485 |
| | 1995 | 12.8 | 161 | 35 | 30.9 | 4.2 | 21.7 | 19.2 | 14.5 | 11.1 | 17.9 | 0.196 |
| | 1996 | 12.4 | 138 | 30 | 23.1 | 3.8 | 21.7 | 16.7 | 16.1 | 12.1 | 20.1 | 0.048 |






| | | C | range (| County: | Martin | Luther F | lospital. | -Anahei | m | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 272 | 32 | 33.8 | 5.2 | 11.8 | 12.4 | 12.0 | 8.2 | 15.9 | 0.410 |
| | 1994 | 13.0 | 100 | 11 | 12.7 | 3.2 | 11.0 | 12.7 | 11.3 | 4.9 | 17.6 | 0.369 |
| | 1995 | 12.8 | 87 | 15 | 10.7 | 2.9 | 17.2 | 12.2 | 18.0 | 11.2 | 24.8 | 0.096 |
| | 1996 | 12.3 | 85 | 6 | 10.5 | 2.9 | 7.1 | 12.3 | 7.1 | 0.4 | 13.7 | 0.077 |
| Model B | All Years | 12.7 | 270 | 32 | 30.4 | 4.6 | 11.9 | 11.3 | 13.4 | 9.6 | 17.1 | 0.398 |
| | 1994 | 12.9 | 100 | 11 | 11.3 | 2.8 | 11.0 | 11.3 | 12.6 | 6.4 | 18.9 | 0.545 |
| | 1995 | 12.8 | 87 | 15 | 10.3 | 2.6 | 17.2 | 11.8 | 18.7 | 12.3 | 25.2 | 0.058 |
| | 1996 | 12.4 | 83 | 6 | 8.9 | 2.5 | 7.2 | 10.7 | 8.4 | 1.5 | 15.3 | 0.174 |







[‡] Hospital sent comment letter


| | | Orang | e Coun | ty: Miss | ion Hos | spital Re | gional N | Medical | Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 607 | 51 | 72.8 | 7.5 | 8.4 | 12.0 | 8.9 | 6.3 | 11.5 | 0.002 |
| | 1994 | 13.0 | 180 | 16 | 21.8 | 4.1 | 8.9 | 12.1 | 9.5 | 4.7 | 14.3 | 0.096 |
| | 1995 | 12.8 | 202 | 14 | 23.5 | 4.3 | 6.9 | 11.7 | 7.6 | 3.0 | 12.2 | 0.013 |
| | 1996 | 12.3 | 225 | 21 | 27.5 | 4.6 | 9.3 | 12.2 | 9.4 | 5.4 | 13.5 | 0.094 |
| Model B | All Years | 12.7 | 606 | 51 | 71.3 | 6.8 | 8.4 | 11.8 | 9.1 | 6.7 | 11.5 | 0.001 |
| | 1994 | 12.9 | 179 | 16 | 21.7 | 3.8 | 8.9 | 12.1 | 9.5 | 5.1 | 13.9 | 0.081 |
| | 1995 | 12.8 | 202 | 14 | 21.9 | 3.8 | 6.9 | 10.9 | 8.2 | 3.9 | 12.5 | 0.020 |
| | 1996 | 12.4 | 225 | 21 | 27.6 | 4.1 | 9.3 | 12.3 | 9.4 | 5.8 | 13.0 | 0.066 |






| | | Oran | ge Cou | nty: Ora | inge Co | ast Mem | orial M | edical C | enter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 369 | 50 | 50.6 | 6.3 | 13.6 | 13.7 | 12.6 | 9.5 | 15.6 | 0.500 |
| | 1994 | 13.0 | 134 | 13 | 17.4 | 3.7 | 9.7 | 13.0 | 9.7 | 4.3 | 15.0 | 0.140 |
| | 1995 | 12.8 | 131 | 15 | 18.2 | 3.8 | 11.5 | 13.9 | 10.5 | 5.4 | 15.7 | 0.239 |
| | 1996 | 12.3 | 104 | 22 | 14.9 | 3.4 | 21.2 | 14.4 | 18.2 | 12.7 | 23.7 | 0.031 |
| Model B | All Years | 12.7 | 369 | 50 | 46.3 | 5.7 | 13.6 | 12.5 | 13.7 | 10.7 | 16.8 | 0.282 |
| | 1994 | 12.9 | 134 | 13 | 16.0 | 3.3 | 9.7 | 11.9 | 10.5 | 5.2 | 15.8 | 0.231 |
| | 1995 | 12.8 | 131 | 15 | 15.3 | 3.4 | 11.5 | 11.7 | 12.6 | 7.1 | 18.1 | 0.536 |
| | 1996 | 12.4 | 104 | 22 | 15.0 | 3.1 | 21.2 | 14.4 | 18.1 | 13.1 | 23.2 | 0.022 |







[‡] Hospital sent comment letter


| | | | C | range (| County: | Pacifica | Hospit | al | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 91 | 15 | 12.0 | 3.0 | 16.5 | 13.1 | 15.9 | 9.7 | 22.2 | 0.196 |
| | 1994 | 13.0 | 30 | 4 | 4.6 | 1.9 | 13.3 | 15.2 | 11.3 | 0.9 | 21.8 | 0.505 |
| | 1995 | 12.8 | 29 | 5 | 3.0 | 1.5 | 17.2 | 10.2 | 21.7 | 9.0 | 34.4 | 0.149 |
| | 1996 | 12.3 | 32 | 6 | 4.4 | 1.8 | 18.8 | 13.9 | 16.7 | 6.9 | 26.5 | 0.268 |
| Model B | All Years | 12.7 | 91 | 15 | 12.7 | 2.8 | 16.5 | 13.9 | 15.1 | 9.5 | 20.6 | 0.253 |
| | 1994 | 12.9 | 30 | 4 | 5.2 | 1.9 | 13.3 | 17.4 | 9.9 | 0.9 | 19.0 | 0.362 |
| | 1995 | 12.8 | 29 | 5 | 2.6 | 1.3 | 17.2 | 8.8 | 25.0 | 12.6 | 37.3 | 0.069 |
| | 1996 | 12.4 | 32 | 6 | 4.9 | 1.7 | 18.8 | 15.3 | 15.2 | 6.8 | 23.6 | 0.346 |






| | | Ora | nge Co | unty: Pl | acentia | -Linda C | ommun | ity Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 208 | 31 | 23.0 | 4.3 | 14.9 | 11.1 | 17.1 | 12.5 | 21.7 | 0.044 |
| | 1994 | 13.0 | 76 | 10 | 8.0 | 2.5 | 13.2 | 10.5 | 16.2 | 8.2 | 24.2 | 0.269 |
| | 1995 | 12.8 | 68 | 15 | 8.2 | 2.5 | 22.1 | 12.1 | 23.4 | 15.7 | 31.1 | 0.009 |
| | 1996 | 12.3 | 64 | 6 | 6.8 | 2.4 | 9.4 | 10.6 | 10.9 | 2.5 | 19.3 | 0.468 |
| Model B | All Years | 12.7 | 207 | 30 | 23.6 | 4.0 | 14.5 | 11.4 | 16.2 | 12.0 | 20.4 | 0.070 |
| | 1994 | 12.9 | 75 | 9 | 7.6 | 2.2 | 12.0 | 10.2 | 15.3 | 7.8 | 22.7 | 0.334 |
| | 1995 | 12.8 | 68 | 15 | 10.2 | 2.5 | 22.1 | 15.0 | 18.9 | 12.7 | 25.0 | 0.046 |
| | 1996 | 12.4 | 64 | 6 | 5.7 | 2.1 | 9.4 | 9.0 | 12.9 | 4.0 | 21.8 | 0.527 |







[‡] Hospital sent comment letter


| | | Orar | nge Cou | nty: Sa | ddlebac | k Memo | rial Med | dical Ce | nter‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 973 | 168 | 171.4 | 11.2 | 17.3 | 17.6 | 12.5 | 10.8 | 14.1 | 0.399 |
| | 1994 | 13.0 | 310 | 61 | 55.1 | 6.4 | 19.7 | 17.8 | 14.4 | 11.4 | 17.3 | 0.195 |
| | 1995 | 12.8 | 329 | 53 | 56.1 | 6.5 | 16.1 | 17.1 | 12.1 | 9.2 | 15.0 | 0.347 |
| | 1996 | 12.3 | 334 | 54 | 60.3 | 6.6 | 16.2 | 18.0 | 11.1 | 8.4 | 13.7 | 0.191 |
| Model B | All Years | 12.7 | 964 | 168 | 167.7 | 10.4 | 17.4 | 17.4 | 12.7 | 11.2 | 14.3 | 0.506 |
| | 1994 | 12.9 | 307 | 61 | 57.3 | 6.0 | 19.9 | 18.7 | 13.8 | 11.1 | 16.4 | 0.294 |
| | 1995 | 12.8 | 323 | 53 | 51.2 | 5.9 | 16.4 | 15.9 | 13.3 | 10.4 | 16.1 | 0.409 |
| | 1996 | 12.4 | 334 | 54 | 59.2 | 6.1 | 16.2 | 17.7 | 11.3 | 8.8 | 13.8 | 0.223 |






| | | Or | ange Co | ounty: S | anta Ar | na Hospi | ital Med | ical Cer | nter | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 10 | 2 | 2.2 | 1.3 | 20.0 | 22.2 | 11.4 | 0.0 | 25.5 | 0.609 |
| | 1994 | 13.0 | 5 | 2 | 1.1 | 0.8 | 40.0 | 21.0 | 24.7 | 4.2 | 45.2 | 0.279 |
| | 1995 | 12.8 | 2 | 0 | 0.7 | 0.7 | 0.0 | 32.9 | 0.0 | 0.0 | 25.3 | 0.449 |
| | 1996 | 12.3 | 3 | 0 | 0.5 | 0.6 | 0.0 | 17.2 | 0.0 | 0.0 | 30.5 | 0.566 |
| Model B | All Years | 12.7 | 10 | 2 | 2.3 | 1.2 | 20.0 | 22.8 | 11.2 | 0.0 | 24.5 | 0.595 |
| | 1994 | 12.9 | 5 | 2 | 1.3 | 0.9 | 40.0 | 26.3 | 19.7 | 3.1 | 36.3 | 0.391 |
| | 1995 | 12.8 | 2 | 0 | 0.6 | 0.6 | 0.0 | 28.5 | 0.0 | 0.0 | 28.0 | 0.509 |
| | 1996 | 12.4 | 3 | 0 | 0.4 | 0.6 | 0.0 | 13.1 | 0.0 | 0.0 | 35.6 | 0.652 |







[‡] Hospital sent comment letter


| | | | Orange | Count | y: Soutl | h Coast | Medical | Center | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 219 | 31 | 37.4 | 5.2 | 14.2 | 17.1 | 10.5 | 7.1 | 14.0 | 0.129 |
| | 1994 | 13.0 | 94 | 13 | 16.1 | 3.4 | 13.8 | 17.1 | 10.5 | 5.1 | 15.8 | 0.225 |
| | 1995 | 12.8 | 69 | 13 | 12.3 | 3.0 | 18.8 | 17.9 | 13.5 | 7.4 | 19.6 | 0.465 |
| | 1996 | 12.3 | 56 | 5 | 9.0 | 2.6 | 8.9 | 16.0 | 6.9 | 0.0 | 13.9 | 0.085 |
| Model B | All Years | 12.7 | 210 | 26 | 33.0 | 4.6 | 12.4 | 15.7 | 10.0 | 6.5 | 13.5 | 0.078 |
| | 1994 | 12.9 | 85 | 8 | 12.7 | 3.0 | 9.4 | 14.9 | 8.2 | 2.2 | 14.1 | 0.076 |
| | 1995 | 12.8 | 69 | 13 | 12.8 | 2.7 | 18.8 | 18.6 | 13.0 | 7.7 | 18.4 | 0.535 |
| | 1996 | 12.4 | 56 | 5 | 7.5 | 2.3 | 8.9 | 13.5 | 8.2 | 0.8 | 15.5 | 0.187 |







| | | | Orange | e Count | y: St. Jo | oseph H | ospital- | Orange | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 672 | 78 | 82.3 | 7.9 | 11.6 | 12.2 | 12.0 | 9.7 | 14.4 | 0.320 |
| | 1994 | 13.0 | 216 | 26 | 24.4 | 4.4 | 12.0 | 11.3 | 13.8 | 9.3 | 18.4 | 0.393 |
| | 1995 | 12.8 | 257 | 36 | 35.2 | 5.1 | 14.0 | 13.7 | 13.1 | 9.4 | 16.8 | 0.466 |
| | 1996 | 12.3 | 199 | 16 | 22.7 | 4.1 | 8.0 | 11.4 | 8.7 | 4.3 | 13.1 | 0.062 |
| Model B | All Years | 12.7 | 672 | 78 | 72.5 | 7.1 | 11.6 | 10.8 | 13.7 | 11.2 | 16.1 | 0.242 |
| | 1994 | 12.9 | 216 | 26 | 20.0 | 3.9 | 12.0 | 9.3 | 16.8 | 11.9 | 21.7 | 0.081 |
| | 1995 | 12.8 | 257 | 36 | 32.5 | 4.7 | 14.0 | 12.7 | 14.2 | 10.6 | 17.8 | 0.260 |
| | 1996 | 12.4 | 199 | 16 | 20.0 | 3.7 | 8.0 | 10.1 | 9.9 | 5.4 | 14.4 | 0.174 |







| | | | Oran | ge Cou | nty: St. | Jude Me | edical C | enter | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 597 | 57 | 70.3 | 7.4 | 9.5 | 11.8 | 10.3 | 7.7 | 12.9 | 0.040 |
| | 1994 | 13.0 | 177 | 24 | 18.9 | 3.9 | 13.6 | 10.7 | 16.5 | 11.2 | 21.7 | 0.122 |
| | 1995 | 12.8 | 217 | 18 | 25.5 | 4.5 | 8.3 | 11.7 | 9.0 | 4.7 | 13.4 | 0.055 |
| | 1996 | 12.3 | 203 | 15 | 25.9 | 4.4 | 7.4 | 12.8 | 7.2 | 3.0 | 11.3 | 0.007 |
| Model B | All Years | 12.7 | 591 | 57 | 66.4 | 6.6 | 9.6 | 11.2 | 10.9 | 8.4 | 13.4 | 0.088 |
| | 1994 | 12.9 | 177 | 24 | 19.9 | 3.6 | 13.6 | 11.2 | 15.6 | 11.0 | 20.2 | 0.155 |
| | 1995 | 12.8 | 214 | 18 | 23.9 | 4.0 | 8.4 | 11.2 | 9.6 | 5.4 | 13.9 | 0.087 |
| | 1996 | 12.4 | 200 | 15 | 22.6 | 3.8 | 7.5 | 11.3 | 8.2 | 4.1 | 12.3 | 0.028 |






| | | (| Orange | County | Tustin | Hospita | l Medic | al Cente | er | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 57 | 4 | 6.0 | 2.2 | 7.0 | 10.6 | 8.4 | 0.0 | 17.5 | 0.249 |
| | 1994 | 13.0 | 24 | 1 | 2.9 | 1.5 | 4.2 | 11.9 | 4.5 | 0.0 | 17.7 | 0.182 |
| | 1995 | 12.8 | 25 | 1 | 2.5 | 1.4 | 4.0 | 10.2 | 5.0 | 0.0 | 19.3 | 0.248 |
| | 1996 | 12.3 | 8 | 2 | 0.6 | 0.8 | 25.0 | 8.1 | 38.0 | 9.9 | 66.2 | 0.129 |
| Model B | All Years | 12.7 | 57 | 4 | 5.1 | 1.9 | 7.0 | 9.0 | 9.9 | 0.5 | 19.4 | 0.394 |
| | 1994 | 12.9 | 24 | 1 | 2.4 | 1.4 | 4.2 | 9.8 | 5.5 | 0.0 | 20.3 | 0.286 |
| | 1995 | 12.8 | 25 | 1 | 1.7 | 1.2 | 4.0 | 6.9 | 7.4 | 0.0 | 24.4 | 0.462 |
| | 1996 | 12.4 | 8 | 2 | 1.0 | 0.7 | 25.0 | 13.0 | 23.8 | 7.2 | 40.5 | 0.219 |







[‡] Hospital sent comment letter


| | | Orange | County | : Univer | sity of | Californi | a, Irvine | Medica | al Cente | r | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuster 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 151 | 16 | 15.9 | 3.5 | 10.6 | 10.5 | 12.8 | 7.2 | 18.4 | 0.533 |
| | 1994 | 13.0 | 46 | 5 | 3.4 | 1.7 | 10.9 | 7.4 | 19.1 | 6.3 | 31.9 | 0.245 |
| | 1995 | 12.8 | 50 | 8 | 5.8 | 2.1 | 16.0 | 11.6 | 17.7 | 8.5 | 26.9 | 0.204 |
| | 1996 | 12.3 | 55 | 3 | 6.7 | 2.3 | 5.5 | 12.2 | 5.5 | 0.0 | 13.7 | 0.071 |
| Model B | All Years | 12.7 | 149 | 16 | 15.0 | 3.1 | 10.7 | 10.1 | 13.5 | 8.4 | 18.7 | 0.427 |
| | 1994 | 12.9 | 45 | 5 | 3.3 | 1.5 | 11.1 | 7.3 | 19.7 | 7.9 | 31.5 | 0.204 |
| | 1995 | 12.8 | 50 | 8 | 6.5 | 1.9 | 16.0 | 13.0 | 15.8 | 8.5 | 23.1 | 0.287 |
| | 1996 | 12.4 | 54 | 3 | 5.2 | 1.9 | 5.6 | 9.7 | 7.1 | 0.0 | 15.9 | 0.182 |






| | | O | range C | ounty: \ | Westerr | n Medica | I Cente | r Anahe | im | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 185 | 23 | 20.9 | 4.1 | 12.4 | 11.3 | 14.0 | 9.1 | 18.9 | 0.335 |
| | 1994 | 13.0 | 57 | 11 | 6.5 | 2.3 | 19.3 | 11.5 | 21.8 | 12.9 | 30.7 | 0.048 |
| | 1995 | 12.8 | 61 | 5 | 6.6 | 2.3 | 8.2 | 10.7 | 9.8 | 0.9 | 18.7 | 0.340 |
| | 1996 | 12.3 | 67 | 7 | 7.8 | 2.5 | 10.4 | 11.6 | 11.1 | 3.5 | 18.8 | 0.475 |
| Model B | All Years | 12.7 | 185 | 23 | 22.2 | 3.9 | 12.4 | 12.0 | 13.2 | 8.8 | 17.5 | 0.463 |
| | 1994 | 12.9 | 57 | 11 | 9.3 | 2.4 | 19.3 | 16.3 | 15.3 | 8.8 | 21.7 | 0.299 |
| | 1995 | 12.8 | 61 | 5 | 5.0 | 2.1 | 8.2 | 8.2 | 12.7 | 2.4 | 23.0 | 0.611 |
| | 1996 | 12.4 | 67 | 7 | 7.9 | 2.3 | 10.4 | 11.8 | 11.0 | 4.0 | 18.0 | 0.446 |







[‡] Hospital sent comment letter


| | | Ora | inge Co | unty: W | estern | Medical | Center | Santa A | na‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 312 | 56 | 36.8 | 5.4 | 17.9 | 11.8 | 19.3 | 15.7 | 23.0 | 0.000 |
| | 1994 | 13.0 | 102 | 17 | 11.7 | 3.0 | 16.7 | 11.4 | 18.9 | 12.3 | 25.5 | 0.060 |
| | 1995 | 12.8 | 94 | 23 | 10.9 | 2.9 | 24.5 | 11.5 | 27.1 | 20.4 | 33.8 | 0.000 |
| | 1996 | 12.3 | 116 | 16 | 14.3 | 3.3 | 13.8 | 12.3 | 13.8 | 8.2 | 19.4 | 0.352 |
| Model B | All Years | 12.7 | 293 | 55 | 40.1 | 4.9 | 18.8 | 13.7 | 17.4 | 14.4 | 20.5 | 0.002 |
| | 1994 | 12.9 | 102 | 17 | 13.2 | 2.9 | 16.7 | 12.9 | 16.7 | 11.0 | 22.3 | 0.130 |
| | 1995 | 12.8 | 79 | 22 | 12.1 | 2.6 | 27.8 | 15.3 | 23.3 | 18.0 | 28.7 | 0.000 |
| | 1996 | 12.4 | 112 | 16 | 14.8 | 3.0 | 14.3 | 13.3 | 13.3 | 8.3 | 18.3 | 0.406 |







| | | | | F | Placer C | ounty S | Summary | / | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 2 | 1,063 | 140 | 121.5 | 9.8 | 13.2 | 11.4 | 14.7 | 12.6 | 16.7 |
| | 1994 | 13.0 | 2 | 357 | 52 | 43.6 | 5.8 | 14.6 | 12.2 | 15.5 | 12.1 | 18.8 |
| | 1995 | 12.8 | 2 | 376 | 44 | 43.0 | 5.9 | 11.7 | 11.4 | 13.1 | 9.7 | 16.5 |
| | 1996 | 12.3 | 2 | 330 | 44 | 34.9 | 5.2 | 13.3 | 10.6 | 15.6 | 12.0 | 19.2 |
| Model B | All Years | 12.7 | 2 | 1,057 | 138 | 119.8 | 9.0 | 13.1 | 11.3 | 14.6 | 12.8 | 16.5 |
| | 1994 | 12.9 | 2 | 356 | 52 | 42.7 | 5.4 | 14.6 | 12.0 | 15.7 | 12.5 | 18.9 |
| | 1995 | 12.8 | 2 | 374 | 44 | 45.2 | 5.4 | 11.8 | 12.1 | 12.5 | 9.5 | 15.5 |
| | 1996 | 12.4 | 2 | 327 | 42 | 31.9 | 4.7 | 12.8 | 9.7 | 16.3 | 12.7 | 19.9 |







| | | | Placer | County | : Sutter | Auburn | Faith H | lospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 435 | 63 | 53.7 | 6.4 | 14.5 | 12.3 | 14.9 | 11.9 | 17.9 | 0.087 |
| | 1994 | 13.0 | 154 | 27 | 20.4 | 3.9 | 17.5 | 13.2 | 17.2 | 12.3 | 22.1 | 0.062 |
| | 1995 | 12.8 | 145 | 14 | 16.9 | 3.7 | 9.7 | 11.7 | 10.6 | 5.1 | 16.0 | 0.259 |
| | 1996 | 12.3 | 136 | 22 | 16.4 | 3.5 | 16.2 | 12.0 | 16.6 | 11.4 | 21.8 | 0.076 |
| Model B | All Years | 12.7 | 432 | 62 | 51.6 | 5.9 | 14.4 | 11.9 | 15.3 | 12.4 | 18.1 | 0.049 |
| | 1994 | 12.9 | 154 | 27 | 19.4 | 3.6 | 17.5 | 12.6 | 18.0 | 13.3 | 22.7 | 0.028 |
| | 1995 | 12.8 | 143 | 14 | 17.0 | 3.4 | 9.8 | 11.9 | 10.5 | 5.5 | 15.6 | 0.235 |
| | 1996 | 12.4 | 135 | 21 | 15.1 | 3.2 | 15.6 | 11.2 | 17.2 | 12.0 | 22.3 | 0.050 |







| | | I | Placer C | ounty: | Sutter F | Roseville | Medica | al Cente | r | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | • | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 628 | 77 | 67.8 | 7.4 | 12.3 | 10.8 | 14.4 | 11.7 | 17.1 | 0.119 |
| | 1994 | 13.0 | 203 | 25 | 23.3 | 4.3 | 12.3 | 11.5 | 13.9 | 9.2 | 18.6 | 0.379 |
| | 1995 | 12.8 | 231 | 30 | 26.0 | 4.5 | 13.0 | 11.3 | 14.8 | 10.4 | 19.1 | 0.219 |
| | 1996 | 12.3 | 194 | 22 | 18.5 | 3.9 | 11.3 | 9.5 | 14.7 | 9.6 | 19.8 | 0.214 |
| Model B | All Years | 12.7 | 625 | 76 | 68.2 | 6.7 | 12.2 | 10.9 | 14.2 | 11.7 | 16.6 | 0.140 |
| | 1994 | 12.9 | 202 | 25 | 23.3 | 4.0 | 12.4 | 11.5 | 13.9 | 9.5 | 18.2 | 0.376 |
| | 1995 | 12.8 | 231 | 30 | 28.1 | 4.2 | 13.0 | 12.2 | 13.7 | 9.9 | 17.4 | 0.365 |
| | 1996 | 12.4 | 192 | 21 | 16.8 | 3.5 | 10.9 | 8.7 | 15.5 | 10.5 | 20.5 | 0.140 |






| | | | | Р | lumas (| County | Summar | у | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 4 | 43 | 11 | 10.2 | 2.6 | 25.6 | 23.8 | 13.7 | 7.3 | 20.1 |
| | 1994 | 13.0 | 4 | 14 | 2 | 3.5 | 1.6 | 14.3 | 24.9 | 7.4 | 0.0 | 18.8 |
| | 1995 | 12.8 | 4 | 19 | 6 | 4.9 | 1.8 | 31.6 | 25.8 | 15.6 | 6.5 | 24.8 |
| | 1996 | 12.3 | 4 | 10 | 3 | 1.8 | 1.1 | 30.0 | 18.3 | 20.3 | 5.3 | 35.2 |
| Model B | All Years | 12.7 | 4 | 41 | 11 | 9.0 | 2.3 | 26.8 | 22.0 | 15.5 | 9.2 | 21.9 |
| | 1994 | 12.9 | 4 | 14 | 2 | 2.8 | 1.4 | 14.3 | 20.3 | 9.1 | 0.0 | 21.4 |
| | 1995 | 12.8 | 4 | 18 | 6 | 4.4 | 1.5 | 33.3 | 24.4 | 17.5 | 8.8 | 26.2 |
| | 1996 | 12.4 | 4 | 9 | 3 | 1.8 | 1.0 | 33.3 | 19.7 | 20.9 | 6.7 | 35.1 |






Office of Statewide Health Planning and Development California Hospital Outcomes Project


| | | Plu | ımas Co | ounty: E | astern | Plumas | Healthc | are Dist | rict | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 15 | 3 | 3.7 | 1.6 | 20.0 | 24.9 | 10.2 | 0.0 | 20.8 | 0.460 |
| | 1994 | 13.0 | 7 | 1 | 1.8 | 1.1 | 14.3 | 26.1 | 7.1 | 0.0 | 22.6 | 0.407 |
| | 1995 | 12.8 | 5 | 1 | 0.8 | 0.8 | 20.0 | 16.4 | 15.6 | 0.0 | 40.1 | 0.605 |
| | 1996 | 12.3 | 3 | 1 | 1.1 | 0.8 | 33.3 | 36.0 | 11.4 | 0.0 | 29.2 | 0.716 |
| Model B | All Years | 12.7 | 15 | 3 | 2.5 | 1.4 | 20.0 | 16.5 | 15.4 | 1.7 | 29.2 | 0.463 |
| | 1994 | 12.9 | 7 | 1 | 1.1 | 0.9 | 14.3 | 15.3 | 12.0 | 0.0 | 33.9 | 0.708 |
| | 1995 | 12.8 | 5 | 1 | 0.6 | 0.7 | 20.0 | 12.8 | 20.1 | 0.0 | 47.8 | 0.517 |
| | 1996 | 12.4 | 3 | 1 | 0.8 | 0.7 | 33.3 | 25.2 | 16.3 | 0.0 | 39.3 | 0.603 |







[‡] Hospital sent comment letter


| | | Р | lumas (| County: | Indian | Valley H | ealthca | re Distri | ct | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | , | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 8 | 5 | 2.3 | 1.2 | 62.5 | 28.4 | 28.0 | 15.1 | 40.9 | 0.032 |
| | 1994 | 13.0 | 1 | 0 | 0.3 | 0.5 | 0.0 | 34.0 | 0.0 | 0.0 | 35.4 | 0.660 |
| | 1995 | 12.8 | 4 | 3 | 1.6 | 0.9 | 75.0 | 40.3 | 23.8 | 9.3 | 38.4 | 0.167 |
| | 1996 | 12.3 | 3 | 2 | 0.3 | 0.5 | 66.7 | 10.6 | 77.5 | 37.4 | 100.0 | 0.029 |
| Model B | All Years | 12.7 | 8 | 5 | 3.7 | 1.1 | 62.5 | 45.9 | 17.3 | 9.9 | 24.7 | 0.220 |
| | 1994 | 12.9 | 1 | 0 | 0.7 | 0.5 | 0.0 | 65.9 | 0.0 | 0.0 | 18.2 | 0.341 |
| | 1995 | 12.8 | 4 | 3 | 2.2 | 0.8 | 75.0 | 56.2 | 17.1 | 8.2 | 26.0 | 0.375 |
| | 1996 | 12.4 | 3 | 2 | 0.8 | 0.6 | 66.7 | 25.4 | 32.4 | 14.1 | 50.8 | 0.073 |






| | | | Plum | as Cou | nty: Plu | mas Dis | trict Ho | spital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 13 | 2 | 2.7 | 1.4 | 15.4 | 20.8 | 9.4 | 0.0 | 22.2 | 0.466 |
| | 1994 | 13.0 | 3 | 0 | 0.5 | 0.6 | 0.0 | 16.7 | 0.0 | 0.0 | 31.8 | 0.568 |
| | 1995 | 12.8 | 8 | 2 | 2.0 | 1.2 | 25.0 | 24.4 | 13.1 | 0.0 | 27.9 | 0.631 |
| | 1996 | 12.3 | 2 | 0 | 0.3 | 0.5 | 0.0 | 12.5 | 0.0 | 0.0 | 45.2 | 0.765 |
| Model B | All Years | 12.7 | 13 | 2 | 2.0 | 1.2 | 15.4 | 15.0 | 13.0 | 0.0 | 28.7 | 0.615 |
| | 1994 | 12.9 | 3 | 0 | 0.5 | 0.6 | 0.0 | 17.1 | 0.0 | 0.0 | 29.9 | 0.545 |
| | 1995 | 12.8 | 8 | 2 | 1.3 | 1.0 | 25.0 | 16.2 | 19.8 | 0.3 | 39.2 | 0.383 |
| | 1996 | 12.4 | 2 | 0 | 0.1 | 0.4 | 0.0 | 7.3 | 0.0 | 0.0 | 61.3 | 0.860 |







[‡] Hospital sent comment letter


| | | | F | Plumas | County: | Seneca | Hospit | al | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 7 | 1 | 1.5 | 1.0 | 14.3 | 21.7 | 8.4 | 0.0 | 25.6 | 0.526 |
| | 1994 | 13.0 | 3 | 1 | 0.8 | 0.8 | 33.3 | 27.2 | 15.9 | 0.0 | 39.3 | 0.624 |
| | 1995 | 12.8 | 2 | 0 | 0.5 | 0.6 | 0.0 | 26.2 | 0.0 | 0.0 | 29.6 | 0.543 |
| | 1996 | 12.3 | 2 | 0 | 0.2 | 0.4 | 0.0 | 8.9 | 0.0 | 0.0 | 53.0 | 0.825 |
| Model B | All Years | 12.7 | 5 | 1 | 0.9 | 0.9 | 20.0 | 18.2 | 13.9 | 0.0 | 37.2 | 0.641 |
| | 1994 | 12.9 | 3 | 1 | 0.6 | 0.7 | 33.3 | 19.7 | 21.8 | 0.0 | 50.9 | 0.488 |
| | 1995 | 12.8 | 1 | 0 | 0.2 | 0.4 | 0.0 | 21.3 | 0.0 | 0.0 | 48.2 | 0.787 |
| | 1996 | 12.4 | 1 | 0 | 0.1 | 0.3 | 0.0 | 10.7 | 0.0 | 0.0 | 70.0 | 0.893 |







| | | | | Ri | verside | County | Summa | ry | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------------|---------------------------------------|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 16 | 6,918 | 911 | 958.2 | 26.9 | 13.2 | 13.9 | 12.1 | 11.4 | 12.8 |
| | 1994 | 13.0 | 16 | 2,293 | 323 | 328.3 | 15.7 | 14.1 | 14.3 | 12.8 | 11.5 | 14.0 |
| | 1995 | 12.8 | 16 | 2,406 | 322 | 338.7 | 16.0 | 13.4 | 14.1 | 12.2 | 11.0 | 13.3 |
| | 1996 | 12.3 | 16 | 2,219 | 266 | 291.2 | 14.9 | 12.0 | 13.1 | 11.3 | 10.0 | 12.5 |
| Model B | All Years | 12.7 | 16 | 6,872 | 906 | 936.3 | 24.6 | 13.2 | 13.6 | 12.3 | 11.6 | 13.0 |
| | 1994 | 12.9 | 16 | 2,286 | 322 | 330.9 | 14.5 | 14.1 | 14.5 | 12.6 | 11.5 | 13.7 |
| | 1995 | 12.8 | 16 | 2,382 | 322 | 320.2 | 14.6 | 13.5 | 13.4 | 12.9 | 11.7 | 14.0 |
| | 1996 | 12.4 | 16 | 2,204 | 262 | 285.2 | 13.6 | 11.9 | 12.9 | 11.4 | 10.2 | 12.5 |







| | | Riversi | ide Cou | nty: Co | rona Re | gional F | Rehab C | enter-M | agnolia | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 385 | 53 | 43.2 | 5.7 | 13.8 | 11.2 | 15.6 | 12.3 | 18.9 | 0.055 |
| | 1994 | 13.0 | 157 | 25 | 18.4 | 3.8 | 15.9 | 11.8 | 17.6 | 12.3 | 22.8 | 0.060 |
| | 1995 | 12.8 | 126 | 16 | 14.9 | 3.3 | 12.7 | 11.8 | 13.8 | 8.2 | 19.4 | 0.413 |
| | 1996 | 12.3 | 102 | 12 | 9.9 | 2.7 | 11.8 | 9.7 | 15.0 | 8.3 | 21.8 | 0.267 |
| Model B | All Years | 12.7 | 385 | 53 | 44.7 | 5.4 | 13.8 | 11.6 | 15.1 | 12.1 | 18.0 | 0.076 |
| | 1994 | 12.9 | 157 | 25 | 20.1 | 3.6 | 15.9 | 12.8 | 16.0 | 11.5 | 20.6 | 0.114 |
| | 1995 | 12.8 | 126 | 16 | 14.1 | 3.0 | 12.7 | 11.2 | 14.6 | 9.2 | 19.9 | 0.309 |
| | 1996 | 12.4 | 102 | 12 | 10.5 | 2.6 | 11.8 | 10.3 | 14.1 | 8.1 | 20.0 | 0.346 |







| | | | R | iverside | Count | y: Deser | t Hospit | tal | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 541 | 73 | 76.2 | 7.6 | 13.5 | 14.1 | 12.2 | 9.7 | 14.7 | 0.367 |
| | 1994 | 13.0 | 204 | 29 | 28.4 | 4.7 | 14.2 | 13.9 | 13.3 | 9.1 | 17.4 | 0.479 |
| | 1995 | 12.8 | 161 | 26 | 23.9 | 4.2 | 16.1 | 14.8 | 13.9 | 9.5 | 18.4 | 0.346 |
| | 1996 | 12.3 | 176 | 18 | 23.9 | 4.3 | 10.2 | 13.6 | 9.3 | 4.9 | 13.6 | 0.100 |
| Model B | All Years | 12.7 | 539 | 73 | 79.7 | 7.2 | 13.5 | 14.8 | 11.6 | 9.4 | 13.9 | 0.195 |
| | 1994 | 12.9 | 203 | 29 | 29.6 | 4.4 | 14.3 | 14.6 | 12.7 | 8.9 | 16.5 | 0.498 |
| | 1995 | 12.8 | 160 | 26 | 27.4 | 4.1 | 16.3 | 17.1 | 12.2 | 8.4 | 15.9 | 0.419 |
| | 1996 | 12.4 | 176 | 18 | 22.7 | 3.9 | 10.2 | 12.9 | 9.8 | 5.7 | 14.0 | 0.140 |







| | | R | iverside | Count | y: Eisen | hower N | /lemoria | l Hospi | tal | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 728 | 87 | 96.9 | 8.6 | 12.0 | 13.3 | 11.4 | 9.2 | 13.6 | 0.138 |
| | 1994 | 13.0 | 260 | 31 | 36.1 | 5.3 | 11.9 | 13.9 | 11.1 | 7.4 | 14.8 | 0.193 |
| | 1995 | 12.8 | 249 | 34 | 33.2 | 5.1 | 13.7 | 13.3 | 13.1 | 9.3 | 16.9 | 0.469 |
| | 1996 | 12.3 | 219 | 22 | 27.6 | 4.6 | 10.0 | 12.6 | 9.8 | 5.8 | 13.9 | 0.133 |
| Model B | All Years | 12.7 | 722 | 86 | 91.8 | 7.7 | 11.9 | 12.7 | 11.9 | 9.8 | 14.0 | 0.245 |
| | 1994 | 12.9 | 256 | 30 | 31.5 | 4.6 | 11.7 | 12.3 | 12.3 | 8.6 | 16.0 | 0.418 |
| | 1995 | 12.8 | 249 | 34 | 32.8 | 4.6 | 13.7 | 13.2 | 13.3 | 9.8 | 16.8 | 0.436 |
| | 1996 | 12.4 | 217 | 22 | 27.5 | 4.1 | 10.1 | 12.7 | 9.9 | 6.3 | 13.5 | 0.110 |







| | | R | liverside | e Count | y: Heme | et Valley | Medica | l Cente | r‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 1620 | 241 | 292.2 | 14.5 | 14.9 | 18.0 | 10.5 | 9.2 | 11.7 | 0.000 |
| | 1994 | 13.0 | 497 | 85 | 97.3 | 8.3 | 17.1 | 19.6 | 11.3 | 9.2 | 13.5 | 0.075 |
| | 1995 | 12.8 | 569 | 78 | 107.5 | 8.8 | 13.7 | 18.9 | 9.3 | 7.2 | 11.3 | 0.000 |
| | 1996 | 12.3 | 554 | 78 | 87.4 | 8.1 | 14.1 | 15.8 | 11.0 | 8.8 | 13.3 | 0.136 |
| Model B | All Years | 12.7 | 1605 | 239 | 277.6 | 13.3 | 14.9 | 17.3 | 10.9 | 9.7 | 12.1 | 0.002 |
| | 1994 | 12.9 | 496 | 85 | 96.2 | 7.6 | 17.1 | 19.4 | 11.4 | 9.4 | 13.4 | 0.079 |
| | 1995 | 12.8 | 561 | 78 | 95.3 | 8.0 | 13.9 | 17.0 | 10.5 | 8.4 | 12.6 | 0.017 |
| | 1996 | 12.4 | 548 | 76 | 86.2 | 7.4 | 13.9 | 15.7 | 10.9 | 8.8 | 13.0 | 0.095 |







| | | River | side Co | unty: In | land Va | alley Reg | jional M | edical (| Center | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 314 | 30 | 41.1 | 5.6 | 9.6 | 13.1 | 9.3 | 5.9 | 12.7 | 0.025 |
| | 1994 | 13.0 | 120 | 8 | 14.6 | 3.4 | 6.7 | 12.1 | 7.1 | 1.3 | 13.0 | 0.029 |
| | 1995 | 12.8 | 98 | 11 | 15.1 | 3.4 | 11.2 | 15.4 | 9.3 | 3.8 | 14.9 | 0.141 |
| | 1996 | 12.3 | 96 | 11 | 11.5 | 3.0 | 11.5 | 12.0 | 11.8 | 5.6 | 18.0 | 0.513 |
| Model B | All Years | 12.7 | 314 | 30 | 43.1 | 5.1 | 9.6 | 13.7 | 8.9 | 5.9 | 11.8 | 0.005 |
| | 1994 | 12.9 | 120 | 8 | 14.9 | 3.1 | 6.7 | 12.4 | 6.9 | 1.7 | 12.1 | 0.013 |
| | 1995 | 12.8 | 98 | 11 | 16.4 | 3.1 | 11.2 | 16.7 | 8.6 | 3.8 | 13.4 | 0.055 |
| | 1996 | 12.4 | 96 | 11 | 11.8 | 2.6 | 11.5 | 12.3 | 11.6 | 6.2 | 16.9 | 0.471 |






| | | Rive | rside C | ounty: 、 | John F. | Kenned | y Memo | rial Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 257 | 28 | 27.3 | 4.7 | 10.9 | 10.6 | 13.1 | 8.8 | 17.4 | 0.470 |
| | 1994 | 13.0 | 82 | 9 | 8.6 | 2.6 | 11.0 | 10.5 | 13.6 | 5.8 | 21.4 | 0.497 |
| | 1995 | 12.8 | 85 | 15 | 7.7 | 2.5 | 17.6 | 9.1 | 24.9 | 16.7 | 33.2 | 0.007 |
| | 1996 | 12.3 | 90 | 4 | 11.0 | 3.0 | 4.4 | 12.2 | 4.5 | 0.0 | 11.0 | 0.009 |
| Model B | All Years | 12.7 | 257 | 28 | 26.2 | 4.3 | 10.9 | 10.2 | 13.6 | 9.5 | 17.7 | 0.370 |
| | 1994 | 12.9 | 82 | 9 | 8.9 | 2.4 | 11.0 | 10.8 | 13.1 | 6.2 | 20.1 | 0.546 |
| | 1995 | 12.8 | 85 | 15 | 8.0 | 2.3 | 17.6 | 9.5 | 23.9 | 16.6 | 31.1 | 0.005 |
| | 1996 | 12.4 | 90 | 4 | 9.2 | 2.7 | 4.4 | 10.3 | 5.3 | 0.0 | 12.3 | 0.029 |







[‡] Hospital sent comment letter


| | | Rivers | side Co | unty: Ka | aiser Fo | undatio | n Hospi | tal-Rive | rside‡ | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 508 | 41 | 47.9 | 6.3 | 8.1 | 9.4 | 10.9 | 7.6 | 14.1 | 0.154 |
| | 1994 | 13.0 | 157 | 19 | 15.5 | 3.6 | 12.1 | 9.9 | 15.9 | 10.1 | 21.8 | 0.196 |
| | 1995 | 12.8 | 189 | 12 | 19.0 | 3.9 | 6.3 | 10.0 | 8.1 | 2.9 | 13.3 | 0.043 |
| | 1996 | 12.3 | 162 | 10 | 13.4 | 3.4 | 6.2 | 8.3 | 9.2 | 3.1 | 15.3 | 0.195 |
| Model B | All Years | 12.7 | 502 | 40 | 38.2 | 5.4 | 8.0 | 7.6 | 13.3 | 9.8 | 16.8 | 0.396 |
| | 1994 | 12.9 | 157 | 19 | 13.4 | 3.1 | 12.1 | 8.5 | 18.3 | 12.5 | 24.2 | 0.054 |
| | 1995 | 12.8 | 186 | 12 | 14.1 | 3.3 | 6.5 | 7.6 | 10.9 | 4.9 | 16.8 | 0.324 |
| | 1996 | 12.4 | 159 | 9 | 10.7 | 2.9 | 5.7 | 6.7 | 10.4 | 3.8 | 17.0 | 0.355 |







| | | | Riv | erside | County | : Lakesi | de Hosp | ital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 13 | 0 | 1.1 | 1.0 | 0.0 | 8.4 | 0.0 | 0.0 | 21.9 | 0.305 |
| | 1994 | 13.0 | 8 | 0 | 0.9 | 0.8 | 0.0 | 10.8 | 0.0 | 0.0 | 24.8 | 0.384 |
| | 1995 | 12.8 | 4 | 0 | 0.1 | 0.4 | 0.0 | 3.6 | 0.0 | 0.0 | 63.6 | 0.861 |
| | 1996 | 12.3 | 1 | 0 | 0.1 | 0.3 | 0.0 | 8.0 | 0.0 | 0.0 | 82.4 | 0.920 |
| Model B | All Years | 12.7 | 13 | 0 | 0.5 | 0.7 | 0.0 | 4.0 | 0.0 | 0.0 | 32.4 | 0.575 |
| | 1994 | 12.9 | 8 | 0 | 0.4 | 0.6 | 0.0 | 5.5 | 0.0 | 0.0 | 35.3 | 0.621 |
| | 1995 | 12.8 | 4 | 0 | 0.0 | 0.2 | 0.0 | 1.1 | 0.0 | 0.0 | 100.0 | 0.957 |
| | 1996 | 12.4 | 1 | 0 | 0.0 | 0.2 | 0.0 | 3.3 | 0.0 | 0.0 | 100.0 | 0.967 |







| | | R | iverside | Count | y: Meni | fee Valle | y Medic | al Cent | er | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 602 | 92 | 99.3 | 8.6 | 15.3 | 16.5 | 11.8 | 9.6 | 13.9 | 0.215 |
| | 1994 | 13.0 | 177 | 26 | 31.3 | 4.7 | 14.7 | 17.7 | 10.8 | 6.9 | 14.6 | 0.157 |
| | 1995 | 12.8 | 209 | 33 | 33.9 | 5.0 | 15.8 | 16.2 | 12.5 | 8.7 | 16.2 | 0.474 |
| | 1996 | 12.3 | 216 | 33 | 34.1 | 5.1 | 15.3 | 15.8 | 11.9 | 8.4 | 15.5 | 0.459 |
| Model B | All Years | 12.7 | 600 | 92 | 97.7 | 7.9 | 15.3 | 16.3 | 12.0 | 10.0 | 14.0 | 0.255 |
| | 1994 | 12.9 | 177 | 26 | 30.6 | 4.3 | 14.7 | 17.3 | 11.0 | 7.4 | 14.5 | 0.167 |
| | 1995 | 12.8 | 207 | 33 | 31.1 | 4.6 | 15.9 | 15.0 | 13.6 | 9.9 | 17.3 | 0.379 |
| | 1996 | 12.4 | 216 | 33 | 36.0 | 4.8 | 15.3 | 16.7 | 11.3 | 8.1 | 14.5 | 0.305 |






| | | Rive | erside C | ounty: | Moreno | Valley C | ommur | nity Hos | pital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 292 | 33 | 31.2 | 5.0 | 11.3 | 10.7 | 13.5 | 9.5 | 17.4 | 0.386 |
| | 1994 | 13.0 | 102 | 12 | 11.6 | 3.0 | 11.8 | 11.3 | 13.4 | 6.8 | 20.0 | 0.496 |
| | 1995 | 12.8 | 99 | 10 | 9.5 | 2.8 | 10.1 | 9.6 | 13.5 | 6.1 | 20.8 | 0.482 |
| | 1996 | 12.3 | 91 | 11 | 10.1 | 2.8 | 12.1 | 11.1 | 13.5 | 6.7 | 20.3 | 0.428 |
| Model B | All Years | 12.7 | 279 | 32 | 35.1 | 4.7 | 11.5 | 12.6 | 11.6 | 8.3 | 14.9 | 0.292 |
| | 1994 | 12.9 | 101 | 12 | 15.4 | 3.0 | 11.9 | 15.3 | 10.1 | 5.1 | 15.1 | 0.170 |
| | 1995 | 12.8 | 91 | 10 | 9.1 | 2.5 | 11.0 | 10.0 | 14.1 | 7.2 | 21.1 | 0.418 |
| | 1996 | 12.4 | 87 | 10 | 10.6 | 2.5 | 11.5 | 12.2 | 11.6 | 5.8 | 17.4 | 0.490 |







[‡] Hospital sent comment letter


| | | | Rive | erside C | ounty: | Palo Ve | rde Hos | pital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 63 | 13 | 8.7 | 2.5 | 20.6 | 13.9 | 18.9 | 11.8 | 26.0 | 0.070 |
| | 1994 | 13.0 | 18 | 4 | 2.9 | 1.4 | 22.2 | 15.9 | 18.1 | 5.5 | 30.7 | 0.312 |
| | 1995 | 12.8 | 25 | 7 | 2.8 | 1.5 | 28.0 | 11.3 | 31.8 | 18.7 | 45.0 | 0.011 |
| | 1996 | 12.3 | 20 | 2 | 3.1 | 1.4 | 10.0 | 15.3 | 8.0 | 0.0 | 19.3 | 0.360 |
| Model B | All Years | 12.7 | 63 | 13 | 6.3 | 2.1 | 20.6 | 10.0 | 26.1 | 17.9 | 34.3 | 0.003 |
| | 1994 | 12.9 | 18 | 4 | 1.8 | 1.2 | 22.2 | 9.9 | 28.9 | 11.9 | 45.8 | 0.084 |
| | 1995 | 12.8 | 25 | 7 | 1.9 | 1.2 | 28.0 | 7.4 | 48.4 | 31.9 | 64.9 | 0.001 |
| | 1996 | 12.4 | 20 | 2 | 2.7 | 1.2 | 10.0 | 13.4 | 9.2 | 0.0 | 20.0 | 0.467 |






| | R | iverside | County | : Parkvi | iew Con | nmunity | Hospita | al Medic | al Cente | er‡ | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 370 | 63 | 49.9 | 6.2 | 17.0 | 13.5 | 16.1 | 13.0 | 19.2 | 0.023 |
| | 1994 | 13.0 | 120 | 20 | 17.7 | 3.6 | 16.7 | 14.8 | 14.6 | 9.4 | 19.8 | 0.304 |
| | 1995 | 12.8 | 156 | 25 | 19.9 | 4.0 | 16.0 | 12.8 | 16.1 | 11.1 | 21.0 | 0.125 |
| | 1996 | 12.3 | 94 | 18 | 12.2 | 3.1 | 19.1 | 13.0 | 18.2 | 12.1 | 24.3 | 0.049 |
| Model B | All Years | 12.7 | 370 | 63 | 55.1 | 5.8 | 17.0 | 14.9 | 14.5 | 11.9 | 17.2 | 0.102 |
| | 1994 | 12.9 | 120 | 20 | 18.9 | 3.4 | 16.7 | 15.7 | 13.7 | 9.1 | 18.3 | 0.418 |
| | 1995 | 12.8 | 156 | 25 | 21.6 | 3.7 | 16.0 | 13.8 | 14.9 | 10.5 | 19.2 | 0.213 |
| | 1996 | 12.4 | 94 | 18 | 14.6 | 2.9 | 19.1 | 15.6 | 15.2 | 10.3 | 20.1 | 0.163 |







[‡] Hospital sent comment letter


| | | R | iverside | Count | y: River | side Co | nmunity | y Hospi | tal | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 576 | 76 | 72.8 | 7.5 | 13.2 | 12.6 | 13.3 | 10.7 | 15.8 | 0.355 |
| | 1994 | 13.0 | 179 | 24 | 22.6 | 4.2 | 13.4 | 12.6 | 13.7 | 9.1 | 18.4 | 0.410 |
| | 1995 | 12.8 | 211 | 32 | 26.8 | 4.5 | 15.2 | 12.7 | 15.3 | 11.0 | 19.5 | 0.152 |
| | 1996 | 12.3 | 186 | 20 | 23.3 | 4.2 | 10.8 | 12.5 | 10.6 | 6.2 | 15.0 | 0.255 |
| Model B | All Years | 12.7 | 576 | 76 | 79.2 | 7.0 | 13.2 | 13.7 | 12.2 | 10.0 | 14.4 | 0.354 |
| | 1994 | 12.9 | 179 | 24 | 27.6 | 4.0 | 13.4 | 15.4 | 11.3 | 7.5 | 15.0 | 0.225 |
| | 1995 | 12.8 | 211 | 32 | 28.4 | 4.2 | 15.2 | 13.5 | 14.4 | 10.7 | 18.2 | 0.226 |
| | 1996 | 12.4 | 186 | 20 | 23.2 | 3.9 | 10.8 | 12.5 | 10.6 | 6.6 | 14.7 | 0.246 |






| | R | Riverside | County | : River | side Ge | neral Ho | spital U | niversit | y Med C | tr | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 148 | 18 | 11.0 | 3.0 | 12.2 | 7.4 | 20.8 | 13.9 | 27.6 | 0.021 |
| | 1994 | 13.0 | 52 | 8 | 3.9 | 1.8 | 15.4 | 7.5 | 26.8 | 14.9 | 38.6 | 0.031 |
| | 1995 | 12.8 | 48 | 6 | 3.2 | 1.7 | 12.5 | 6.7 | 23.8 | 10.8 | 36.8 | 0.093 |
| | 1996 | 12.3 | 48 | 4 | 3.9 | 1.8 | 8.3 | 8.1 | 12.6 | 1.8 | 23.5 | 0.568 |
| Model B | All Years | 12.7 | 148 | 18 | 9.1 | 2.6 | 12.2 | 6.1 | 25.2 | 18.0 | 32.5 | 0.002 |
| | 1994 | 12.9 | 52 | 8 | 3.7 | 1.6 | 15.4 | 7.0 | 28.3 | 17.3 | 39.2 | 0.013 |
| | 1995 | 12.8 | 48 | 6 | 2.1 | 1.4 | 12.5 | 4.4 | 36.6 | 20.2 | 53.0 | 0.014 |
| | 1996 | 12.4 | 48 | 4 | 3.3 | 1.6 | 8.3 | 6.9 | 15.0 | 3.2 | 26.8 | 0.425 |







[‡] Hospital sent comment letter


| | | Riv | verside | County | : San G | orgonio | Memori | al Hosp | ital | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 236 | 32 | 31.2 | 4.9 | 13.6 | 13.2 | 13.1 | 9.1 | 17.0 | 0.465 |
| | 1994 | 13.0 | 81 | 13 | 10.0 | 2.8 | 16.0 | 12.4 | 16.8 | 9.7 | 24.0 | 0.186 |
| | 1995 | 12.8 | 82 | 7 | 10.6 | 2.9 | 8.5 | 12.9 | 8.5 | 1.7 | 15.3 | 0.142 |
| | 1996 | 12.3 | 73 | 12 | 10.6 | 2.9 | 16.4 | 14.5 | 14.0 | 7.4 | 20.5 | 0.365 |
| Model B | All Years | 12.7 | 235 | 32 | 23.8 | 4.2 | 13.6 | 10.1 | 17.1 | 12.7 | 21.5 | 0.038 |
| | 1994 | 12.9 | 81 | 13 | 8.2 | 2.4 | 16.0 | 10.1 | 20.5 | 13.1 | 27.9 | 0.042 |
| | 1995 | 12.8 | 81 | 7 | 8.3 | 2.5 | 8.6 | 10.3 | 10.8 | 3.3 | 18.2 | 0.382 |
| | 1996 | 12.4 | 73 | 12 | 7.3 | 2.4 | 16.4 | 10.0 | 20.4 | 12.3 | 28.5 | 0.048 |







| | | | Riversi | de Cou | nty: Sha | arp Heal | thcare N | /lurietta | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 265 | 31 | 28.4 | 4.8 | 11.7 | 10.7 | 13.9 | 9.7 | 18.1 | 0.322 |
| | 1994 | 13.0 | 79 | 10 | 8.7 | 2.7 | 12.7 | 11.0 | 14.9 | 7.2 | 22.7 | 0.367 |
| | 1995 | 12.8 | 95 | 10 | 10.5 | 2.9 | 10.5 | 11.1 | 12.1 | 5.3 | 19.0 | 0.508 |
| | 1996 | 12.3 | 91 | 11 | 9.2 | 2.7 | 12.1 | 10.1 | 14.8 | 7.7 | 22.0 | 0.299 |
| Model B | All Years | 12.7 | 264 | 31 | 28.2 | 4.4 | 11.7 | 10.7 | 14.0 | 10.1 | 17.9 | 0.295 |
| | 1994 | 12.9 | 79 | 10 | 9.7 | 2.6 | 12.7 | 12.2 | 13.4 | 6.7 | 20.1 | 0.510 |
| | 1995 | 12.8 | 94 | 10 | 9.6 | 2.6 | 10.6 | 10.3 | 13.3 | 6.6 | 20.0 | 0.509 |
| | 1996 | 12.4 | 91 | 11 | 8.9 | 2.5 | 12.1 | 9.8 | 15.3 | 8.5 | 22.0 | 0.253 |







| | | | | Sac | rament | o Count | y Summ | ary | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 10 | 4,845 | 543 | 558.9 | 20.9 | 11.2 | 11.5 | 12.4 | 11.4 | 13.3 |
| | 1994 | 13.0 | 10 | 1,751 | 201 | 210.4 | 12.8 | 11.5 | 12.0 | 12.4 | 10.8 | 13.9 |
| | 1995 | 12.8 | 10 | 1,542 | 188 | 177.1 | 11.8 | 12.2 | 11.5 | 13.6 | 11.9 | 15.3 |
| | 1996 | 12.3 | 10 | 1,552 | 154 | 171.4 | 11.7 | 9.9 | 11.0 | 11.1 | 9.4 | 12.7 |
| Model B | All Years | 12.7 | 10 | 4,810 | 539 | 553.3 | 19.3 | 11.2 | 11.5 | 12.4 | 11.5 | 13.2 |
| | 1994 | 12.9 | 10 | 1,743 | 199 | 201.3 | 11.7 | 11.4 | 11.5 | 12.8 | 11.3 | 14.3 |
| | 1995 | 12.8 | 10 | 1,533 | 187 | 178.3 | 10.8 | 12.2 | 11.6 | 13.4 | 11.9 | 15.0 |
| | 1996 | 12.4 | 10 | 1,534 | 153 | 173.7 | 10.8 | 10.0 | 11.3 | 10.9 | 9.4 | 12.4 |







| | , | Sacrame | ento Co | unty: Ka | aiser Fo | undatio | n Hospi | tal-Sacr | amento | ‡ | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 1074 | 67 | 109.5 | 9.4 | 6.2 | 10.2 | 7.8 | 5.6 | 9.9 | 0.000 |
| | 1994 | 13.0 | 345 | 19 | 31.8 | 5.1 | 5.5 | 9.2 | 7.7 | 3.6 | 11.8 | 0.006 |
| | 1995 | 12.8 | 367 | 27 | 38.0 | 5.5 | 7.4 | 10.4 | 9.1 | 5.4 | 12.7 | 0.025 |
| | 1996 | 12.3 | 362 | 21 | 39.7 | 5.6 | 5.8 | 11.0 | 6.5 | 3.1 | 10.0 | 0.000 |
| Model B | All Years | 12.7 | 1071 | 67 | 95.9 | 8.3 | 6.3 | 8.9 | 8.9 | 6.7 | 11.0 | 0.000 |
| | 1994 | 12.9 | 345 | 19 | 25.3 | 4.4 | 5.5 | 7.3 | 9.7 | 5.4 | 14.1 | 0.089 |
| | 1995 | 12.8 | 366 | 27 | 32.1 | 4.9 | 7.4 | 8.8 | 10.8 | 7.0 | 14.6 | 0.173 |
| | 1996 | 12.4 | 360 | 21 | 38.5 | 5.1 | 5.8 | 10.7 | 6.7 | 3.6 | 9.9 | 0.000 |







| | Sac | ramento | Count | y: Kaise | r Found | dation H | ospital- | South S | acrame | nto‡ | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 570 | 41 | 52.8 | 6.6 | 7.2 | 9.3 | 9.9 | 6.8 | 13.0 | 0.040 |
| | 1994 | 13.0 | 202 | 17 | 18.8 | 3.9 | 8.4 | 9.3 | 11.7 | 6.4 | 17.0 | 0.376 |
| | 1995 | 12.8 | 180 | 11 | 16.7 | 3.7 | 6.1 | 9.3 | 8.5 | 2.8 | 14.1 | 0.078 |
| | 1996 | 12.3 | 188 | 13 | 17.3 | 3.7 | 6.9 | 9.2 | 9.3 | 4.0 | 14.5 | 0.155 |
| Model B | All Years | 12.7 | 569 | 41 | 49.8 | 5.9 | 7.2 | 8.7 | 10.5 | 7.5 | 13.4 | 0.080 |
| | 1994 | 12.9 | 202 | 17 | 19.3 | 3.7 | 8.4 | 9.5 | 11.4 | 6.6 | 16.2 | 0.322 |
| | 1995 | 12.8 | 180 | 11 | 13.4 | 3.2 | 6.1 | 7.4 | 10.5 | 4.5 | 16.5 | 0.287 |
| | 1996 | 12.4 | 187 | 13 | 17.1 | 3.4 | 7.0 | 9.2 | 9.4 | 4.5 | 14.2 | 0.143 |






| Sacrar | mento C | ounty: N | lercy A | nerican | River/N | lercy Sa | n Juan | Hospita | ıl, Ameri | can Riv | er Camp | ous |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 353 | 52 | 48.2 | 6.0 | 14.7 | 13.6 | 13.7 | 10.6 | 16.8 | 0.287 |
| | 1994 | 13.0 | 148 | 24 | 21.5 | 4.0 | 16.2 | 14.6 | 14.5 | 9.7 | 19.2 | 0.306 |
| | 1995 | 12.8 | 126 | 22 | 16.8 | 3.6 | 17.5 | 13.3 | 16.8 | 11.4 | 22.1 | 0.096 |
| | 1996 | 12.3 | 79 | 6 | 9.8 | 2.8 | 7.6 | 12.5 | 7.5 | 0.7 | 14.3 | 0.109 |
| Model B | All Years | 12.7 | 350 | 51 | 49.0 | 5.8 | 14.6 | 14.0 | 13.2 | 10.3 | 16.2 | 0.390 |
| | 1994 | 12.9 | 148 | 24 | 22.2 | 3.9 | 16.2 | 15.0 | 14.0 | 9.6 | 18.4 | 0.357 |
| | 1995 | 12.8 | 125 | 21 | 16.8 | 3.3 | 16.8 | 13.4 | 16.0 | 11.1 | 21.0 | 0.131 |
| | 1996 | 12.4 | 77 | 6 | 10.0 | 2.7 | 7.8 | 13.0 | 7.4 | 0.9 | 13.9 | 0.089 |







[‡] Hospital sent comment letter


| Sacra | amento (| County: | Mercy A | America | n River | Mercy S | an Juai | n Hospi | tal, San | Juan Ca | mpus | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|---------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 749 | 102 | 97.1 | 8.7 | 13.6 | 13.0 | 13.4 | 11.1 | 15.6 | 0.303 |
| | 1994 | 13.0 | 262 | 38 | 34.1 | 5.1 | 14.5 | 13.0 | 14.5 | 10.6 | 18.3 | 0.248 |
| | 1995 | 12.8 | 262 | 44 | 36.4 | 5.3 | 16.8 | 13.9 | 15.5 | 11.8 | 19.1 | 0.093 |
| | 1996 | 12.3 | 225 | 20 | 26.6 | 4.6 | 8.9 | 11.8 | 9.3 | 5.1 | 13.5 | 0.090 |
| Model B | All Years | 12.7 | 741 | 101 | 104.9 | 8.2 | 13.6 | 14.2 | 12.2 | 10.3 | 14.2 | 0.340 |
| | 1994 | 12.9 | 261 | 37 | 33.0 | 4.7 | 14.2 | 12.6 | 14.5 | 10.9 | 18.1 | 0.226 |
| | 1995 | 12.8 | 259 | 44 | 44.8 | 5.1 | 17.0 | 17.3 | 12.6 | 9.7 | 15.5 | 0.485 |
| | 1996 | 12.4 | 221 | 20 | 27.2 | 4.4 | 9.0 | 12.3 | 9.1 | 5.2 | 13.0 | 0.059 |







| | | | Sacran | nento C | ounty: I | Mercy G | eneral F | lospital | | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|-----|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 408 | 49 | 54.3 | 6.5 | 12.0 | 13.3 | 11.5 | 8.5 | 14.4 | 0.232 |
| | 1994 | 13.0 | 168 | 22 | 24.5 | 4.3 | 13.1 | 14.6 | 11.6 | 7.2 | 16.1 | 0.326 |
| | 1995 | 12.8 | 120 | 13 | 14.7 | 3.4 | 10.8 | 12.3 | 11.3 | 5.5 | 17.1 | 0.371 |
| | 1996 | 12.3 | 120 | 14 | 15.0 | 3.4 | 11.7 | 12.5 | 11.5 | 6.0 | 17.0 | 0.448 |
| Model B | All Years | 12.7 | 406 | 49 | 57.0 | 5.9 | 12.1 | 14.0 | 10.9 | 8.3 | 13.5 | 0.103 |
| | 1994 | 12.9 | 168 | 22 | 24.5 | 3.9 | 13.1 | 14.6 | 11.6 | 7.6 | 15.6 | 0.311 |
| | 1995 | 12.8 | 120 | 13 | 16.2 | 3.1 | 10.8 | 13.5 | 10.3 | 5.4 | 15.2 | 0.198 |
| | 1996 | 12.4 | 118 | 14 | 16.3 | 3.2 | 11.9 | 13.8 | 10.6 | 5.8 | 15.4 | 0.291 |







| | | ; | Sacram | ento Co | unty: M | ercy Ho | spital of | f Folson | n | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 177 | 18 | 18.9 | 3.9 | 10.2 | 10.7 | 12.1 | 7.0 | 17.2 | 0.468 |
| | 1994 | 13.0 | 51 | 3 | 5.4 | 2.1 | 5.9 | 10.6 | 7.2 | 0.0 | 17.0 | 0.182 |
| | 1995 | 12.8 | 62 | 6 | 5.5 | 2.1 | 9.7 | 8.9 | 13.9 | 4.3 | 23.5 | 0.482 |
| | 1996 | 12.3 | 64 | 9 | 8.0 | 2.4 | 14.1 | 12.5 | 13.9 | 6.6 | 21.3 | 0.400 |
| Model B | All Years | 12.7 | 175 | 18 | 17.8 | 3.5 | 10.3 | 10.2 | 12.8 | 8.0 | 17.7 | 0.527 |
| | 1994 | 12.9 | 50 | 3 | 4.8 | 1.9 | 6.0 | 9.6 | 8.1 | 0.0 | 18.3 | 0.259 |
| | 1995 | 12.8 | 62 | 6 | 5.8 | 1.9 | 9.7 | 9.4 | 13.3 | 4.8 | 21.7 | 0.544 |
| | 1996 | 12.4 | 63 | 9 | 7.2 | 2.1 | 14.3 | 11.5 | 15.4 | 8.2 | 22.6 | 0.265 |







| | | Sacr | amento | County | : Metho | dist Ho | spital of | Sacran | nento | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--------------------------------------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjuste 95% Confide Lower | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 250 | 38 | 34.7 | 5.1 | 15.2 | 13.9 | 13.9 | 10.2 | 17.6 | 0.291 |
| | 1994 | 13.0 | 147 | 22 | 22.4 | 4.1 | 15.0 | 15.2 | 12.7 | 8.1 | 17.4 | 0.519 |
| | 1995 | Excluded | | | | | | | | | | |
| | 1996 | 12.3 | 103 | 16 | 12.4 | 3.1 | 15.5 | 12.0 | 16.0 | 9.9 | 22.1 | 0.155 |
| Model B | All Years | 12.7 | 249 | 38 | 33.6 | 4.8 | 15.3 | 13.5 | 14.4 | 10.8 | 17.9 | 0.205 |
| | 1994 | 12.9 | 147 | 22 | 20.2 | 3.8 | 15.0 | 13.7 | 14.1 | 9.3 | 18.8 | 0.358 |
| | 1995 | Excluded | | | | | | | | | | |
| | 1996 | 12.4 | 102 | 16 | 13.4 | 2.9 | 15.7 | 13.1 | 14.8 | 9.5 | 20.1 | 0.230 |







| Sacramento County: Sutter General Hospital | | | | | | | | | | | | | |
|--|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance | |
| Model A | All Years | 12.7 | 359 | 70 | 53.9 | 6.4 | 19.5 | 15.0 | 16.5 | 13.6 | 19.4 | 0.008 | |
| | 1994 | 13.0 | 158 | 22 | 24.3 | 4.3 | 13.9 | 15.3 | 11.8 | 7.3 | 16.2 | 0.347 | |
| | 1995 | 12.8 | 122 | 27 | 17.8 | 3.6 | 22.1 | 14.6 | 19.5 | 14.3 | 24.6 | 0.010 | |
| | 1996 | 12.3 | 79 | 21 | 11.9 | 3.0 | 26.6 | 15.1 | 21.8 | 15.6 | 27.9 | 0.004 | |
| Model B | All Years | 12.7 | 359 | 70 | 54.8 | 6.0 | 19.5 | 15.3 | 16.2 | 13.5 | 19.0 | 0.008 | |
| | 1994 | 12.9 | 158 | 22 | 24.0 | 4.0 | 13.9 | 15.2 | 11.9 | 7.6 | 16.1 | 0.362 | |
| | 1995 | 12.8 | 122 | 27 | 17.6 | 3.4 | 22.1 | 14.5 | 19.6 | 14.8 | 24.4 | 0.006 | |
| | 1996 | 12.4 | 79 | 21 | 13.1 | 2.9 | 26.6 | 16.6 | 19.7 | 14.4 | 25.1 | 0.007 | |







| | | | Sacram | ento Co | ounty: S | utter Me | morial | Hospita | I | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|--|------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted Death Rate 95% Confidence Bounds Lower Upper | | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 404 | 39 | 43.3 | 5.9 | 9.7 | 10.7 | 11.5 | 8.1 | 14.8 | 0.264 |
| | 1994 | 13.0 | 99 | 11 | 13.0 | 3.1 | 11.1 | 13.1 | 11.0 | 4.9 | 17.1 | 0.323 |
| | 1995 | 12.8 | 141 | 14 | 15.5 | 3.5 | 9.9 | 11.0 | 11.6 | 5.8 | 17.3 | 0.403 |
| | 1996 | 12.3 | 164 | 14 | 14.8 | 3.5 | 8.5 | 9.0 | 11.7 | 6.0 | 17.4 | 0.482 |
| Model B | All Years | 12.7 | 398 | 39 | 38.7 | 5.2 | 9.8 | 9.7 | 12.8 | 9.5 | 16.1 | 0.511 |
| | 1994 | 12.9 | 96 | 11 | 12.5 | 2.8 | 11.5 | 13.0 | 11.4 | 5.7 | 17.1 | 0.372 |
| | 1995 | 12.8 | 138 | 14 | 13.2 | 3.1 | 10.1 | 9.6 | 13.6 | 7.8 | 19.4 | 0.451 |
| | 1996 | 12.4 | 164 | 14 | 13.0 | 3.1 | 8.5 | 7.9 | 13.3 | 7.5 | 19.0 | 0.426 |







| | | 5 | Sacrame | ento Co | unty: U | .C. Davis | Medica | al Cente | er | | | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|------|--------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | d Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 501 | 67 | 46.2 | 6.1 | 13.4 | 9.2 | 18.4 | 15.2 | 21.7 | 0.001 |
| | 1994 | 13.0 | 171 | 23 | 14.5 | 3.4 | 13.5 | 8.5 | 20.5 | 14.5 | 26.6 | 0.014 |
| | 1995 | 12.8 | 162 | 24 | 15.7 | 3.5 | 14.8 | 9.7 | 19.5 | 13.9 | 25.1 | 0.017 |
| | 1996 | 12.3 | 168 | 20 | 15.9 | 3.6 | 11.9 | 9.5 | 15.5 | 10.0 | 21.0 | 0.161 |
| Model B | All Years | 12.7 | 492 | 65 | 51.9 | 5.9 | 13.2 | 10.5 | 15.9 | 13.1 | 18.7 | 0.017 |
| | 1994 | 12.9 | 168 | 22 | 15.7 | 3.3 | 13.1 | 9.3 | 18.1 | 12.8 | 23.5 | 0.043 |
| | 1995 | 12.8 | 161 | 24 | 18.4 | 3.4 | 14.9 | 11.4 | 16.7 | 12.1 | 21.3 | 0.068 |
| | 1996 | 12.4 | 163 | 19 | 17.8 | 3.5 | 11.7 | 10.9 | 13.2 | 8.5 | 17.9 | 0.409 |





| | | | | Sar | n Benito | Count | y Summa | ary | | | | |
|---------|-----------|--------------------------------|------------------------------------|--------------------------------|---------------------------------|---------------------------|--|-------------------------------|-------------------------------|--|---------------------------------------|------|
| | | Statewide Death Rate (%) | Number of Hospitals Included | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | Risk-Adjusted 95% Confide Lower | |
| Model A | All Years | 12.7 | 1 | 119 | 10 | 12.3 | 3.2 | 8.4 | 10.3 | 10.3 | 3.9 | 16.7 |
| | 1994 | 13.0 | 1 | 48 | 5 | 5.3 | 2.1 | 10.4 | 10.9 | 12.3 | 2.3 | 22.3 |
| | 1995 | 12.8 | 1 | 43 | 3 | 3.9 | 1.8 | 7.0 | 9.2 | 9.7 | 0.0 | 21.2 |
| | 1996 | 12.3 | 1 | 28 | 2 | 3.1 | 1.6 | 7.1 | 11.1 | 8.0 | 0.0 | 20.2 |
| Model B | All Years | 12.7 | 1 | 119 | 10 | 12.8 | 2.9 | 8.4 | 10.7 | 9.9 | 4.3 | 15.6 |
| | 1994 | 12.9 | 1 | 48 | 5 | 6.7 | 2.0 | 10.4 | 14.0 | 9.6 | 2.2 | 17.1 |
| | 1995 | 12.8 | 1 | 43 | 3 | 3.2 | 1.6 | 7.0 | 7.4 | 12.0 | 0.0 | 24.5 |
| | 1996 | 12.4 | 1 | 28 | 2 | 2.9 | 1.4 | 7.1 | 10.3 | 8.6 | 0.0 | 20.5 |





| Sar | n Benito | County | : Hazel I | Hawkins | s Memo | rial Hos _l | pital-Sa | n Benito | Health | care Dis | strict | |
|---------|-----------|--------------------------------|--------------------------------|---------------------------------|---------------------------------|--|-------------------------------|-------------------------------|--|----------|---------------------------------------|--|
| | | Statewide Death Rate (%) | Number of Cases Included | Number of Observed Deaths | Number of Expected Deaths | Standard Deviation of Observed Deaths | Observed Death Rate (%) | Expected Death Rate (%) | Risk- Adjusted Death Rate (%) | | ed Death Rate ence Bounds Upper | Probability This Rate Occurred by Chance |
| Model A | All Years | 12.7 | 119 | 10 | 12.3 | 3.2 | 8.4 | 10.3 | 10.3 | 3.9 | 16.7 | 0.293 |
| | 1994 | 13.0 | 48 | 5 | 5.3 | 2.1 | 10.4 | 10.9 | 12.3 | 2.3 | 22.3 | 0.568 |
| | 1995 | 12.8 | 43 | 3 | 3.9 | 1.8 | 7.0 | 9.2 | 9.7 | 0.0 | 21.2 | 0.427 |
| | 1996 | 12.3 | 28 | 2 | 3.1 | 1.6 | 7.1 | 11.1 | 8.0 | 0.0 | 20.2 | 0.374 |
| Model B | All Years | 12.7 | 119 | 10 | 12.8 | 2.9 | 8.4 | 10.7 | 9.9 | 4.3 | 15.6 | 0.220 |
| | 1994 | 12.9 | 48 | 5 | 6.7 | 2.0 | 10.4 | 14.0 | 9.6 | 2.2 | 17.1 | 0.281 |
| | 1995 | 12.8 | 43 | 3 | 3.2 | 1.6 | 7.0 | 7.4 | 12.0 | 0.0 | 24.5 | 0.604 |
| | 1996 | 12.4 | 28 | 2 | 2.9 | 1.4 | 7.1 | 10.3 | 8.6 | 0.0 | 20.5 | 0.417 |

